

Technical Specifications				2004 Audi A4 1.8T Se
ENGINE:	.			
Туре	Inline 4-cylinder with exha	ust gas turbocharger and	charge-air intercooling, DOHC	
Arrangement	Front mounted, longitudin			
Bore	3.18 in. 81 r			
Stroke	3.40 in. 86.4 r	nm		
Displacement	109 cu. in. 1781 c	c		
Compression ratio	9.3:1			
Fuel requirement	Premium unleaded 91 AK	I / 95 RON recommended	for maximum performance	
Horsepower (SAE)	170 hp @ 5900	rpm	· · ·	
Max. Torque	166 lbs. ft. @ 1950 -	5000 rpm		
ENGINE DESIGN:	L			
Cylinder block	Cast iron			
Crankshaft	Forged steel, 4 main bear	ings		
Cylinder head	Aluminum alloy	0		
Valve train / intake		nt, DOHC belt driven, hydr	aulic lifters	
Firing order	1 - 3 - 4 - 2	, , , ,		
Cooling system		cally controlled radiator far	1	
Lubrication system	Gear pump, pressurized, f			
Fuel injection /			ction with adaptive idle-charge contro	l, acceleration enrichment, overrun
Ignition system			n with solid-state high-voltage distribu	
		easurement, integrated bo	• •	- · · ·
Emission system		erters w/individual oxygen	•	
ELECTRICAL SYSTEM:				
Battery	12 volts 80 a	amp/hr		
Alternator	14 volts 120 a			
DRIVETRAIN:		ľ		
Transmissions	 5-speed manual transmi 	ssion for front-wheel drive		
	 6-speed manual transmi 			
	 Audi multitronic[®] Continu 	uously Variable Transmissi	ion (CVT)	
	 5-speed automatic with 	Fiptronic [®]		
Туре	Front-	wheel drive	quattr	0
	Manual 5-speed	multitronic®	Manual 6-speed	Automatic 5-speed w/ Tiptronic
Gear ratios: 1st	3.778:1	2.400:1		3.665:1
2nd	2.176:1	-		1.999:1
3rd	1.429:1	-		1.407:1
4th	1.091:1	-	Data not yet availal	ble 1.000:1
5th	0.865:1	-		0.742:1
Final Drive	3.700:1	4.778:1		3.091:1
Front Differential	Hypoid gear, electronical	lly locking (EDL)	Hypoid gear, electronically loci	
Center Differential			TORSEN [®] (TORque SENsing)	differential providing
			automatic and variable front to	rear power proportioning
Rear Differential			Hypoid gear, electronically lock	ing (EDL)
			rijpela geal, elecaelleally leen	
STEERING:	Maintenance-free rack on	d-ninion steering with now		
STEERING: Type		d-pinion steering with pow		
STEERING: Type Ratio	16.3:1	d-pinion steering with pow		
STEERING: Type		d-pinion steering with pow		
STEERING: Type Ratio	16.3:1	· · ·		
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb)	16.3:1 n.a.	· · ·		
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb)	16.3:1 n.a. 36.4 ft. 11.1 r	n		narged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front	16.3:1 n.a. 36.4 ft. Four link, upper and lower	n control arms, stabilizer ba	er assist r, coil spring/shock absorbers (gas ch	5 ,
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak)	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo	n control arms, stabilizer ba bidal link rear suspension,	er assist r, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar	nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro)	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo	n control arms, stabilizer ba bidal link rear suspension,	er assist r, coil spring/shock absorbers (gas ch	nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro) BRAKES:	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo Fully independent, trapezo	n control arms, stabilizer ba pidal link rear suspension, pidal link rear suspension,	er assist ar, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar stabilizer bar, separate coil springs ar	nd shock absorbers (gas charged) nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro)	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo Fully independent, trapezo Dual circuit brake system	n control arms, stabilizer ba pidal link rear suspension, pidal link rear suspension, with diagonal split, Anti-loc	er assist ar, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar stabilizer bar, separate coil springs ar	nd shock absorbers (gas charged) nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro) BRAKES:	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo Fully independent, trapezo Dual circuit brake system	n control arms, stabilizer ba pidal link rear suspension, pidal link rear suspension,	er assist ar, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar stabilizer bar, separate coil springs ar	nd shock absorbers (gas charged) nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro) BRAKES:	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo Fully independent, trapezo Dual circuit brake system	n control arms, stabilizer ba bidal link rear suspension, bidal link rear suspension, with diagonal split, Anti-loc ogram (ESP); tandem brak	er assist ar, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar stabilizer bar, separate coil springs ar sk Brake System (ABS), Electronic Bra se booster	nd shock absorbers (gas charged) nd shock absorbers (gas charged)
STEERING: Type Ratio Turns (lock-to-lock) Turning circle (curb-to-curb) SUSPENSION: Front Rear (FrontTrak) Rear (quattro) BRAKES: Service brake	16.3:1 n.a. 36.4 ft. 11.1 r Four link, upper and lower Fully independent, trapezo Fully independent, trapezo Dual circuit brake system Electronic Stabilization Principal	n control arms, stabilizer ba bidal link rear suspension, bidal link rear suspension, with diagonal split, Anti-loc ogram (ESP); tandem brak nm - Ventilated disc	er assist ar, coil spring/shock absorbers (gas ch stabilizer bar, separate coil springs ar stabilizer bar, sepa	nd shock absorbers (gas charged) nd shock absorbers (gas charged)

Technical Specifications (cor	ntinued)						2	2004 Audi A	4 1.8 T Sedan
WHEELS:	Optional 16" (0	CA1)		Option	nal 17" (C1X)				
Size	7J x 16			7.5J x	17				
Offset	42 mm			45 mm	1				
Weight	9,600 g / 21 lbs				g / 26 lbs				
Туре	Cast alloy			Cast a					
TIRES:	Optional 16" (H	-19P)			nal 17" (H8A) or (I	HG6)			
Size	215 / 55			235 / 4	.5				
Speed rating	H			Y or H					
Construction	Radial 91			Radial 94					
Load Index Brand / Type (all approved)	Pirelli P6 Four S	Socons			SP 9090 (Perforr	manco)			
	Michelin MXM4				in Pilot Primacy (P	,			
	-				Sport Contact 2 (P	-			
BODY:				Conta v					
Material	Linitized steel s	tructuro with into	aratod alum	inum and mad		ate			
Corrosion protection			-		nesium componer		orforatio	n)	
· · ·	All steel parts a		ue zinc-yaiva	anizeu. (12-ye		y against corrosion p	enoratio	лт <i>)</i>	
		_		-l					
Engine oil			Front wheel			4.0		quattro	
Engine oil Eucl tank		4.2 qt. 18.5 gal.	4 I 70 I	iter		4.2 q		4 liter 66 liter	
Fuel tank Cooling system		6.9 qt.	6.5			17.4 g 6.9 g		6.5 liter	
		0.9 qi.	0.51	ilei		0.9 Q		0.5 litter	
EXTERIOR DIMENSIONS:		_							
W/baclbaca	101.2 in		ront wheel	drive		104.2 in	2650	quattro	
Wheelbase	104.3 in.	2650 mm	1	60.1 in	1526 mm	104.3 in.	2650		1500 mm
Track: front / rear Overall length	60.2 in. 179.0 in.	1528 mm 4547 mm	1	60.1 in.	1520 mm	60.2 in. 179.0 in.	1528 4547		n. 1526 mm
Overall width / with mirrors	69.5 in.	1766 mm	1	76.3 in.	1937 mm	69.5 in.	1766		n. 1937 mm
Height (unloaded)	56.2 in.	1428 mm	,	70.0 11.	1007 1111	56.2 in.	1428		1. 1007 1111
Ground clearance (loaded)	4.2 in.	106 mm				4.2 in.	106		
Curb weight: man. / auto.	3252 lbs.	1475 kg	1	3362 in.	1525 kg	3406 lbs.	1545		os. 1610 kg
Distribution: % front / rear	60 / 40			60 / 4		58 / 42		-	i9 / 41
Drag coefficient: Front / quattro	Cw = 0.30 / 0	.31 Fronta	al Area = 2.1	4 sq.m.					
INTERIOR DIMENSIONS (SAE measu	urements):								
Seating Capacity	5								
EPA class	Compact								
Head room front / rear	38.4 in.	976 mm	1	37.24 in.	946 mm				
w/sunroof front / rear	37.3 in.	948 mm	1	37.09 in.	942 mm				
Shoulder room front / rear	55.1 in.	1400 mm	/	53.43 in.	1357 mm				
Leg room front / rear	41.3 in.	1050 mm	1	34.25 in.	870 mm				
Interior volume front / rear	50.7 cu. ft.		1	39.4 cu. ft.	10	3.5 = total of cu. ft (includin	g trunk volume)	
Luggage Capacity	13.4 cu. ft.	380 liters							
PERFORMANCE:									
		Front wheel dri	ive				quatt	ro	
	Manual 5-sp	beed	multitronic			Manual 6-speed	1	Automa	tic
0-50 mph (0-80kmh)	5.8			sec.		6.1 sec.			ec.
0-60 mph (0-100 km/h)		Sec	70	sec.		8.1 sec.			ec.
1/4 mile	7.8								ec.
Top speed	16.2	sec.	15.9 క	sec.		16.2 sec.		16.7 s	
4	16.2		15.9 క	sec.	08 km/h)			16.7 s	
	16.2	sec.	15.9 క	sec.)8 km/h)			16.7 s	
	16.2 Top spe	sec.	15.9 క	sec.)8 km/h)			16.7 s	
FUEL ECONOMY: EPA	16.2	sec.	15.9 క	sec.)8 km/h)			16.7 s	
FUEL ECONOMY: EPA	16.2 Top spe estimate Front v	sec. eed is electronica wheel drive	15.9 క	sec.	08 km/h)		quatt	ro	
	16.2 Top spe estimate Front v Manual 5-spee	sec. eed is electronic: wheel drive ed	15.9 క	sec.	08 km/h)		•	ro Automa	tic
City	16.2 Top spe estimate Front v Manual 5-spee 22	sec. eed is electronic: wheel drive ed mpg	15.9 s ally limited a multitronic 23 r	sec. t 130 MPH (20)8 km/h)	16.2 sec.	•	ro Automa 20 r	tic npg
City Highway	16.2 Top spectrum estimate Front v Manual 5-spectrum 22 31	sec. eed is electronic: wheel drive ed mpg mpg	15.9 s ally limited a multitronic 23 r 29 r	sec. t 130 MPH (20 npg npg)8 km/h)	16.2 sec. Manual 6-speed 21 mpg 30 mpg	•	ro Automa 20 r 28 r	tic npg npg
City	16.2 Top spectrum estimate Front v Manual 5-spectrum 22 31	sec. eed is electronic: wheel drive ed mpg	15.9 s ally limited a multitronic 23 r	sec. t 130 MPH (20 npg npg)8 km/h)	16.2 sec.	•	ro Automa 20 r	tic npg npg
City Highway	16.2 Top spectrum estimate Manual 5-spee 22 31 25	sec. eed is electronic: wheel drive ed mpg mpg	15.9 s ally limited a multitronic 23 r 29 r	sec. t 130 MPH (20 npg npg)8 km/h)	16.2 sec. Manual 6-speed 21 mpg 30 mpg	•	ro Automa 20 r 28 r	tic npg npg
City Highway Combined FUEL ECONOMY: Canadian B	16.2 Top spectrum estimate Manual 5-spee 22 31 25	sec. eed is electronic: wheel drive ed mpg mpg mpg	15.9 s ally limited a multitronic 23 r 29 r 25 r multitronic	sec. t 130 MPH (20 npg npg npg)8 km/h)	16.2 sec. Manual 6-speed 21 mpg 30 mpg	1	ro Automa 20 r 28 r 23 r Automa	tic npg npg npg tic
City Highway Combined	16.2 Top spectrum estimate Manual 5-spee 22 31 25	sec. eed is electronic: wheel drive ed mpg mpg mpg	15.9 s ally limited a multitronic 23 r 29 r 25 r multitronic 10.2 l	sec. t 130 MPH (20 npg npg)8 km/h)	16.2 sec. Manual 6-speed 21 mpg 30 mpg 24 mpg	l l	ro Automa 20 r 28 r 23 r Automa 11.7	tic npg npg npg



Legend	A4	A4	A4	A4
x = Standard o = Optional - = Not available	1.8 T	1.8 T	3.0	3.0
	FrontTrak [®]	quattro®	FrontTrak®	quattro
Specifications generally apply to USA and Canada. For A4 1.8 T multitronic® in Canada, please refer to a separate page in this document.				
Technical				
1.8 liter 170 hp DOHC 5-valve 4-cylinder turbo charged engine with direct				
ignition, electronic turbo boost regulation	x	х	-	-
3.0 liter 220 hp DOHC 5-valve V6 engine with variable intake manifold,			v	v
variable intake and exhaust camshaft adjustment and balance shaft	-	-	х	x
ULEV (Ultra-Low Emission Vehicle) certification	x	х	x	х
5-speed manual transmission with synchronized reverse gear	Х	-	-	-
6-speed manual transmission with synchronized reverse gear; dual mass	_	x	-	x
flywheel				
Audi multitronic [®] , electronically controlled, link-plate chain driven				
Continuously Variable Transmission (CVT) with Dynamic Regulation	0	-	Х	-
Program (DRP)				
5-speed automatic transmission with Tiptronic [®] (allowing driver to select				
gears manually) and Dynamic Shift Program (DSP) which selects from over	-	0	-	о
200 shift programs to match driver needs. Transmission also includes hill				
detection capability Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force				
Distribution (EBD)	x	х	х	х
Brake Assist, a system which automatically senses emergency braking and				
applies maximum available power boost to reduce overall stopping distance		х	x	х
FrontTrak [®] , front wheel drive system with legendary four-link front	,			
suspension and ESP system	x	-	x	-
quattro - permanent all-wheel drive system, includes Torsen [®] TORque				
SENsing center differential	-	х	-	х
Fully galvanized sheet metal	x	х	x	х
Improved CAN network, including 3 fully functional CAN circuits				
(Infotainment / Comfort / Powertrain)	X	x	Х	x
ESP (Electronic Stabilization Program) System also includes ABS / EBD /	x	x	x	x
EDL / ASR	^	^	^	^
CFC-free (chloroflourocarbon) air conditioning refrigerant	X	Х	X	х
Wheels / Tires				
7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires "Classic	x	х	-	-
design" 7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires "Elegant				
design"	-	-	х	х
7.5J x 17 / 5-spoke cast alloy wheels with 235 / 45 high				
performance tires (only in combination with sport suspension)	0	o	0	0
"Sporty design"	, J	-	-	
7.5J x 17 / 5-spoke cast alloy wheels with 235 / 45 all-season tires	0	0	0	0
Full size spare tire with matching alloy wheel	x	x	x	x



x = Standard o = Optional -= Not available 1.8 T 1.8 T 3.0 quattr Susponsion / Stoering / Brakos - - - - - • Front ventilated disc brakes, 288mm x 25mm rotors -	Legend	A4	A4	A4	A4
x = Standard o = Optional - = Not available FrontTrak® quattro® FrontTrak® quattro Suspension / Stoering / Brakes x x - - Front ventilated disc brakes, 288mm x25mm rotors x x - - Solid rear disc brakes, 256mm x12mm rotors x x - - x x Solid rear disc brakes, 255mm x12mm rotors - - - x x - Solid rear disc brakes, 255mm x12mm rotors - - - - - x <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Suspension / Steering / Parkes Front ventilated disc brakes, 288mm x25mm rotors -	x = Standard o = Optional - = Not available				
Front ventilated disc brakes, 288mm x 25mm rotors x Back fire assin front/ r	Cuspension / Chasting / Duskes	FIUILITAK	qualito	FIUILITAK	qualito
• Front ventilated disc brakes, 342mm x 25mm rotors -					
Solid rear disc brakes, 245mm x 10mm rotors x x - - X Solid rear disc brakes, 255mm x 12mm rotors - - X X X X X Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force X			Х		
Solid rear disc brakes, 255mm x 12mm rotors - - - X X Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force X X X X X Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance X X X X Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer o <t< td=""><td></td><td></td><td>-</td><td>X</td><td></td></t<>			-	X	
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force x x x x Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance x x x x x x Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer o				-	
Distribution (EBD)XXXXBrake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distanceXXXXSport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension, now with higher aluminum content including forged aluminum uprightXXXXXXTrapezoidal link, fully independent rear suspension available on both FrontTrak and quatroXXXXXXRack and pinion, close ratio power steering for more sporty driving / handling S MPH (Federal standard) front and rear bumpersXXXXXS MPH (Federal standard) front and rear bumpersXXXXXXBlack tim around side windowsXXXXXBushed aluminum tim around side windowsXXXXXParktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00Nomenclature:000Nomenclature:Nomenclature:000Nomenclature:Stabilities and the system activated by shifting in reverseBrushed aluminum tim around side windows- <td< td=""><td></td><td>-</td><td>-</td><td>X</td><td>X</td></td<>		-	-	X	X
Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance x x x x Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm o	· · · ·	x	х	х	х
applies maximum available power boost to reduce overall stopping distancexxxx* Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm000* Four-link front suspension, now with higher aluminum content including forged aluminum uprightxxxxx* Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroxxxxxx* Rack and pinion, close ratio power steering for more sporty driving / handling Exterior Features xxxxx* Tilt and telescopic manually adjustable steering columnxxxxxx* SMPH (Federal standard) front and rear bumpersxxxxxx* Heated windshield washer nozzlesxxxxxx* Black trim around side windowsxxxxxx* Satellite radio antenna on the roofxxxxx* Barysten adtivated by shifting in reverseoo* Metaliciteooooooo* Satellite radio antenna on the roofxxxxx* Barysten activated by shifting in reverseoo* Metaliciteyabiting in reverseoo* Satellite radio antenna on the roofxxxx <td></td> <td></td> <td></td> <td></td> <td></td>					
Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm o <		x	х	х	х
bars in front / rear, suspension lowered by 20 mm000000• Four-link front suspension, now with higher aluminum content including forged aluminum uprightxxxxx• Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroxxxxxx• Rack and pinion, close ratio power steering for more sporty driving / handling Extorior Featuresxxxxxx• Tit and telescopic manually adjustable steering columnxxxxxxx• Tit and telescopic manually adjustable steering columnxxxxxxx• Tit and telescopic manually adjustable steering columnxxx<					
Percent Report Number of State		0	0	0	0
forged aluminum uprightXXXXX* Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroXXXX* Rack and pinion, close ratio power steering for more sporty driving / handling Exterior FeaturesXXXX* Tilt and telescopic manually adjustable steering columnXXXXX* Tand telescopic manually adjustable steering columnXXXXX* Exterior Features					
Trapezoidal link, fully independent rear suspension available on both x x x x FrontTrak and quattro Rack and pinion, close ratio power steering for more sporty driving / handling x x x x x • Tilt and telescopic manually adjustable steering column x x x x x x • Tilt and telescopic manually adjustable steering column x x x x x x • SMPH (Federal standard) front and rear bumpers x x x x x x • Black tim around side windows x x x x x x x • Black tim around side windows - - x x x x x • Back and pinion, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - x </td <td></td> <td>х</td> <td>х</td> <td>х</td> <td>х</td>		х	х	х	х
FrontTrak and quattroXXXX* Rack and pinion, close ratio power steering for more sporty driving / handling Rack and pinion, close ratio power steering for more sporty driving / handling XXXX* Tilt and telescopic manually adjustable steering columnXXXX* Tilt and telescopic manually adjustable steering columnXXXX* Exterior FeaturesXXX* Bard Steering ColumnXXXXXX* Heated windshield washer nozzlesXXXXXX* Back trim around side windowsXXXXXX* Back trim around side windowsXXX* Satellite radio antenna on the roofXXXXX* Satellite radio antenna on the roofXXXXX* Body color outside mirrors; left side flat, right side convexXXXXX* Body color outside mirrors; left side flat, right side convexXXXXX* Parktronic®four-channel parking assistance system built in rear bumper; system activated by shifting					
 Rack and pinion, close ratio power steering for more sporty driving / handling X X		х	х	х	х
Tilt and telescopic manually adjustable steering column x x x x 5 MPH (Federal standard) front and rear bumpers x x					
Exterior Features• 5 MPH (Federal standard) front and rear bumpersxxxx• Retractable high pressure headlight washers concealed in the front bumperxxxx• Heated windshield washer nozzlesxxxxx• Black trim around side windowsxxx-• Black trim around side windowsxx• Brushed aluminum trim around side windowsxx• Back trim around side windows0• Back trim around side windows0• Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse• Metallic / Pearl Effect paint0000000• At on rear deck lid, left centerx </td <td>Rack and pinion, close ratio power steering for more sporty driving / nandling</td> <td>х</td> <td>х</td> <td>x</td> <td>х</td>	Rack and pinion, close ratio power steering for more sporty driving / nandling	х	х	x	х
Exterior Features• 5 MPH (Federal standard) front and rear bumpersxxxx• Retractable high pressure headlight washers concealed in the front bumperxxxx• Heated windshield washer nozzlesxxxxx• Black trim around side windowsxxxxx• Black trim around side windowsxx• Brushed aluminum trim around side windowsxx• Back trim around side windowsxx• Back trim around side minrors; left side flat, right side convexxxxxx• Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00• Metallic / Pearl Effect paintooooo0• A4 on rear deck lid, left centerxxxxx- 1.8 T on rear deck lid - right, centerxx- 3.0 on rear deck lid - right, centerxx- Four rings on top center of front grillexxxxx- Four rings on top center of front grillexxx- are deck lid - right, under engine designation-x-x- Ret deck lid - right-xx- Start right-xx- Start right- <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
5 MPH (Federal standard) front and rear bumpersxxxxxRetractable high pressure headlight washers concealed in the front bumperxxxxxHeated windshield washer nozzlesxxxxxxxxHeated windshield washer nozzlesxxx </td <td></td> <td>x</td> <td>Х</td> <td>X</td> <td>X</td>		x	Х	X	X
• Retractable high pressure headlight washers concealed in the front bumper x </td <td></td> <td></td> <td></td> <td></td> <td></td>					
• Heated windshield washer nozzles x x x x x x x • Black trim around side windows - - - - - - • Brushed aluminum trim around side windows - - - x x x x x • Bady color outside mirrors; left side flat, right side convex x x x x x x x • Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - - 0					
Interacted windowsXXXXBlack trim around side windowsXXBrushed aluminum trim around side windowsXXSatellite radio antenna on the roofXXXXXBody color outside mirrors; left side flat, right side convexXXXXXParktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00Metallic / Pearl Effect paint000000Nomenclature:00Nomenclature:0Nomenclature:		х	х	х	х
Brushed aluminum trim around side windows - - x x Satellite radio antenna on the roof x x x x x Body color outside mirrors; left side flat, right side convex x x x x x x Parktronic [®] , four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - - 0 0 Metallic / Pearl Effect paint o <	Treated windshield washer hozzles	x	Х		Х
• Satellite radio antenna on the roof x x x x x x • Body color outside mirrors; left side flat, right side convex x x x x x • Parktronic [®] , four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - o		х	Х	-	-
• Body color outside mirrors; left side flat, right side convex x <t< td=""><td></td><td>-</td><td>-</td><td>Х</td><td>Х</td></t<>		-	-	Х	Х
 Parktronic[®], four-channel parking assistance system built in rear bumper; system activated by shifting in reverse Metallic / Pearl Effect paint O Nomenclature: - A4 on rear deck lid, left center X X			Х	x	
system activated by shifting in reverse00• Metallic / Pearl Effect paint00000• Nomenclature:1.8 T on rear deck lid, left centerxxxxxx1.8 T on rear deck lid - right, center3.0 on rear deck lid - right, centerxx<		X	Х	х	х
system activated by shifting in reverseooooMetallic / Pearl Effect paintoooooNomenclature:XXXX- A4 on rear deck lid, left centerxXXXX- 1.8 T on rear deck lid - right, centerxXX 3.0 on rear deck lid - right, centerXXX- Four rings on top center of rear deck lidxxXXX- Four rings on top center of front grilleXXXXX- Four rings on top center of front grilleXXXXX- 85 mm quattro badge on:X-X- rear deck lid - right, under engine designation-X-X- Mashboard belt line trim - right-X-XX- Lower bumper area in body color (November production)XXXXX- Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXX- Two front fog lights located in lower front bumperXXXXXX	Parktronic [®] , four-channel parking assistance system built in rear bumper;	_	_	0	0
• Nomenclature: - A4 on rear deck lid, left center x				0	0
- A4 on rear deck lid, left centerxxxxx- 1.8 T on rear deck lid - right, centerxxx 3.0 on rear deck lid - right, centerxxx- Four rings on top center of rear deck lidxxxxx- Four rings on top center of front grillexxxxx- 85 mm quattro badge on:xx- eact deck lid - right, under engine designation-x-x- rear deck lid - right, under engine designation-x-x- dashboard belt line trim - right-x-x- Lower bumper area in body color (November production)xxxx- Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesxxxx- Two front fog lights located in lower front bumperxxxxx	Metallic / Pearl Effect paint	0	0	0	0
- 1.8 T on rear deck lid - right, centerxx 3.0 on rear deck lid - right, centerXX- Four rings on top center of rear deck lidxxxx- Four rings on top center of front grillexxxx- 85 mm quattro badge on:X-rear deck lid - right, under engine designation-X-Xfront grille - right-x-Xdashboard belt line trim - right-x-XExterior Lighting-XXXAerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXTwo front fog lights located in lower front bumperxxxxxx	Nomenclature:				
- 3.0 on rear deck lid - right, centerxx- Four rings on top center of rear deck lidxxxxx- Four rings on top center of front grillexxxxx- 85 mm quattro badge on:-x-xx- rear deck lid - right, under engine designation-x-xfront grille - right-x-xxdashboard belt line trim - right-x-xLower bumper area in body color (November production)xxxxxExterior Lightingxxx• Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesxxxxx• Two front fog lights located in lower front bumperxxxxxx	- A4 on rear deck lid, left center	х	Х	х	х
- Four rings on top center of rear deck lid x x x x - Four rings on top center of front grille x x x x - 85 mm quattro badge on: - - x - x rear deck lid - right, under engine designation - x - x front grille - right - x - x dashboard belt line trim - right - x - x Lower bumper area in body color (November production) x x x x Exterior Lighting - - x x x • Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes x x x x x • Two front fog lights located in lower front bumper x x x x x x	- 1.8 T on rear deck lid - right, center	х	Х	-	-
- Four rings on top center of front grille x x x x - 85 mm quattro badge on: - - - x rear deck lid - right, under engine designation - - x - x front grille - right - x - x - x dashboard belt line trim - right - x - x - x Lower bumper area in body color (November production) x x x x x x Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes X X X X X Two front fog lights located in lower front bumper x x x x x x		-	-	х	х
- 85 mm quattro badge on: -<		х	х	х	х
rear deck lid - right, under engine designation-X-Xfront grille - right-X-Xdashboard belt line trim - right-X-XLower bumper area in body color (November production)XXXXExterior LightingXXAerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXTwo front fog lights located in lower front bumperXXXXX		x	х	x	х
front grille - right-X-Xdashboard belt line trim - right-X-XLower bumper area in body color (November production)XXXXExterior Lighting• Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXX• Two front fog lights located in lower front bumperXXXXX					
dashboard belt line trim - right - x - x Lower bumper area in body color (November production) x x x x Exterior Lighting - - - x x x Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes x x x x x Two front fog lights located in lower front bumper x x x x x		-	х	-	х
 Lower bumper area in body color (November production) <u>Exterior Lighting</u> Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper x <lix< li=""> <li< td=""><td></td><td>-</td><td>х</td><td>-</td><td>х</td></li<></lix<>		-	х	-	х
Exterior Lighting Image: Constraint of the system of t		-	х	-	Х
 Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper x <lix< li=""></lix<>		х	Х	x	х
focus) reflectors, integrated low beam and high beam tubesXXXX• Two front fog lights located in lower front bumperxxxx					
Two front fog lights located in lower front bumper X X X X X		~	v	v	~
		X	X	×	X
	Two front fog lights located in lower front bumper	x	х	х	х
	One rear fog light in left rear light	x	х	x	Х
Rear light assemblies with white side turn indicators and amber shine-	Rear light assemblies with white side turn indicators and amber shine-	~	v	v	v
through bulbs		~	X	~	X
Daytime running lights (Canada only) x x x x x	Daytime running lights (Canada only)	x	х	x	х



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak [®]	quattro®	FrontTrak®	quattro®
Exterior Lighting (continued)				
 Xenon headlights with automatic self leveling 	0	0	0	0
• White side turn indicator lights in front fenders with amber shine-through	v	v	v	v
bulbs	X	x	x	x
Comfort / Convenience				
• Fully automatic dual-zone climate control system with seven temperature				
sensors, sun sensor and pressure sensor. Also includes active charcoal and	Х	х	x	х
electrostatic filters, which sense pollen, odors, bacteria and dust.				
 Smog sensor for air-conditioning which automatically shuts off outside air and starts air-recirculation when smog detected. 	х	х	x	х
	0	0	•	0
 HomeLink[®] universal garage door opener in driver's sunvisor Front and rear power windows with: 	U X	O X	O X	o X
- two stage button mechanism	Χ	~	^	~
 power retention feature, which keeps power for windows and 				
sunroof on until either front door open				
- "pinch protection" for all four windows which reverses window				
at force of 100 N or greater				
- "one-touch" up and down for front and rear windows at all				
window locations				
- illuminated driver controlled lock out switch for rear power				
windows				
• Electronic cruise control (two-stage switch) with coast, resume, speed-up,				
now controlled by a new lever on left side of steering wheel; cruise control	х	х	х	x
 indicator located in the instrument panel Auto-Blink feature enables turn signals to automatically blink three times 				
when blinker lever briefly pushed up / down (common when changing lane)	х	х	x	х
 Power central locking system (doors, deck lid and fuel door) with selective 				
unlocking (enables unlocking of a single front door or all doors), plus:	х	х	х	х
 convenience open and close feature for windows & sunroof 				
(opens / closes all windows and sunroof when key held in				
driver lock / unlock position)				
- front master switches located in driver and front passenger				
doors, include LED to signal when vehicle is locked.				
- rear master switch located in center console, under ashtray.				
The switch is used for locking all doors. It's a lock-only				
switch, and it includes LED to signal when the vehicle is				
locked.				
- central locking can be programmed at any authorized Audi				
dealer to automatically lock when vehicle reaches 8 MPH.				
Vehicle then automatically unlocks when key taken out of ignition.				



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak [®]	quattro®
Comfort / Convenience (continued)				•
 Automatic dimming outside mirrors with folding feature 	-	-	0	0
 Four-position driver side memory for seat and mirror adjustments 	-	-	0	0
Electrically adjustable outside rearview mirrors with heating feature. Heating				
is automatically activated when outside temperature is less than 59°F.				
When outside temperature reaches 77°F, heating automatically stops.	x	х	х	х
 Illuminated vanity mirrors in left and right front sunvisors 	х	х	х	х
 Third, middle sunvisor above rearview mirror 	х	Х	х	х
Four assist handles in headliner with slow retraction feature	х	Х	x	х
 Rear deck lid release with "soft touch" opening feature and remote deck lid 	х	х	x	х
release located in driver's door	^	^	^	~
• Extended range (up to 150 ft.) radio frequency remote locking system with				
security "rolling code" feature, selective unlock, remote trunk opening and	х	х	x	х
panic function, also activates interior lights and alarm system -all integrated				
in folding key				
 Interior lights in front and rear headliner with fade-in and fade-out feature, 	x	х	x	х
time delay and automatic switch on when key is withdrawn from ignition				
Illuminated glove box, rear cargo area, lighter and ashtray	X	X	X	X
New generation modular steering wheel Seating	Х	X	X	Х
Sporty front seats with manual height adjustment using a flexible up/down				
lever, variable seat-back adjustment and adjustable head restraints	х	х	-	-
 12-way sporty power front driver seat including 4-way electric lumbar 				
adjustment and adjustable head restraints	0	0	х	-
 12-way sporty power front (driver & passenger) seats including 4-way 				
electric lumbar adjustment and adjustable head restraints	-	-	-	х
 Storage tray under front driver and passenger seats (not in Canada on 				
FrontTrak models)	х	Х	х	Х
 Front seat-back map net pockets (not in Canada on FrontTrak models) 	х	х	х	х
60 / 40 split folding rear seat with individual locks and red indicators when				
seatback is not properly latched	Х	х	x	х
 Three 3-point safety belts for all front and rear positions (total of 5) 	х	Х	х	х
• 3 adjustable head restraints for rear seats	Х	Х	х	х
Interior				
Cloth upholstery	Х	Х	-	-
 Leather seating inserts (standard on all versions in Canada) 	0	0	Х	х
• Genuine Buffalino full-leather seat upholstery; door inserts, front / rear center		_	0	о
armrest, shift knob and steering wheel in matching leather	-	-	U	0
 Front and rear floor mats with fastening mechanism 	Х	Х	Х	х
 High gloss fiberglass trim on dashboard and door panel interior beltline 	х	х	-	-



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak [®]	quattro®
Interior (continued)	Tiontriak	quuito	Tioneriak	quatio
 Genuine wood trim on dashboard, door panel interior beltline, center console 				
and front / rear ashtrays	-	-	х	х
 3-spoke leather wrapped sport steering wheel 	х	х	x	х
 Leather covered transmission shift knob (automatic models), shift boot 	^	~	^	^
(manual models) and hand brake handle (all models)	х	х	х	х
 Folding front center armrest with adjustable height and dual cupholder 	v	v	v	v
	X	X	X	X
12 V power outlet (SAE) in trunk	X	X	X	X
Automatically dimming interior mirror with digital compass Deven seen supplied with merror line window shades	0	0	0	0
Power rear sunshade with manual rear side window shades Full length contact suith	-	-	0	0
• Full length center console with:	Х	Х	X	Х
- Front and rear ashtray				
- 12 V power outlet (SAE)				
- storage area under center armrest				
- retractable front cupholder with protective drip tray				
Fold down rear center armrest with a comprehensive first-aid kit	Х	Х	X	Х
Dual rear cupholder located in the rear center armrest	х	х	х	Х
Protective door sill trim	Х	Х	Х	Х
 Climate control panel (in center console) with integrated heated seat 	х	х	x	х
switches (when heated seats ordered)	~	~	~	~
Ambient red lighting in headliner for dash and center console	х	Х	х	Х
 Illuminated air vent controls in dashboard 	х	х	х	Х
 Four tie-down eyelets with luggage net in trunk (not in Canada) 	х	х	х	Х
Tool kit located in the spare wheel well	х	х	х	Х
Aluminum beltline trim	0	0	0	0
Instruments / Electrical equipment				
• 380 A Battery (80 AH)	х	х	х	Х
 Backlit instrument cluster with automatic brightness control including 	х	х	x	х
following features:	^	^	^	^
- sporty, tubular gauge design				
 white numbering with red pointers, digital clock with date 				
 tachometer, electronic speedometer 				
 fuel gauge, coolant temperature gauge 				
 various additional warning lights 				
- Driver information display (described below)				
 Digital trip odometer with service interval indicator 	х	х	х	х
 Driver information display including: 	0	х	0	х
- 5-function trip computer (timer / miles-to-empty / average				
MPG / average MPH / instant MPG)				
- outside temperature display				
- radio / telephone / navigation / Telematics display				
- Auto Check System which constantly monitors various				
functions and components within the vehicle, such as battery				
voltage, brake pad indicator, oil level indicator, washer fluid				
indicator and more.				
- speed warning device				
- pictogram display for open door and trunk				
 Concealed headlight washer system, integrated in the front bumper 	х	х	х	х
 Windshield wipers with 4-position adjustable intermittent interval rate 	X		X	×
 Heated windshield washer nozzles 		X		
ו ובמובע שוועטווובוע שמטוובו ווטבצובט	Х	Х	Х	Х



Γ	Legend	A4	A4	A4	A4
F		1.8 T	1.8 T	3.0	3.0
	x = Standard o = Optional - = Not available	FrontTrak [®]	quattro®		quattro®
	Instruments / Electrical equipment (continued)	·····	44460		44460
•	Advanced anti-theft vehicle alarm system with following features:	х	х	x	x
	- theft deterrent light in driver's door	~	~	^	^
-	- ultrasonic interior monitoring system with defeat switch in				
	driver's door.				
	- back-up battery in case main vehicle battery is disconnected				
F	- III. Generation Immobilizer prevents engine start when key with				
	automatically changing electronic code feature is not used				
F	- back-up horn				
	- tilt sensor which prevents theft by towing; function can be				
	defeated by switch located in driver's door				
┢	- system automatically arms when vehicle locked				
•	Second generation Audi Symphony radio with:	0	х	0	х
F	- AM / FM with 24 channel preset capability (12 FM / 12 AM)		~		
F	- digital AM / FM tuner in combination with dual diversity				
	antenna system.				
	- in-dash six-disc CD changer				
	- random mode for individual CD's as well as entire CD				
	changer				
	- cassette player with auto reverse and music search feature				
	 RDS (Radio Data System) displays radio station 				
	call letters and other information				
	 "Autostore" function which automatically selects 6 AM and 6 				
	FM strongest stations in the area				
	 theft deterrent design which only fits an Audi vehicle 				
	- GALA (Graduated Audio Level Adjustment) varies volume				
	based on vehicle speed				
ſ	150-watt sound system with total of 10 speakers:	x	Х	x	Х
	- four speakers in front doors (2 per door)				
	- four speakers in rear doors (2 per door)				
	- subwoofer and front centerfill speaker				
ľ	Second generation Audi Concert radio with:	Х	-	Х	-
┢	- AM / FM with 24 channel preset capability (12 FM / 12 AM)				
	- digital AM / FM tuner in combination with dual diversity				
╞	antenna system.				
╞	- in-dash one-disc CD player				
	- random mode for individual CD's as well as entire CD				
╞	changer				
	- RDS (Radio Data System) displays radio station				
\mathbf{F}	call letters and other information				
	- "Autostore" function which automatically selects 6 AM and 6				
┢	FM strongest stations in the area				
\vdash	- theft deterrent design which only fits an Audi vehicle				
	- GALA (Graduated Audio Level Adjustment) varies volume				
L	based on vehicle speed				



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak®	quattro®
Instruments / Electrical equipment (continued)		•		
Rear window defroster. When activated, defroster remains continuously on				
when outside temperature is 32°F or below. When temperature is 33°F or	x	х	x	х
above, function automatically turns off after approx. 10 minutes.				
 Improved CAN network, including 3 fully functional CAN circuits 	~	2		v
(Infotainment / Comfort / Powertrain)	Х	х	Х	X
New concealed rear glass antenna system includes GPS, telephone, 4-	x	х	v	x
channel FM and 1-channel AM radio and remote key antennas	^	~	х	~
Safety / Security				
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force	x	х	x	х
Distribution (EBD)	^	^	^	^
Brake Assist, a system which automatically senses emergency braking and	x	х	x	x
applies maximum available power boost to reduce overall stopping distance	^	^	^	^
 Driver and front passenger next generation airbag supplemental restraints 	x	х	x	x
with dual threshold deployment determined by seat belt buckle switches	^	^	^	^
2 stage advanced front airbag, including occupant detection	х	Х	х	Х
 Driver and front passenger seat mounted side airbag supplemental restraints 	x	Х	х	х
• SIDEGUARD™ Inflatable Curtain Airbags; extend from A-pillar to C-pillar on				
each side of the vehicle; protect front and rear passengers against collision	х	х	x	х
with side glass, accident debris and rollover				
Rear passenger side airbag suplemental restraint system	0	0	0	0
• "Up front" crash sensors (2), which include integrated system of 6 sensors				
throughout the vehicle which can best determine severity of a crash, and can	x	х	x	х
therefore better deploy technology designed to protect the passengers.				
• If crash sensor system is activated, following will happen automatically:	X	Х	X	Х
- central locking automatically unlocks				
- interior lighting is switched on				
 fuel pump and engine are switched off hazard warning lights are switched on 				
 - if Audi Telematics by OnStar[®] ordered, system automatically contacts OnStar call center, which assists further 				
 Impact protection, including reinforced high strength steel / aluminum 				
crossmembers, reinforced bumpers, and rigid occupant cell	x	х	x	х
 Side intrusion beams in side doors which ensure equal distribution of forces in case of side impact 	х	х	x	х
 Fuel tank within protective bodywork structure with special safety valves 				
which prevent gravitational fuel spillage in case of rollover	х	х	х	х
 LATCH (Lower Anchorage and upper Tether CHild seat) provisions in rear 				
seats	х	х	x	х
 Three child seat tether anchorage points in the rear 	х	х	х	х
• Two front head restraints with locking mechanism to keep restraints in place	х	х	х	х
Three rear head restraints	х	х	х	х



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®		quattro®
Safety / Security (continued)				
 Two front fog lights located in lower front bumper 	х	Х	х	Х
 Integrated child locks in rear doors 	х	х	х	х
One rear fog light in left rear light	х	Х	х	Х
 Front 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters 	x	х	x	x
 Three 3-point rear safety belts with automatic pretensioning 	х	х	х	х
Front passenger and rear safety belts with ALR (Automatic Locking				
Retractor, a ratcheting mechanism for conveniently securing a child seat)	x	Х	x	х
 Front seats include a high strength steel reinforcement construction to protect from side / rear impact; additional protection against loose loads sliding forward during heavy braking 	x	x	x	x
 Seatbelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained 	x	х	x	x
Emergency rear door unlocking mechanism adjacent to the child locks	х	х	х	х
 Auto-Blink feature enables turn signals to automatically blink three times when blinker lever briefly pushed up / down (common when changing lane) 	x	х	x	x
 Audi Telematics by OnStar offering variety of safety and security features, including Emergency calling, automatic theft tracking, remote door unlock, automatic airbag deployment notification, etc. (described below) 	0	0	0	0
Emergency warning triangle located in trunk lid	х	х	х	х
Active reflectors in rear of all doors	x	х	х	х
First-aid kit in rear center armrest	х	х	х	х
Tire pressure monitoring system	х	Х	х	Х
Infotainment / Communication Audi Navigation System uses GPS (Global Positioning System) to navigate by the means of new color driver information display (located in the instrument cluster) and audible instructions Improved CAN network, including 3 fully functional CAN circuits	-	-	0	0
(Infotainment / Comfort / Powertrain)	x	х	x	х
• Audi Telematics by OnStar [®] . System includes a variety of features, such as:	0	0	0	0
 three-button assembly in overhead console, including OnStar, Emergency and Dot buttons green indicator within the button assembly which determines 				
system's operation:				
Green light on: System OK and active				
Green light blinking: Call in progress				
Red light on: System failure				
 back-up battery on-board voice recognition used for OnStar personal calling as well as use of optional Audi Motorola phone 				
- self-diagnostic system which determines any possible faults				
- PSE (Portable Support Electronics) with prewiring for Audi Motorola [®] cellular phone				



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®			quattro®
Infotainment / Communication (continued)	Tiontinak	quuito	Tioneriak	quattio
 Audi Telematics: OnStar service packages include (airtime included with 	01	ne vear in	cluded in the	
both packages):			by OnStar of	ntion
SAFE & SOUND PACKAGE	Audi It	lemanes		5.1011
- automatic airbag deployment notification				
- emergency calling (911)				
- vehicle theft tracking				
- emergency door unlock				
- enhanced roadside assistance				
- accident assist				
- remote vehicle alert (flashes lights and sounds horn when				
vehicle cannot be found)				
DIRECTIONS & CONNECTIONS PACKAGE		Opt	ional	
- all in Safe & Sound package, plus:		001		
- route support				
- ride assist				
- convenience services				
LUXURY & LEISURE PACKAGE		Opt	ional	
- all in Directions & Connections package, plus:				
- OnStar concierge				
Two services can be chosen in addition to either telematics package:	.			
(subject to pre-paid airtime charges)	Optio	onal with e	either packag	ie.
- Virtual Advisor (variety of information such as stock quotes,				
weather forecast and news can be downloaded to the vehicle				
and read to the driver by automated text-to-voice processor.				
- Personal Calling using on-board voice recognition				
• Four spoke, multifunction steering wheel (recommended when Audi				
Telematics by OnStar ordered)	-	-	0	0
• Audi Motorola hands-free digital telephone (delayed availability) (can only be				
ordered with Audi Telematics). This Motorola V.60 phone can be controlled	о	0	o	o
by on-board voice recognition, and includes following features:	_	-	-	-
- phone cradle located in front center armrest				
- concealed microphone, antenna and dedicated speaker				
- WAP browser (enables Wireless Web communication)				
- voice recognition				
- 96 x 64 graphic display				
- 400 memory locations				
- SMS (Short Message Service)				
- individual ring style				
- 150 min talk time / 150 hrs. standby time				
Monochrome Driver Information Display	х	х	x	х
 Eight-color Driver Information Display (only available with Audi Navigation 			6	~
System); resolution of 442x236 pixels	-	-	0	0
Second generation Audi Symphony radio	х	х	x	х
 150-watt sound system with total of 10 speakers 	х	х	x	х
 Bose 215-watt premium sound system, including: 	0	0	0	0
- total of 10 speakers, rear subwoofer and front centerfill speaker				
- Bose Nd [®] NeoDymium Iron Boron high-efficiency woofer				
Satellite radio preparation	х	х	x	x
	~	~ ~	Λ.	~ ~

2004 Audi A4 Sedan Option Program



Г	Legend	A4	A4	A4	A4
	in induded in an element of Onfigural Allek evellekte	1.8 T	1.8 T	3.0	3.0
	x = included in package o = Optional - = Not available	FrontTrak [®]	quattro®	FrontTrak [®]	quattro®
	Optional Equipment		1		
•	Premium package	0	0	0	0
-	HomeLink [®] universal garage door opener	X	X	X	X
-	Automatic dimming inside mirror with digital compass	~	~	x	x
-	Automatic dimming outside mirrors with folding feature		-	X	X
-	Driver side memory for front seat and mirror adjustments		_	X	x
-	Xenon headlights with automatic self leveling feature	-		X	X
-	Multi-function steering wheel with audio buttons (or telephone buttons when Telematics		_	^	~
	ordered)	-	-	х	х
┢	Light sensor package, including "coming home", "leaving home" and automatic light				
	switch functionalities	-	-	х	х
┢	Glass sunroof with pre-select function, sunshade and 100 N force limiter	Х	х	X	х
	Leather seating inserts	X	x	-	-
	12-way power driver seat including 4-way power lumbar	x	x	-	-
•	Bose Package	0	-	0	-
		-		Ŭ	
	Bose [®] 200-watt premium sound system, including total of 10 speakers and using state-of-	х	-	x	-
	the-art Bose Nd [®] speaker technology				
	Audi symphony radio with 6-disc CD changer	Х	-	X	-
Ľ	Infotainment package	-	0	-	0
	Bose® 200-watt premium sound system, including total of 10 speakers and using state-of-		v		v
	the-art Bose Nd [®] speaker technology	-	х	-	х
	Choice of XM or Sirius satellite radio	-	х	-	х
•	Sport package	0	0	0	0
	Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front /				
	rear, suspension lowered by 20 mm	х	х	х	х
	17" 5-spoke cast alloy wheels (7.5J x 17)	х	х	х	х
	235 / 45 high performance Y-rated tires or all-season tires	х	х	х	х
•	Lighting package	0	0	-	-
	Xenon headlights with automatic self leveling feature	х	х	-	-
	Automatic dimming inside mirror with digital compass	х	Х	-	-
	Light sensor package, including "coming home", "leaving home" and automatic light				
	switch functionalities	х	х	-	-
•	Cold Weather package	0	0	0	0
F	Heated front seats adjustable in 6 steps (standard in Canada on quattro models)	х	х	x	х
	Ski sack	х	х	х	х
•	Separate options				
	Rear Side Airbags	0	0	0	0
L	7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires	0	0	-	-
L	Genuine Buffalino full-leather seat upholstery; door inserts, front / rear center armrest,				ć
1	shift knob and steering wheel in matching leather	-	-	0	0
Γ	Ski sack (Canada only)	0	0	0	0
L	Audi Navigation System uses GPS (Global Positioning System) to navigate by the means				
	of new color driver information display (located in the instrument cluster) and audible	-	-	о	0
	instructions				
	Audi Telematics by OnStar [®]	0	0	о	0
F	Audi Motorola [®] hands-free digital telephone (Dealer installed) (can only be ordered with	-	-	-	-
	Audi Telematics). This Motorola V.60 phone can be controlled by on-board voice	0	ο	0	ο
L	recognition	U	U		0
L	recognition		l		



Warranty Information	
United States / Canada	
4-year/50,000 mile new vehicle limited warranty/ 4-year/80,000 km new vehicle limited	
warranty	
4-year/50,000 mile no-charge scheduled maintenance/ 4-year/80,000 km no-charge	
scheduled maintenance	
12-year limited warranty against corrosion perforation	
 24-hour Roadside Assistance for 4 years 	
"quattro" is a registered trademark of Audi AG.	
"Tiptronic" is a registered trademark of Dr. Ing. h. c. F. Porsche AG.	
"Torsen" is a registered trademark of Zexel-Gleason USA, Inc.	
"Motorola" is a registered trademark of Motorola, Inc.	
"HomeLink" is a registered trademark of Johnson Controls, Inc.	
"Bose" is a registered trademark of the Bose Corporation.	
"Parktronic" is registered trademark of Audi AG.	
"OnStar" is a registered trademark of General Motors Corporation.	
"SIDEGUARD" is a registered trademark of Audi AG.	
"FrontTrak" is a registered trademark of AUDI AG.	
"multitronic" is a registered trademark of Audi AG.	



Retail Prices Audi of America, Inc.

2004 Audi A4 1.8T

						2004 Audi A	
Order Code	Model	Body Style	Transmission	Drivetraii	1	Suggested Retail	
8E2524 8E252H 8E2529 8E252Z	A4 1.8T A4 1.8T A4 1.8T A4 1.8T	Sedan Sedan Sedan Sedan	5-Speed Manual Multitronic Auto CVT 6-Speed Manual 5-Spd Automatic Tip.	FrontTra FrontTra quattro quattro		\$ 25,250 \$ 26,400 \$ 27,250 \$ 28,300	
				1.8T <u>FrontTrak</u>	1.8T <u>quattro</u>		
N3A	Cloth Upho	Istery		О	0	NC	
	Metallic / Po	earl Effect Pai	nt	0	0	450	
PAW		<u>er Package</u> ront Seats		0	0	625	
PQS	Ultra Sport Package (Available Only w/E Sport Suspension 18" Wheels & Performance Tires Aluminum Trim Aerodynamic Kit Perforated Leather Steering Wheel & S		ance Tires	0	0	2,950	
PPS	_			0	0	900	
PSW	Sport Sus	spension els & All-Seas	uble with PPS or PRV) on Tires	0	0	900	
PPX	HomeLini Leather S Power Dr	nroof (w/Powe k [®] Remote Tr Seating Surfac	es Lumbar Support	0	0	2,000	
XLP		eadlights	lirror with Compass	0	0	750	
RSR	BOSE [®] F	<u>nt Package (Si</u> Premium Soun atellite Radio		N/A	0	1,000	
RXM	BOSE [®] F	<u>nt Package (XI</u> Premium Soun e <i>llite Radio</i>		N/A	0	1,000	
PRV			th All-Season Tires	0	0	500	
PBS		mium Sound		0	N/A	900	
9ZS		atics by OnSt	ar®	0	0	750	
4X4	Rear Side A	0		0	0	350	
0LM	California E			0	0	150	
1QE	Northeast E			0	0	150	
	INSTALLED						
AWL	Security WI			0	0	78	
APK		dle and Bracke	et	0	0	306	
ASR AXM	Sirius® Sat XM® Satell			0	0 0	350 350	
AAIVI				0	0	550	
	Destinatio	n Charge				690	
<u>Key:</u>		O = Optional S = Standard					

Specifications, equipment, options and prices are subject to change without notice. Some items may be unavailable when the vehicle is built. Prices exclude destination charges, registration and dealer delivery charges. Intro 2004 MY Prices



Technical Spe	cifications				2004 Audi A4 3.0 Sed
ENGINE:					
Туре		Aluminum, 90 dea	ree V6 with variable intake m	nanifold, continuous camshaft adjustment	t. balance shaft. DOHC
Arrangement		Front mounted, lor		· · · · · · · · · · · · · · · · · · ·	,,,,,,
Bore		3.25 in.	82.5 mm		
Stroke		3.65 in.	92.8 mm		
Displacement		182 cu. in.	2976 cc		
Compression rat	tio	10.1 : 1			
Fuel requiremen			1 91 AKI / 95 RON recommer	nded for maximum performance	
Horsepower (SA			@ 6300 rpm	•	
Torque	,	221 lbs. ft. (
NGINE DESIGN:					
Cylinder block		High integrity alum	inum cylinder block with cas	t-in thin wall gray iron liners	
Crankshaft		Forged steel			
Cylinder head		Aluminum alloy			
Valve train / inta	ke		n. hvdraulic valve lifters. two-	-stage variable intake manifold	
Firing order		1 - 4 - 3 - 6 - 4 - 5	··, ·) -· · - · - · - · - · - · - · - · -		
Cooling system			mostatically controlled radiat	tor fan	
Lubrication syste	em		urized, full flow with oil cooler		
Fuel injection /				osch Motronic [®] 7.1.1., sequential injectio	on with adaptive idle-charge control.
Ignition syster	n			daptive lambda control, mapped ignition	
				ctive adaptive knock control with two senses	
Emission system	ı		ic converters w/individual oxy	•	
Battery		12 volts	80 amp/br		
-			80 amp/hr		
Alternator		14 volts	120 amp		
RIVETRAIN:					
Transmissions		 6-speed manual 			
		A	Or attack and the Mariable Tasks		
			Continuously Variable Trans	smission (CVT)	
-		Audi multitronic [®] 5-speed automat	ic with Tiptronic®		
Туре			ic with Tiptronic [®] Front-wheel drive	qua	
	4-4		ic with Tiptronic [®] Front-wheel drive multitronic [®]	qual Manual 6-speed	Automatic 5-speed w/ Tiptronic [®]
Type Gear ratios:	1st		ic with Tiptronic [®] Front-wheel drive	Qual Manual 6-speed 3.500:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1
	2nd		ic with Tiptronic [®] Front-wheel drive multitronic [®]	qual Manual 6-speed 3.500:1 1.889:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1
	2nd 3rd		ic with Tiptronic [®] Front-wheel drive multitronic [®]	Quat Manual 6-speed 3.500:1 1.889:1 1.320:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1 1.407:1
	2nd 3rd 4th		ic with Tiptronic [®] Front-wheel drive multitronic [®] 2.400:1 -	Quat Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1 1.407:1 1.000:1
	2nd 3rd		ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - -	Quat Manual 6-speed 3.500:1 1.889:1 1.320:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1 1.407:1
	2nd 3rd 4th		ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - - - - -	Quat Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1 1.407:1 1.000:1
	2nd 3rd 4th 5th		ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - - - - -	Quart Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1	Automatic 5-speed w/ Tiptronic [®] 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1
	2nd 3rd 4th 5th 6th Final Drive	5-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1	Quart Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1
Gear ratios:	2nd 3rd 4th 5th 6th Final Drive	5-speed automat	ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - - - - - 4.778:1	Quart Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 pcking (EDL)
Gear ratios: Front Differentia	2nd 3rd 4th 5th 6th Final Drive	5-speed automat	ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - - - - - 4.778:1	Manual 6-speed 3.500:1 1.889:1 1.320:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 bcking (EDL) ig) differential providing
Gear ratios: Front Differentia	2nd 3rd 4th 5th 6th Final Drive	5-speed automat	ic with Tiptronic® Front-wheel drive multitronic® 2.400:1 - - - - - 4.778:1	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin)	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential	2nd 3rd 4th 5th 6th Final Drive	5-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front to	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential TEERING:	2nd 3rd 4th 5th 6th Final Drive	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 Ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential STEERING: Type	2nd 3rd 4th 5th 6th Final Drive	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential TEERING:	2nd 3rd 4th 5th 6th Final Drive	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 Ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential TEERING: Type	2nd 3rd 4th 5th 6th Final Drive	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 Ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differential Rear Differential TEERING: Type Ratio	2nd 3rd 4th 5th 6th Final Drive I al	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 Ctronically locking (EDL)	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differential TEERING: Type Ratio Turns (lock-to-lo Turning circle (c	2nd 3rd 4th 5th 6th Final Drive I al	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin) automatic and variable front t Hypoid gear, electronically log	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning
Gear ratios: Front Differentia Center Differentia Rear Differentia TEERING: Type Ratio Turns (lock-to-lo Turning circle (ci USPENSION:	2nd 3rd 4th 5th 6th Final Drive I al	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 Ctronically locking (EDL) - rack-and-pinion steering with 11.1 m	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically loc TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically loc	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 bcking (EDL) ig) differential providing to rear power proportioning cking (EDL)
Gear ratios: Front Differentia Center Differential Center Differential Tetering: Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front	2nd 3rd 4th 5th 6th Final Drive I al	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabilized	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically log n power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 ocking (EDL) g) differential providing to rear power proportioning cking (EDL) charged)
Gear ratios: Front Differentia Center Differential Center Differential STEERING: Type Ratio Turns (lock-to-lo Turning circle (c) SUSPENSION: Front Rear	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak)	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically lo TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically lo n power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 bocking (EDL) g) differential providing to rear power proportioning cking (EDL) charged) and shock absorbers (gas charged)
Gear ratios: Front Differentia Center Differential Center Differential Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front Rear Rear	2nd 3rd 4th 5th 6th Final Drive I al	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically log n power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 bocking (EDL) g) differential providing to rear power proportioning cking (EDL) charged) and shock absorbers (gas charged)
Gear ratios: Front Differentia Center Differential Center Differential Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front Rear Rear	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak)	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabiliz trapezoidal link rear suspense trapezoidal link rear suspense	Quar Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically log TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically log power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 boking (EDL) g) differential providing to rear power proportioning cking (EDL) cking (EDL) charged) and shock absorbers (gas charged) and shock absorbers (gas charged)
Gear ratios: Front Differentia Center Differential Center Differential Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front Rear Rear	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak)	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabiliz trapezoidal link rear suspense trapezoidal link rear suspense	Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically lo TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically lo n power assist	Automatic 5-speed w/ Tiptronic®
Gear ratios: Front Differentia Center Differential Center Differential TEERING: Type Ratio Turns (lock-to-lo Turning circle (c) SUSPENSION: Front Rear Rear BRAKES:	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak)	S-speed automat	ic with Tiptronic® Front-wheel drive ultitronic® 2.400:1 4.778:1 ctronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabiliz trapezoidal link rear suspense trapezoidal link rear suspense	Quar Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically loc TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically loc n power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 boking (EDL) g) differential providing to rear power proportioning cking (EDL) cking (EDL) charged) and shock absorbers (gas charged) and shock absorbers (gas charged)
Gear ratios: Front Differentia Center Differential Center Differential STEERING: Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front Rear Rear Rear BRAKES:	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak) (quattro)	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 tronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabiliz trapezoidal link rear suspens trapezoidal link rear suspens system with diagonal split, Ar ation Program (ESP); tander	Quar Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically loc TORSEN® (TORque SENsin automatic and variable front t Hypoid gear, electronically loc n power assist	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 boking (EDL) g) differential providing to rear power proportioning cking (EDL) cking (EDL) charged) and shock absorbers (gas charged) and shock absorbers (gas charged)
Gear ratios: Front Differentia Center Differential Center Differential STEERING: Type Ratio Turns (lock-to-lo Turning circle (c SUSPENSION: Front Rear Rear Rear Service brake	2nd 3rd 4th 5th 6th Final Drive I al ck) urb-to-curb) (FrontTrak) (quattro)	S-speed automat	ic with Tiptronic® Front-wheel drive 2.400:1 4.778:1 tronically locking (EDL) - rack-and-pinion steering with 11.1 m d lower control arms, stabiliz trapezoidal link rear suspens trapezoidal link rear suspens system with diagonal split, Ar ation Program (ESP); tander	Quar Manual 6-speed 3.500:1 1.889:1 1.320:1 1.034:1 0.857:1 0.730:1 4.111:1 Hypoid gear, electronically loger, electronicaly electronically loger,	Automatic 5-speed w/ Tiptronic® 3.665:1 1.999:1 1.407:1 1.000:1 0.742:1 - 3.091:1 boking (EDL) g) differential providing to rear power proportioning cking (EDL) cking (EDL) charged) and shock absorbers (gas charged) and shock absorbers (gas charged)

Technical Specificati	ions (con	tinued)								200	04 Audi A4	3.0 Sedar
WHEELS:		Standard 16" (0	C2F)					Optiona	17" (C1X)			
Size		7J x 16	,					7.5J x 17				
Offset		42 mm						45 mm				
Weight		10,000 g / 22 lbs						11,800 g	/ 26 lbs			
Туре		Cast alloy	b					Cast allo				
		-	10.00						,			
TIRES:		Standard 16" (H	19P)						17" (H8A) or (H	IG6)		
Size		215 / 55						235 / 45				
Speed rating		Н						Y or H				
Construction		Radial						Radial				
Load Index		91						94				
Brand / Type (all approve	ed)	Pirelli P6 Four S	easons						P 9090 (Perform	,		
		Michelin MXM4							Pilot Primacy (Pe			
		-						Conti Sp	ort Contact 2 (Pe	rformance)		
BODY:						· .						
Material		Unitized steel st					-	-				
Corrosion protection		All steel parts ar	e 100% dua	al-side z	zinc-ga	ivanized. (12-y	ear limited	warranty ag	gainst corrosion p	perforation)		
CAPACITIES:		Fronts	برامما والمترو									
Engine eil			wheel drive						quattro		1	
Engine oil		5.8		5.5 lite		-			5.8 qt.	5.5 liter		
Fuel tank		18.5	•	70 lite				_	17.4 gal.	66 liter		
Cooling system		9.5	qt.	9 lite	er				9.5 qt.	9 liter		
EXTERIOR DIMENSIONS:				_								
				-	nt whee	el drive					attro	
Wheelbase		104.3 in.	2650 n						104.3 in.	2650 mm		
	ont / rear	60.2 in.	1528 n		Ι	60.1 in.	1526 m	n	60.2 in.	1528 mm	/ 60.1 in.	1526 mm
Overall length		179.0 in.	4547 n						179.0 in.	4547 mm	/ = 0 0 1	
	mirrors	69.5 in.	1766 n		1	76.3 in.	1937 m	n	69.5 in.	1766 mm	/ 76.3 in.	1937 mm
Height (unloaded)		56.2 in.	1428 n	nm					56.2 in.	1428 mm		
Ground clearance (loade	ed)	4.2 in.	106 n	nm					4.2 in.	106 mm		
Curb weight ma	an. / auto.	-	-		1	3462 lbs.	1570 kg		3583 lbs.	1625 kg	3627 lbs.	1645 kg
Distribution % front /	rear					61/39			58 / 42		59 /	41
Drag coefficient		Cw = 0.31	F	rontal A	Area =	2.18 sq. m.						
INTERIOR DIMENSIONS (SAE measu											
Seating Capacity		5										
EPA class		Compact				0= 0 4 3						
	ont / rear	38.4 in.	976 n		1	37.24 in.	946 m					
w/sunroof fro	ont / rear	37.3 in.	948 n	nm	/	37.09 in.	942 m	n				
Shoulder room fro	ont / rear	55.1 in.	1400 n	nm	1	53.43 in.	1357 m	n				
Leg room fro	ont / rear	41.3 in.	1050 n	nm	/	34.25 in.	870 m	n				
Interior volume fro	ont / rear	50.7 cu. ft.			/	39.4 cu. ft.		103.5	= total of cu. ft ((including trun	k volume)	
Luggage Capacity		13.4 cu. ft.	380 lite	ers								
PERFORMANCE:												
		I	Front whee	l drive						quattro		
		r	nultitronic					Manual	6-speed	Auto	matic	
0-50 mph (0-80kmh)			5.1 s	ec.				5.2	sec.	5.8	sec.	
0-60 mph (0-100 km/h)			6.9 s	ec.				6.9	sec.	7.7	sec.	
1/4 mile			15.1 s	ec.				15.2	sec.		sec.	
Top speed		Top sp	eed is elect	ronicall	y limite	ed at 130 MPH (208 km/h)					
8		тор эр	000 10 01000							-	-	
FUEL ECONOMY:	EPA	estimate										
FUEL ECONOMY:	EPA	estimate	wheel drive	9						quattro		
FUEL ECONOMY:	EPA	estimate Front		•				Manual	6-speed	•	matic	
FUEL ECONOMY:	EPA	estimate Front	wheel drive						5-speed mpg	Auto	matic mpg	
	EPA	estimate Front	wheel drive nultitronic	npg				17		- Auto 18		
City	EPA	estimate Front	wheel drive nultitronic 20 n	npg npg				17 26	mpg	Auto 18 25	mpg	
City Highway	EPA	estimate Front v	wheel drive nultitronic 20 n 28 n	npg npg				17 26	mpg mpg	Auto 18 25	mpg mpg	
City Highway Combined FUEL ECONOMY:		estimate Front v	wheel drive nultitronic 20 n 28 n	npg npg				17 26	mpg mpg mpg	Auto 18 25 21	mpg mpg	
City Highway Combined		estimate Front v	wheel drive nultitronic 20 n 28 n	npg npg				17 26 21 Manual (mpg mpg mpg	Auto 18 25 21 Auto	mpg mpg mpg	



Legend	A4	A4	A4	A4
x = Standard o = Optional - = Not available	1.8 T	1.8 T	3.0	3.0
	FrontTrak [®]	quattro®	FrontTrak®	quattro
Specifications generally apply to USA and Canada. For A4 1.8 T multitronic® in Canada, please refer to a separate page in this document.				
Technical				
1.8 liter 170 hp DOHC 5-valve 4-cylinder turbo charged engine with direct				
ignition, electronic turbo boost regulation	x	х	-	-
3.0 liter 220 hp DOHC 5-valve V6 engine with variable intake manifold,			v	v
variable intake and exhaust camshaft adjustment and balance shaft	-	-	х	x
ULEV (Ultra-Low Emission Vehicle) certification	x	х	x	х
5-speed manual transmission with synchronized reverse gear	х	-	-	-
6-speed manual transmission with synchronized reverse gear; dual mass	_	x	-	x
flywheel				
Audi multitronic [®] , electronically controlled, link-plate chain driven				
Continuously Variable Transmission (CVT) with Dynamic Regulation	0	-	Х	-
Program (DRP)				
5-speed automatic transmission with Tiptronic [®] (allowing driver to select				
gears manually) and Dynamic Shift Program (DSP) which selects from over	-	0	-	о
200 shift programs to match driver needs. Transmission also includes hill				
detection capability Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force				
Distribution (EBD)	x	х	x	х
Brake Assist, a system which automatically senses emergency braking and				
applies maximum available power boost to reduce overall stopping distance		х	х	х
FrontTrak [®] , front wheel drive system with legendary four-link front	,			
suspension and ESP system	x	-	x	-
quattro - permanent all-wheel drive system, includes Torsen [®] TORque				
SENsing center differential	-	х	-	х
Fully galvanized sheet metal	x	х	x	х
Improved CAN network, including 3 fully functional CAN circuits				
(Infotainment / Comfort / Powertrain)	X	x	Х	x
ESP (Electronic Stabilization Program) System also includes ABS / EBD /	x	x	x	x
EDL / ASR	^	^	^	^
CFC-free (chloroflourocarbon) air conditioning refrigerant	X	Х	X	х
Wheels / Tires				
7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires "Classic	x	х	-	-
design" 7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires "Elegant				
design"	-	-	х	х
7.5J x 17 / 5-spoke cast alloy wheels with 235 / 45 high				
performance tires (only in combination with sport suspension)	0	o	0	0
"Sporty design"	, J	-	-	
7.5J x 17 / 5-spoke cast alloy wheels with 235 / 45 all-season tires	0	0	0	0
Full size spare tire with matching alloy wheel	x	x	x	x



x = Standard o = Optional -= Not available 1.8 T 1.8 T 3.0 quattr Susponsion / Stoering / Brakos - - - - - • Front ventilated disc brakes, 288mm x 25mm rotors -	Legend	A4	A4	A4	A4
x = Standard o = Optional - = Not available FrontTrak® quattro® FrontTrak® quattro Suspension / Stoering / Brakes x x - - Front ventilated disc brakes, 288mm x25mm rotors x x - - Solid rear disc brakes, 256mm x12mm rotors x x - - x x Solid rear disc brakes, 255mm x12mm rotors - - - x x - Solid rear disc brakes, 255mm x12mm rotors - - - - - x <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Suspension / Steering / Parkes Front ventilated disc brakes, 288mm x25mm rotors -	x = Standard o = Optional - = Not available				
Front ventilated disc brakes, 288mm x 25mm rotors x Back fire assin front/ r	Cuspension / Chasting / Duskes	FIUILITAK	qualito	FIUIILITAK	qualito
• Front ventilated disc brakes, 342mm x 25mm rotors -					
Solid rear disc brakes, 245mm x 10mm rotors x x - - X Solid rear disc brakes, 255mm x 12mm rotors - - X X X X X Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force X			Х		
Solid rear disc brakes, 255mm x 12mm rotors - - - X X Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force X X X X X Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance X X X X Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer o <t< td=""><td></td><td></td><td>-</td><td>X</td><td></td></t<>			-	X	
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD)xxxxBrake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distancexxxxSport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension, now with higher aluminum content including forged aluminum uprightxxxxxxTrapezoidal link, fully independent rear suspension available on both FrontTrak and quatroxxxxxxxRack and pinion, close ratio power steering for more sporty driving / handling Ektroir Featuresxxxxxx* Title and telescopic manually adjustable steering columnxxxxxxx* Back tim around side windowsxxxxxxxx* Back tim around side windowsxxxxxxx* Back tim around side windowsxxxxxxx* Back tim around side minores issistance system built in rear bumper; system activated by shifting in reverse* Back tim around side kild, left centerxxxxxxxx* Sold color outside mirrors; left side flat, right, center <td></td> <td></td> <td></td> <td>-</td> <td></td>				-	
Distribution (EBD)XXXXBrake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distanceXXXXSport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension, now with higher aluminum content including forged aluminum uprightXXXXXXTrapezoidal link, fully independent rear suspension available on both FrontTrak and quatroXXXXXXRack and pinion, close ratio power steering for more sporty driving / handling S MPH (Federal standard) front and rear bumpersXXXXXS MPH (Federal standard) front and rear bumpersXXXXXXBlack tim around side windowsXXXXXBushed aluminum tim around side windowsXXXXXParktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00Nomenclature:000Nomenclature:Nomenclature:000Nomenclature:Stabilities and the system activated by shifting in reverseBrushed aluminum tim around side windows- <td< td=""><td></td><td>-</td><td>-</td><td>X</td><td>X</td></td<>		-	-	X	X
Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance x x x x Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm o	· · · ·	x	х	х	х
applies maximum available power boost to reduce overall stopping distancexxxx* Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm000* Four-link front suspension, now with higher aluminum content including forged aluminum uprightxxxxx* Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroxxxxxx* Rack and pinion, close ratio power steering for more sporty driving / handling Exterior Features xxxxx* Tilt and telescopic manually adjustable steering columnxxxxxx* SMPH (Federal standard) front and rear bumpersxxxxxx* Heated windshield washer nozzlesxxxxxx* Black trim around side windowsxxxxxx* Satellite radio antenna on the roofxxxxx* Barysten adtivated by shifting in reverseoo* Metaliciteooooooo* Satellite radio antenna on the roofxxxxx* Barysten activated by shifting in reverseoo* Metaliciteyabiting in reverseoo* Satellite radio antenna on the roofxxxx <td></td> <td></td> <td></td> <td></td> <td></td>					
Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, suspension lowered by 20 mm o <		x	х	х	х
bars in front / rear, suspension lowered by 20 mm000000• Four-link front suspension, now with higher aluminum content including forged aluminum uprightxxxxx• Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroxxxxxx• Rack and pinion, close ratio power steering for more sporty driving / handling Extorior Featuresxxxxxx• Tit and telescopic manually adjustable steering columnxxxxxxx• Tit and telescopic manually adjustable steering columnxxxxxxx• Tit and telescopic manually adjustable steering columnxxx<					
Percent Report Number of State		0	0	0	0
forged aluminum uprightXXXXX* Trapezoidal link, fully independent rear suspension available on both FrontTrak and quattroXXXX* Rack and pinion, close ratio power steering for more sporty driving / handling Exterior FeaturesXXXX* Tilt and telescopic manually adjustable steering columnXXXXX* Tand telescopic manually adjustable steering columnXXXXX* Steeling pressure headlight washers concealed in the front bumperXXXXX* Heated windshield washer nozzlesXXXXXX* Black trim around side windowsXXXXXX* Bady clor outside mirrors; left side flat, right side convexXXXXX* Body color outside mirrors; left side flat, right side convexXXXXX* Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00* Metallic / Pearl Effect paint000000* Ad on rear deck lid, left centerXXX<					
Trapezoidal link, fully independent rear suspension available on both x x x x FrontTrak and quattro Rack and pinion, close ratio power steering for more sporty driving / handling x x x x x • Tilt and telescopic manually adjustable steering column x x x x x x • Tilt and telescopic manually adjustable steering column x x x x x x • SMPH (Federal standard) front and rear bumpers x x x x x x • Black tim around side windows x x x x x x x • Black tim around side windows - - x x x x x • Back and pinion, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - x </td <td></td> <td>х</td> <td>х</td> <td>х</td> <td>х</td>		х	х	х	х
FrontTrak and quattroXXXX* Rack and pinion, close ratio power steering for more sporty driving / handling Rack and pinion, close ratio power steering for more sporty driving / handling XXXX* Tilt and telescopic manually adjustable steering columnXXXX* Tilt and telescopic manually adjustable steering columnXXXX* Exterior FeaturesXXX* Bard Steering ColumnXXXXXX* Heated windshield washer nozzlesXXXXXX* Back trim around side windowsXXXXXX* Back trim around side windowsXXX* Satellite radio antenna on the roofXXXXX* Satellite radio antenna on the roofXXXXX* Body color outside mirrors; left side flat, right side convexXXXXX* Body color outside mirrors; left side flat, right side convexXXXXX* Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in rev					
 Rack and pinion, close ratio power steering for more sporty driving / handling X X		х	х	х	х
Tilt and telescopic manually adjustable steering column x x x x 5 MPH (Federal standard) front and rear bumpers x x					
Exterior Features• 5 MPH (Federal standard) front and rear bumpersxxxx• Retractable high pressure headlight washers concealed in the front bumperxxxx• Heated windshield washer nozzlesxxxxx• Black trim around side windowsxxx-• Black trim around side windowsxx• Brushed aluminum trim around side windowsxx• Back trim around side windows0• Back trim around side windows0• Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse• Metallic / Pearl Effect paint0000000• At on rear deck lid, left centerx </td <td>Rack and pinion, close ratio power steering for more sporty driving / nandling</td> <td>х</td> <td>х</td> <td>х</td> <td>х</td>	Rack and pinion, close ratio power steering for more sporty driving / nandling	х	х	х	х
Exterior Features• 5 MPH (Federal standard) front and rear bumpersxxxx• Retractable high pressure headlight washers concealed in the front bumperxxxx• Heated windshield washer nozzlesxxxxx• Black trim around side windowsxxxxx• Black trim around side windowsxx• Brushed aluminum trim around side windowsxx• Back trim around side windowsxx• Back trim around side minrors; left side flat, right side convexxxxxx• Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00• Metallic / Pearl Effect paintooooo0• A4 on rear deck lid, left centerxxxxx- 1.8 T on rear deck lid - right, centerxx- 3.0 on rear deck lid - right, centerxx- Four rings on top center of front grillexxxxx- Four rings on top center of front grillexxx- are deck lid - right, under engine designation-x-x- Ret deck lid - right-xx- Start right-xx- Start right- <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
5 MPH (Federal standard) front and rear bumpersxxxxxRetractable high pressure headlight washers concealed in the front bumperxxxxxHeated windshield washer nozzlesxxxxxxxxHeated windshield washer nozzlesxxx </td <td></td> <td>x</td> <td>Х</td> <td>X</td> <td>X</td>		x	Х	X	X
• Retractable high pressure headlight washers concealed in the front bumper x </td <td></td> <td></td> <td></td> <td></td> <td></td>					
• Heated windshield washer nozzles x x x x x x x • Black trim around side windows - - - - - - • Brushed aluminum trim around side windows - - - x x x x x • Bady color outside mirrors; left side flat, right side convex x x x x x x x • Parktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - - 0					
Interacted windowsXXXXBlack trim around side windowsXXBrushed aluminum trim around side windowsXXSatellite radio antenna on the roofXXXXXBody color outside mirrors; left side flat, right side convexXXXXXParktronic®, four-channel parking assistance system built in rear bumper; system activated by shifting in reverse00Metallic / Pearl Effect paint000000Nomenclature:00Nomenclature:0Nomenclature:		х	Х	х	х
Brushed aluminum trim around side windows - - x x Satellite radio antenna on the roof x x x x x Body color outside mirrors; left side flat, right side convex x x x x x Parktronic [®] , four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - - 0 0 Metallic / Pearl Effect paint o <	Treated windshield washer hozzles	x	Х		Х
• Satellite radio antenna on the roof x x x x x x • Body color outside mirrors; left side flat, right side convex x x x x x • Parktronic [®] , four-channel parking assistance system built in rear bumper; system activated by shifting in reverse - - o		х	Х	-	-
• Body color outside mirrors; left side flat, right side convex x <t< td=""><td></td><td>-</td><td>-</td><td>Х</td><td>Х</td></t<>		-	-	Х	Х
 Parktronic[®], four-channel parking assistance system built in rear bumper; system activated by shifting in reverse Metallic / Pearl Effect paint O Nomenclature: - A4 on rear deck lid, left center X X			Х	x	
system activated by shifting in reverse00• Metallic / Pearl Effect paint00000• Nomenclature:1.8 T on rear deck lid, left centerxxxxxx1.8 T on rear deck lid - right, center3.0 on rear deck lid - right, centerxx<		X	Х	х	х
system activated by shifting in reverseooooMetallic / Pearl Effect paintoooooNomenclature:XXXX- A4 on rear deck lid, left centerxXXXX- 1.8 T on rear deck lid - right, centerxXX 3.0 on rear deck lid - right, centerXXX- Four rings on top center of rear deck lidxxXXX- Four rings on top center of front grilleXXXXX- Four rings on top center of front grilleXXXXX- 85 mm quattro badge on:X-X- rear deck lid - right, under engine designation-X-X- Mashboard belt line trim - right-X-XX- Lower bumper area in body color (November production)XXXXX- Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXX- Two front fog lights located in lower front bumperXXXXXX	Parktronic [®] , four-channel parking assistance system built in rear bumper;	_	_	0	0
• Nomenclature: - A4 on rear deck lid, left center x				0	0
- A4 on rear deck lid, left centerxxxxx- 1.8 T on rear deck lid - right, centerxxx 3.0 on rear deck lid - right, centerxxx- Four rings on top center of rear deck lidxxxxx- Four rings on top center of front grillexxxxx- 85 mm quattro badge on:xx- eact deck lid - right, under engine designation-x-x- rear deck lid - right, under engine designation-x-x- dashboard belt line trim - right-x-x- Lower bumper area in body color (November production)xxxx- Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesxxxx- Two front fog lights located in lower front bumperxxxxx	Metallic / Pearl Effect paint	0	0	0	0
- 1.8 T on rear deck lid - right, centerxx 3.0 on rear deck lid - right, centerXX- Four rings on top center of rear deck lidxxxx- Four rings on top center of front grillexxxx- 85 mm quattro badge on:X-rear deck lid - right, under engine designation-X-Xfront grille - right-x-Xdashboard belt line trim - right-x-XExterior Lighting-XXXAerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXTwo front fog lights located in lower front bumperxxxxxx	Nomenclature:				
- 3.0 on rear deck lid - right, centerxx- Four rings on top center of rear deck lidxxxxx- Four rings on top center of front grillexxxxx- 85 mm quattro badge on:-x-xx- rear deck lid - right, under engine designation-x-xfront grille - right-x-xxdashboard belt line trim - right-x-xLower bumper area in body color (November production)xxxxxExterior Lightingxxx• Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesxxxxx• Two front fog lights located in lower front bumperxxxxxx	- A4 on rear deck lid, left center	х	Х	х	х
- Four rings on top center of rear deck lid x x x x - Four rings on top center of front grille x x x x - 85 mm quattro badge on: - - x - x rear deck lid - right, under engine designation - x - x front grille - right - x - x dashboard belt line trim - right - x - x Lower bumper area in body color (November production) x x x x Exterior Lighting - - x x x • Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes x x x x x • Two front fog lights located in lower front bumper x x x x x x	- 1.8 T on rear deck lid - right, center	х	Х	-	-
- Four rings on top center of front grille x x x x - 85 mm quattro badge on: - - - x rear deck lid - right, under engine designation - - x - x front grille - right - x - x - x dashboard belt line trim - right - x - x - x Lower bumper area in body color (November production) x x x x x x Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes X X X X X Two front fog lights located in lower front bumper x x x x x x		-	-	х	х
- 85 mm quattro badge on: -<		х	х	х	х
rear deck lid - right, under engine designation-X-Xfront grille - right-X-Xdashboard belt line trim - right-X-XLower bumper area in body color (November production)XXXXExterior LightingXXAerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXXTwo front fog lights located in lower front bumperXXXXX		x	х	x	х
front grille - right-X-Xdashboard belt line trim - right-X-XLower bumper area in body color (November production)XXXXExterior Lighting• Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubesXXXX• Two front fog lights located in lower front bumperXXXXX					
dashboard belt line trim - right - x - x Lower bumper area in body color (November production) x x x x Exterior Lighting - - - x x x Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes x x x x x Two front fog lights located in lower front bumper x x x x x		-	х	-	х
 Lower bumper area in body color (November production) <u>Exterior Lighting</u> Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper x <lix< li=""> <li< td=""><td></td><td>-</td><td>х</td><td>-</td><td>х</td></li<></lix<>		-	х	-	х
Exterior Lighting Image: Second s		-	х	-	Х
 Aerodynamic 2-way ellipsoid projector headlamp assembly with VF (variable focus) reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper x <lix< li=""></lix<>		х	х	х	х
focus) reflectors, integrated low beam and high beam tubesXXXX• Two front fog lights located in lower front bumperxxxx					
Two front fog lights located in lower front bumper X X X X X		~	v	v	~
		X	X	×	X
	Two front fog lights located in lower front bumper	x	х	x	х
	One rear fog light in left rear light	x	х	x	Х
Rear light assemblies with white side turn indicators and amber shine-	Rear light assemblies with white side turn indicators and amber shine-	~	v	~	v
through bulbs		*	X	~	X
Daytime running lights (Canada only) x x x x x	Daytime running lights (Canada only)	x	х	x	х



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak [®]	quattro®	FrontTrak®	quattro®
Exterior Lighting (continued)				
 Xenon headlights with automatic self leveling 	0	0	0	0
• White side turn indicator lights in front fenders with amber shine-through	v	v	v	v
bulbs	X	x	x	x
Comfort / Convenience				
• Fully automatic dual-zone climate control system with seven temperature				
sensors, sun sensor and pressure sensor. Also includes active charcoal and	Х	х	x	х
electrostatic filters, which sense pollen, odors, bacteria and dust.				
 Smog sensor for air-conditioning which automatically shuts off outside air and starts air-recirculation when smog detected. 	х	х	x	х
	0	0	•	0
 HomeLink[®] universal garage door opener in driver's sunvisor Front and rear power windows with: 	U X	O X	O X	o X
- two stage button mechanism	Χ	~	^	~
 power retention feature, which keeps power for windows and 				
sunroof on until either front door open				
- "pinch protection" for all four windows which reverses window				
at force of 100 N or greater				
- "one-touch" up and down for front and rear windows at all				
window locations				
- illuminated driver controlled lock out switch for rear power				
windows				
• Electronic cruise control (two-stage switch) with coast, resume, speed-up,				
now controlled by a new lever on left side of steering wheel; cruise control	х	х	х	x
 indicator located in the instrument panel Auto-Blink feature enables turn signals to automatically blink three times 				
when blinker lever briefly pushed up / down (common when changing lane)	х	х	x	х
 Power central locking system (doors, deck lid and fuel door) with selective 				
unlocking (enables unlocking of a single front door or all doors), plus:	х	х	х	х
 convenience open and close feature for windows & sunroof 				
(opens / closes all windows and sunroof when key held in				
driver lock / unlock position)				
- front master switches located in driver and front passenger				
doors, include LED to signal when vehicle is locked.				
- rear master switch located in center console, under ashtray.				
The switch is used for locking all doors. It's a lock-only				
switch, and it includes LED to signal when the vehicle is				
locked.				
- central locking can be programmed at any authorized Audi				
dealer to automatically lock when vehicle reaches 8 MPH.				
Vehicle then automatically unlocks when key taken out of ignition.				



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak [®]	quattro®
Comfort / Convenience (continued)				•
 Automatic dimming outside mirrors with folding feature 	-	-	0	0
 Four-position driver side memory for seat and mirror adjustments 	-	-	0	0
Electrically adjustable outside rearview mirrors with heating feature. Heating				
is automatically activated when outside temperature is less than 59°F.				
When outside temperature reaches 77°F, heating automatically stops.	x	х	Х	х
 Illuminated vanity mirrors in left and right front sunvisors 	х	х	х	х
 Third, middle sunvisor above rearview mirror 	х	Х	х	х
Four assist handles in headliner with slow retraction feature	x	Х	x	х
 Rear deck lid release with "soft touch" opening feature and remote deck lid 	х	х	x	х
release located in driver's door	^	^	^	~
• Extended range (up to 150 ft.) radio frequency remote locking system with				
security "rolling code" feature, selective unlock, remote trunk opening and	х	х	x	х
panic function, also activates interior lights and alarm system -all integrated				
in folding key				
 Interior lights in front and rear headliner with fade-in and fade-out feature, 	x	х	x	х
time delay and automatic switch on when key is withdrawn from ignition				
Illuminated glove box, rear cargo area, lighter and ashtray	X	X	X	X
New generation modular steering wheel Seating	Х	X	X	Х
Sporty front seats with manual height adjustment using a flexible up/down				
lever, variable seat-back adjustment and adjustable head restraints	х	х	-	-
 12-way sporty power front driver seat including 4-way electric lumbar 				
adjustment and adjustable head restraints	0	0	х	-
 12-way sporty power front (driver & passenger) seats including 4-way 				
electric lumbar adjustment and adjustable head restraints	-	-	-	х
 Storage tray under front driver and passenger seats (not in Canada on 				
FrontTrak models)	х	Х	x	Х
 Front seat-back map net pockets (not in Canada on FrontTrak models) 	х	х	х	х
60 / 40 split folding rear seat with individual locks and red indicators when				
seatback is not properly latched	Х	х	x	х
 Three 3-point safety belts for all front and rear positions (total of 5) 	х	Х	х	х
• 3 adjustable head restraints for rear seats	Х	Х	х	х
Interior				
Cloth upholstery	Х	Х	-	-
 Leather seating inserts (standard on all versions in Canada) 	0	0	Х	х
• Genuine Buffalino full-leather seat upholstery; door inserts, front / rear center		_	0	о
armrest, shift knob and steering wheel in matching leather	-	-	U	0
 Front and rear floor mats with fastening mechanism 	Х	Х	Х	х
 High gloss fiberglass trim on dashboard and door panel interior beltline 	х	х	-	-



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak [®]	quattro®
Interior (continued)	Tiontriak	quuito	Tioneriak	quatio
 Genuine wood trim on dashboard, door panel interior beltline, center console 				
and front / rear ashtrays	-	-	х	х
 3-spoke leather wrapped sport steering wheel 	х	х	x	х
 Leather covered transmission shift knob (automatic models), shift boot 	^	^	^	^
(manual models) and hand brake handle (all models)	х	х	х	х
 Folding front center armrest with adjustable height and dual cupholder 	v	v	v	v
	X	X	X	X
12 V power outlet (SAE) in trunk	X	X	X	X
Automatically dimming interior mirror with digital compass Deven seen supplied with merror line window shades	0	0	0	0
Power rear sunshade with manual rear side window shades Full length contact suith	-	-	0	0
• Full length center console with:	Х	Х	X	Х
- Front and rear ashtray				
- 12 V power outlet (SAE)				
- storage area under center armrest				
- retractable front cupholder with protective drip tray				
Fold down rear center armrest with a comprehensive first-aid kit	X	Х	X	Х
Dual rear cupholder located in the rear center armrest	х	х	х	Х
Protective door sill trim	Х	Х	Х	Х
 Climate control panel (in center console) with integrated heated seat 	х	х	x	х
switches (when heated seats ordered)	~	~	~	~
Ambient red lighting in headliner for dash and center console	х	Х	х	Х
 Illuminated air vent controls in dashboard 	х	х	х	Х
 Four tie-down eyelets with luggage net in trunk (not in Canada) 	х	х	х	Х
Tool kit located in the spare wheel well	х	х	х	Х
Aluminum beltline trim	0	0	0	0
Instruments / Electrical equipment				
• 380 A Battery (80 AH)	х	х	х	Х
 Backlit instrument cluster with automatic brightness control including 	х	х	x	х
following features:	^	^	^	^
- sporty, tubular gauge design				
 white numbering with red pointers, digital clock with date 				
 tachometer, electronic speedometer 				
 fuel gauge, coolant temperature gauge 				
 various additional warning lights 				
- Driver information display (described below)				
 Digital trip odometer with service interval indicator 	х	х	х	х
 Driver information display including: 	0	х	0	х
- 5-function trip computer (timer / miles-to-empty / average				
MPG / average MPH / instant MPG)				
- outside temperature display				
- radio / telephone / navigation / Telematics display				
- Auto Check System which constantly monitors various				
functions and components within the vehicle, such as battery				
voltage, brake pad indicator, oil level indicator, washer fluid				
indicator and more.				
- speed warning device				
- pictogram display for open door and trunk				
 Concealed headlight washer system, integrated in the front bumper 	х	х	х	х
 Windshield wipers with 4-position adjustable intermittent interval rate 	X		X	×
 Heated windshield washer nozzles 		X		
ו ובמובע שוועטווובוע שמטוובו ווטבצובט	Х	Х	Х	Х



Γ	Legend	A4	A4	A4	A4
F		1.8 T	1.8 T	3.0	3.0
	x = Standard o = Optional - = Not available	FrontTrak [®]	quattro®		quattro®
	Instruments / Electrical equipment (continued)	·····	44460		44460
•	Advanced anti-theft vehicle alarm system with following features:	х	х	x	x
	- theft deterrent light in driver's door	~	~	^	^
-	- ultrasonic interior monitoring system with defeat switch in				
	driver's door.				
	- back-up battery in case main vehicle battery is disconnected				
F	- III. Generation Immobilizer prevents engine start when key with				
	automatically changing electronic code feature is not used				
F	- back-up horn				
	- tilt sensor which prevents theft by towing; function can be				
	defeated by switch located in driver's door				
┢	- system automatically arms when vehicle locked				
•	Second generation Audi Symphony radio with:	0	х	0	х
F	- AM / FM with 24 channel preset capability (12 FM / 12 AM)		~		
F	- digital AM / FM tuner in combination with dual diversity				
	antenna system.				
	- in-dash six-disc CD changer				
	- random mode for individual CD's as well as entire CD				
	changer				
	- cassette player with auto reverse and music search feature				
	 RDS (Radio Data System) displays radio station 				
	call letters and other information				
	 "Autostore" function which automatically selects 6 AM and 6 				
	FM strongest stations in the area				
	 theft deterrent design which only fits an Audi vehicle 				
	- GALA (Graduated Audio Level Adjustment) varies volume				
	based on vehicle speed				
Ľ	150-watt sound system with total of 10 speakers:	x	Х	x	Х
	- four speakers in front doors (2 per door)				
	- four speakers in rear doors (2 per door)				
	- subwoofer and front centerfill speaker				
ľ	Second generation Audi Concert radio with:	Х	-	Х	-
┢	- AM / FM with 24 channel preset capability (12 FM / 12 AM)				
	- digital AM / FM tuner in combination with dual diversity				
┢	antenna system.				
┢	- in-dash one-disc CD player				
	- random mode for individual CD's as well as entire CD				
┢	changer				
	- RDS (Radio Data System) displays radio station				
\mathbf{F}	call letters and other information				
	- "Autostore" function which automatically selects 6 AM and 6				
┢	FM strongest stations in the area				
\vdash	- theft deterrent design which only fits an Audi vehicle				
	- GALA (Graduated Audio Level Adjustment) varies volume				
L	based on vehicle speed				



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®	FrontTrak®	quattro®
Instruments / Electrical equipment (continued)		•		
Rear window defroster. When activated, defroster remains continuously on				
when outside temperature is 32°F or below. When temperature is 33°F or	x	х	x	х
above, function automatically turns off after approx. 10 minutes.				
 Improved CAN network, including 3 fully functional CAN circuits 	~	2		v
(Infotainment / Comfort / Powertrain)	Х	х	Х	Х
New concealed rear glass antenna system includes GPS, telephone, 4-	x	х	v	x
channel FM and 1-channel AM radio and remote key antennas	^	~	х	~
Safety / Security				
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake-force	x	х	x	х
Distribution (EBD)	^	^	^	^
Brake Assist, a system which automatically senses emergency braking and	x	х	x	x
applies maximum available power boost to reduce overall stopping distance	^	^	^	^
 Driver and front passenger next generation airbag supplemental restraints 	x	х	x	x
with dual threshold deployment determined by seat belt buckle switches	^	^	^	^
2 stage advanced front airbag, including occupant detection	х	Х	х	Х
 Driver and front passenger seat mounted side airbag supplemental restraints 	x	Х	х	х
• SIDEGUARD™ Inflatable Curtain Airbags; extend from A-pillar to C-pillar on				
each side of the vehicle; protect front and rear passengers against collision	х	х	x	х
with side glass, accident debris and rollover				
Rear passenger side airbag suplemental restraint system	0	0	0	0
• "Up front" crash sensors (2), which include integrated system of 6 sensors				
throughout the vehicle which can best determine severity of a crash, and can	x	х	x	х
therefore better deploy technology designed to protect the passengers.				
• If crash sensor system is activated, following will happen automatically:	X	Х	X	Х
- central locking automatically unlocks				
- interior lighting is switched on				
 fuel pump and engine are switched off hazard warning lights are switched on 				
 - if Audi Telematics by OnStar[®] ordered, system automatically contacts OnStar call center, which assists further 				
 Impact protection, including reinforced high strength steel / aluminum 				
crossmembers, reinforced bumpers, and rigid occupant cell	x	х	x	х
 Side intrusion beams in side doors which ensure equal distribution of forces in case of side impact 	х	х	x	х
 Fuel tank within protective bodywork structure with special safety valves 				
which prevent gravitational fuel spillage in case of rollover	х	х	х	х
 LATCH (Lower Anchorage and upper Tether CHild seat) provisions in rear 				
seats	х	х	x	х
 Three child seat tether anchorage points in the rear 	х	х	х	х
• Two front head restraints with locking mechanism to keep restraints in place	х	х	х	х
Three rear head restraints	х	х	х	х



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = Standard o = Optional - = Not available	FrontTrak®	quattro®		quattro®
Safety / Security (continued)				
 Two front fog lights located in lower front bumper 	х	Х	х	Х
 Integrated child locks in rear doors 	х	х	х	х
One rear fog light in left rear light	х	Х	х	Х
 Front 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters 	x	х	x	x
 Three 3-point rear safety belts with automatic pretensioning 	х	х	х	х
Front passenger and rear safety belts with ALR (Automatic Locking				
Retractor, a ratcheting mechanism for conveniently securing a child seat)	x	Х	x	х
 Front seats include a high strength steel reinforcement construction to protect from side / rear impact; additional protection against loose loads sliding forward during heavy braking 	x	x	x	x
 Seatbelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained 	x	х	x	x
Emergency rear door unlocking mechanism adjacent to the child locks	х	х	х	х
 Auto-Blink feature enables turn signals to automatically blink three times when blinker lever briefly pushed up / down (common when changing lane) 	x	x	x	x
 Audi Telematics by OnStar offering variety of safety and security features, including Emergency calling, automatic theft tracking, remote door unlock, automatic airbag deployment notification, etc. (described below) 	0	0	0	0
Emergency warning triangle located in trunk lid	х	х	х	х
Active reflectors in rear of all doors	x	х	х	х
First-aid kit in rear center armrest	х	х	х	х
Tire pressure monitoring system	х	Х	х	Х
Infotainment / Communication Audi Navigation System uses GPS (Global Positioning System) to navigate by the means of new color driver information display (located in the instrument cluster) and audible instructions Improved CAN network, including 3 fully functional CAN circuits	-	-	0	0
(Infotainment / Comfort / Powertrain)	x	х	x	х
• Audi Telematics by OnStar [®] . System includes a variety of features, such as:	0	0	0	0
 three-button assembly in overhead console, including OnStar, Emergency and Dot buttons green indicator within the button assembly which determines 				
system's operation:				
Green light on: System OK and active				
Green light blinking: Call in progress				
Red light on: System failure				
 back-up battery on-board voice recognition used for OnStar personal calling as well as use of optional Audi Motorola phone 				
- self-diagnostic system which determines any possible faults				
- PSE (Portable Support Electronics) with prewiring for Audi Motorola [®] cellular phone				



Legend	A4	A4	A4	A4	
	1.8 T	1.8 T	3.0	3.0	
x = Standard o = Optional - = Not available	FrontTrak®			quattro®	
Infotainment / Communication (continued)	Tiontinak	quuito	Tioneriak	quattio	
 Audi Telematics: OnStar service packages include (airtime included with 	01	ne vear in	cluded in the		
both packages):	One year included in the Audi Telematics by OnStar option				
SAFE & SOUND PACKAGE	Audi It	lemanes		5.1011	
- automatic airbag deployment notification					
- emergency calling (911)					
- vehicle theft tracking					
- emergency door unlock					
- enhanced roadside assistance					
- accident assist					
- remote vehicle alert (flashes lights and sounds horn when					
vehicle cannot be found)					
DIRECTIONS & CONNECTIONS PACKAGE					
- all in Safe & Sound package, plus:		001	ional		
- route support					
- ride assist					
- convenience services					
LUXURY & LEISURE PACKAGE		Opt	ional		
- all in Directions & Connections package, plus:					
- OnStar concierge					
Two services can be chosen in addition to either telematics package:					
(subject to pre-paid airtime charges)	Optio	Optional with either packag			
- Virtual Advisor (variety of information such as stock quotes,					
weather forecast and news can be downloaded to the vehicle					
and read to the driver by automated text-to-voice processor.					
- Personal Calling using on-board voice recognition					
• Four spoke, multifunction steering wheel (recommended when Audi					
Telematics by OnStar ordered)	-	-	0	0	
• Audi Motorola hands-free digital telephone (delayed availability) (can only be					
ordered with Audi Telematics). This Motorola V.60 phone can be controlled	о	0	o	о	
by on-board voice recognition, and includes following features:	-	-	-	-	
- phone cradle located in front center armrest					
- concealed microphone, antenna and dedicated speaker					
- WAP browser (enables Wireless Web communication)					
- voice recognition					
- 96 x 64 graphic display					
- 400 memory locations					
- SMS (Short Message Service)					
- individual ring style					
- 150 min talk time / 150 hrs. standby time					
 Monochrome Driver Information Display 	x	х	x	х	
 Eight-color Driver Information Display (only available with Audi Navigation 					
System); resolution of 442x236 pixels	-	-	0	0	
 Second generation Audi Symphony radio 	x	х	x	х	
 150-watt sound system with total of 10 speakers 	x	x	x	x	
 Bose 215-watt premium sound system, including: 	0	0	0	0	
- total of 10 speakers, rear subwoofer and front centerfill speaker	-				
- Bose Nd [®] NeoDymium Iron Boron high-efficiency woofer					
Satellite radio preparation	~	v	v	~	
	Х	Х	Х	Х	

2004 Audi A4 Sedan Option Program



Legend	A4	A4	A4	A4
	1.8 T	1.8 T	3.0	3.0
x = included in package o = Optional - = Not available	FrontTrak [®]	quattro®	FrontTrak [®]	quattro®
Optional Equipment	riontriat	quatto	riontriat	quatto
Premium package	0	0	0	0
HomeLink [®] universal garage door opener	x	x	x	x
	~	^		
Automatic dimming inside mirror with digital compass	-	-	X	X
Automatic dimming outside mirrors with folding feature Driver side memory for front seat and mirror adjustments			X	X
Xenon headlights with automatic self leveling feature	-	-	X	X
Multi-function steering wheel with audio buttons (or telephone buttons when Telematics	-	-	X	Х
	-	-	х	х
ordered)				
Light sensor package, including "coming home", "leaving home" and automatic light	-	-	х	х
switch functionalities	~	N N	×	
Glass sunroof with pre-select function, sunshade and 100 N force limiter	X	X	X	Х
Leather seating inserts	X	X	-	-
12-way power driver seat including 4-way power lumbar	X	Х	-	-
Bose Package	0	-	0	-
Bose [®] 200-watt premium sound system, including total of 10 speakers and using state-of-	×	_	x	_
the-art Bose Nd [®] speaker technology	X		^	
Audi symphony radio with 6-disc CD changer	х	-	х	-
Infotainment package	- 1	0	-	0
Bose [®] 200-watt premium sound system, including total of 10 speakers and using state-of-	-			
the-art Bose Nd [®] speaker technology	-	х	-	Х
Choice of XM or Sirius satellite radio	-	x	_	x
Sport package	0	0	0	0
Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front /	0	0	0	0
rear, suspension lowered by 20 mm	х	х	x	х
17" 5-spoke cast alloy wheels (7.5J x 17)	x	x	х	x
235 / 45 high performance Y-rated tires or all-season tires	X	X	X	× ×
 Lighting package 	0	0		^
Xenon headlights with automatic self leveling feature		-	-	-
Automatic dimming inside mirror with digital compass	X X	X		-
Light sensor package, including "coming home", "leaving home" and automatic light	X	х	-	-
switch functionalities	х	х	-	-
		-	-	•
Cold Weather package	0	0	0	0
Heated front seats adjustable in 6 steps (standard in Canada on quattro models)	X	X	X	X
Ski sack	x	Х	X	Х
Separate options		-		
Rear Side Airbags	0	0	0	0
7J x 16 / 5-spoke cast alloy wheels with 215 / 55 all-season tires	0	0	-	-
Genuine Buffalino full-leather seat upholstery; door inserts, front / rear center armrest,	-	-	о	0
shift knob and steering wheel in matching leather				
Ski sack (Canada only)	0	0	0	0
Audi Navigation System uses GPS (Global Positioning System) to navigate by the means				
of new color driver information display (located in the instrument cluster) and audible	-	-	0	0
Instructions				
instructions	-	0	0	0
Audi Telematics by OnStar [®]	0	0	Ŭ	-
	0	0		
Audi Telematics by OnStar [®]	0	0	0	0



	Warranty Information
	United States / Canada
•	4-year/50,000 mile new vehicle limited warranty/ 4-year/80,000 km new vehicle limited
	warranty
•	4-year/50,000 mile no-charge scheduled maintenance/ 4-year/80,000 km no-charge
	scheduled maintenance
•	12-year limited warranty against corrosion perforation
•	24-hour Roadside Assistance for 4 years
	"quattro" is a registered trademark of Audi AG.
	"Tiptronic" is a registered trademark of Dr. Ing. h. c. F. Porsche AG.
	"Torsen" is a registered trademark of Zexel-Gleason USA, Inc.
	"Motorola" is a registered trademark of Motorola, Inc.
	"HomeLink" is a registered trademark of Johnson Controls, Inc.
	"Bose" is a registered trademark of the Bose Corporation.
	"Parktronic" is registered trademark of Audi AG.
	"OnStar" is a registered trademark of General Motors Corporation.
	"SIDEGUARD" is a registered trademark of Audi AG.
	"FrontTrak" is a registered trademark of AUDI AG.
	"multitronic" is a registered trademark of Audi AG.



2004 Audi A4 3.0

							2004 Audi A	4 3.0
rder ode	Model	Body Style	Transmission	Drivetrain			Suggested Retail	
25FH	A4 3.0	Sedan	Multitronic Auto CVT	FrontTrak			\$ 31,150	
E25F9	A4 3.0	Sedan	6-Speed Manual	quattro			\$ 32,740	
E25FZ	A4 3.0	Sedan	5-Spd Automatic Tip.	quattro			\$ 33,790	
				;	3.0 ntTrak	3.0 <u>quattro</u>	,	
PLD	Premium L	eather Upho	lstery	r	NA	0	1,000	
	Metallic / Pearl Effect Paint				0	0	450	
PAW	<u>Cold Weather Package</u> Heated Front Seats Ski Sack				0	0	625	
PQS	Ultra Sport Package (Available Only w/Ebony Interior) Sport Suspension 18" Wheels & Performance Tires Aluminum Trim Aerodynamic Kit Perforated Leather Steering Wheel & Shift Knob				0	0	2,950	
PPS	<u>Sport Package</u> (Not available with PSW or PRV) Sport Suspension 17" Wheels & Performance Tires				0	0	750	
PSW	Sport Package (Not available with PPS or PRV) Sport Suspension 17" Wheels & All-Season Tires				0	0	750	
RSR	Infotainment Package (Sirius®) BOSE [®] Premium Sound System Sirius® Satellite Radio			١	N/A	0	1,000	
RXM	Infotainment Package (XM®) BOSE [®] Premium Sound System XM® Satellite Radio			1	N/A	0	1,000	
ΡΡΧ	HomeLin Multi-fun Auto-dim Auto-dim Light Sei Xenon H Memory	Inroof (w/Pow k [®] Remote ction Steering ming and Ele ming Interior nsor Package eadlights	g Wheel ectrically Folding Exterior Mirrors Mirror with Compass eat and Mirror Adjustments		0	N/A	2,000	
PPX	HomeLin Multi-fun Auto-dim Auto-dim Light Sei Xenon H	nroof (w/Pow k [®] Remote ction Steering ming and Ele ming Interior nsor Package eadlights	g Wheel ectrically Folding Exterior Mirrors Mirror with Compass		√A	0	2,300	
PRV			vith All-Season Tires		0	0	500	
PBS		emium Sound			0	N/A	900	
9ZS		natics by OnS			0	0	750	
PNK			I (Includes Map CD's)		0	0	1,350	
3Y5			l Side Sunshades		0	0	375	
4X4	Rear Side	•			0	0	350	
0LM 1QE	California I Northeast				0 0	0 0	150 150	
	INSTALLED							
AWL		heel Locks			0	0	78	
APK	Phone Cra	dle and Brac	ket		0	0	306	
ASR		tellite Radio			0	0	350	
AXM	XM® Sate				0	0	350	
	Destinatio	in Unarge					690	
<u>Key:</u>		0 = Optiona						

S = Standard NC = No Charge

Specifications, equipment, options and prices are subject to change without notice. Some items may be unavailable when the vehicle is built. Prices exclude destination charges, registration and dealer delivery charges. Intro 2004 MY Prices