

Tuesday 9 March 2010 20:21:19
 4B0 920 981 P KOMBI+WEGFAHRS. VDO D14

Marker	Group A: '001				Group B: '002					Group C: '003					
	Road Speed		Engine Speed	Oil Pressure	Clock Time	Odometer	Fuel Gauge	Fuel Sensor	Outside Air	Coolant	Clock	Duty Cycle	Duty Cycle		
	TIME	km/h	(RPM)	OK Min	TIME	(/10)	(Liters)	Resistance	Temperatu	Temperature		%	%		
STAMP		/min		STAMP		l	ohms	°C	STAMP	°C					
0.01		0	720	Oil Pr. 2 OK	8:21	0.53	6048	17	122	7	1.09	64	0:00	16	0
1.66		0	720	Oil Pr. 2 OK	8:21	2.18	6048	17	122	7	2.75	64	0:00	16	0
3.31		0	720	Oil Pr. 2 OK	8:21	3.87	6048	17	122	7	4.4	65	0:00	16	0
4.97		0	720	Oil Pr. 2 OK	8:21	5.53	6048	17	123	7	6.09	65	0:00	16	0
6.62		0	680	Oil Pr. 2 OK	8:21	7.19	6048	17	122	7	7.75	65	0:00	16	0
8.28		0	800	Oil Pr. 2 OK	8:21	8.84	6048	17	122	7	9.41	65	0:00	16	0
9.93		0	800	Oil Pr. 2 OK	8:21	10.5	6048	17	122	7	11.06	65	0:00	16	0
11.59		0	1200	Oil Pr. 2 OK	8:21	12.15	6048	17	122	7	12.72	65	0:00	16	0
13.28		0	1160	Oil Pr. 2 OK	8:21	13.81	6048	17	122	7	14.37	66	0:00	16	0
14.94		0	1240	Oil Pr. 2 OK	8:21	15.5	6048	17	122	7	16.03	66	0:00	16	0
16.59		0	1320	Oil Pr. 2 OK	8:21	17.16	6048	17	122	7	17.68	66	0:00	16	0
18.25		0	1520	Oil Pr. 2 OK	8:21	18.81	6048	17	122	7	19.34	66	0:00	16	0
19.9		0	1680	Oil Pr. 2 OK	8:21	20.47	6048	17	122	7	21	66	0:00	16	0
21.56		0	1800	Oil Pr. 2 OK	8:21	22.12	6048	17	122	7	22.69	66	0:00	16	0
23.22		0	1840	Oil Pr. 2 OK	8:21	23.78	6048	17	122	7	24.34	67	0:00	16	0
24.87		0	1840	Oil Pr. 2 OK	8:21	25.44	6048	17	122	7	26	67	0:00	16	0
26.53		0	2000	Oil Pr. 2 OK	8:21	27.09	6048	17	122	7	27.65	67	0:00	16	0
28.22		0	2040	Oil Pr. 2 OK	8:21	28.75	6048	17	122	7	29.31	67	0:00	16	0
29.87		0	2120	Oil Pr. 2 OK	8:21	30.44	6048	17	122	8	30.97	67	0:00	16	0
31.53		0	2520	Oil Pr. 2 OK	8:21	32.09	6048	17	122	8	32.62	68	0:00	16	0
33.19		0	2560	Oil Pr. 2 OK	8:21	33.75	6048	17	122	8	34.28	68	0:00	16	0
34.84		0	2920	Oil Pr. 2 OK	8:21	35.41	6048	17	122	8	35.97	68	0:00	16	0
36.5		0	2880	Oil Pr. 2 OK	8:21	37.06	6048	17	122	8	37.59	68	0:00	16	0
38.15		0	3600	Oil Pr. 2 OK	8:21	38.72	6048	17	122	7	39.28	69	0:00	16	0
39.81		0	4000	Oil Pr. 2 OK	8:21	40.37	6048	17	122	7	40.94	69	0:00	16	0
41.5		0	5000	Oil Pr. 2 <min	8:21	42.03	6048	17	122	7	42.59	69	0:00	16	0
43.16		0	1600	Oil Pr. 2 OK	8:21	43.68	6048	17	122	7	44.25	70	0:00	16	0
44.81		0	840	Oil Pr. 2 OK	8:21	45.34	6048	17	122	7	45.9	70	0:00	16	0
46.47		0	800	Oil Pr. 2 OK	8:21	47.03	6048	17	122	7	47.56	71	0:00	16	0
48.12		0	800	Oil Pr. 2 OK	8:21	48.69	6048	17	123	7	49.21	71	0:00	16	0
49.78		0	1080	Oil Pr. 2 OK	8:21	50.34	6048	17	122	7	50.87	71	0:00	16	0
51.43		0	1040	Oil Pr. 2 OK	8:21	52	6048	17	122	7	52.56	72	0:00	16	0
53.09		0	800	Oil Pr. 2 OK	8:21	53.65	6048	17	122	7	54.22	72	0:00	16	0
54.78		0	760	Oil Pr. 2 OK	8:21	55.31	6048	17	122	7	55.87	72	0:00	16	0
56.44		0	760	Oil Pr. 2 OK	8:22	56.97	6048	17	122	7	57.53	72	0:00	16	0
58.09		0	760	Oil Pr. 2 OK	8:22	58.62	6048	17	122	7	59.19	73	0:00	16	0
59.75		0	760	Oil Pr. 2 OK	8:22	60.28	6048	17	122	7	60.84	73	0:00	16	0
61.4		0	760	Oil Pr. 2 OK	8:22	61.97	6048	17	122	7	62.5	73	0:00	16	0
63.06		0	760	Oil Pr. 2 OK	8:22	63.62	6048	17	122	7	64.15	74	0:00	16	0
64.72		0	680	Oil Pr. 2 OK	8:22	65.28	6048	17	122	7	65.84	74	0:00	16	0
66.37		0	680	Oil Pr. 2 OK	8:22	66.94	6048	16	120	7	67.5	74	0:00	16	0

68.03	0	680 Oil Pr. 2 OK	8:22	68.59	6048	16	120	7	69.16	74	0:00	16	0
69.72	0	680 Oil Pr. 2 OK	8:22	70.25	6048	16	120	7	70.81	74	0:00	16	0
71.37	0	680 Oil Pr. 2 OK	8:22	71.9	6048	16	120	7	72.47	75	0:00	16	0
73.03	0	680 Oil Pr. 2 OK	8:22	73.56	6048	16	120	7	74.12	75	0:00	16	0
74.69	0	680 Oil Pr. 2 OK	8:22	75.25	6048	16	120	8	75.78	75	0:00	16	0
76.34	0	680 Oil Pr. 2 OK	8:22	76.91	6048	16	120	8	77.43	75	0:00	16	100
78	0	680 Oil Pr. 2 OK	8:22	78.56	6048	16	120	8	79.13	75	0:00	16	100
79.65	0	680 Oil Pr. 2 OK	8:22	80.22	6048	17	120	8	80.78	75	0:00	16	100
81.31	2	720 Oil Pr. 2 OK	8:22	81.87	6048	16	120	8	82.44	75	0:00	16	100
82.97	6	680 Oil Pr. 2 OK	8:22	83.53	6048	17	120	8	84.09	76	0:00	16	100
84.62	8	720 Oil Pr. 2 OK	8:22	85.18	6048	16	120	8	85.75	76	0:00	16	100
86.31	8	880 Oil Pr. 2 OK	8:22	86.84	6048	16	129	7	87.4	76	0:00	16	100
87.97	8	680 Oil Pr. 2 OK	8:22	88.5	6048	17	120	7	89.06	76	0:00	16	100
89.62	8	1280 Oil Pr. 2 OK	8:22	90.19	6048	16	120	7	90.72	76	0:00	16	100
91.28	14	1760 Oil Pr. 2 OK	8:22	91.84	6048	16	120	7	92.37	76	0:00	16	100
92.94	18	1560 Oil Pr. 2 OK	8:22	93.5	6048	16	120	7	94.05	76	0:00	16	100
94.59	22	1800 Oil Pr. 2 OK	8:22	95.15	6048	16	120	7	95.71	77	0:00	16	100
96.25	26	1840 Oil Pr. 2 OK	8:22	96.81	6048	16	120	7	97.37	77	0:00	16	100
97.9	28	1880 Oil Pr. 2 OK	8:22	98.47	6048	16	120	7	99.03	77	0:00	16	100
99.56	28	1920 Oil Pr. 2 OK	8:22	100.12	6048	17	122	7	100.69	77	0:00	16	100
101.25	30	2040 Oil Pr. 2 OK	8:22	101.78	6048	18	126	7	102.34	77	0:00	16	100
102.91	32	2040 Oil Pr. 2 OK	8:22	103.46	6048	19	129	7	104	78	0:00	16	100
104.56	36	2280 Oil Pr. 2 OK	8:22	105.12	6048	20	142	7	105.68	78	0:00	16	100
106.22	36	1520 Oil Pr. 2 OK	8:22	106.78	6048	21	131	7	107.31	78	0:00	16	100
107.87	34	1400 Oil Pr. 2 OK	8:22	108.44	6048	21	130	7	108.99	79	0:00	16	100
109.53	30	1200 Oil Pr. 2 OK	8:22	110.09	6048	20	127	7	110.66	79	0:00	16	100
111.21	22	920 Oil Pr. 2 OK	8:22	111.75	6048	18	127	7	112.31	79	0:00	16	100
112.86	10	640 Oil Pr. 2 OK	8:22	113.4	6048	18	125	7	113.96	79	0:00	16	100
114.5	4	680 Oil Pr. 2 OK	8:22	115.06	6048	19	125	7	115.62	80	0:00	16	100
116.18	14	2480 Oil Pr. 2 OK	8:23	116.71	6048	16	120	7	117.28	80	0:00	16	100
117.84	34	2640 Oil Pr. 2 OK	8:23	118.39	6048	14	120	7	118.93	80	0:00	16	100
119.5	40	2560 Oil Pr. 2 OK	8:23	120.05	6048	15	127	7	120.59	80	0:00	16	100
121.15	36	1440 Oil Pr. 2 OK	8:23	121.71	6048	18	120	7	122.25	81	0:00	16	100
122.81	28	1120 Oil Pr. 2 OK	8:23	123.37	6048	17	124	7	123.9	81	0:00	16	100
124.47	18	760 Oil Pr. 2 OK	8:23	125.03	6048	18	133	7	125.58	81	0:00	16	100
126.12	14	640 Oil Pr. 2 OK	8:23	126.68	6048	20	133	7	127.25	82	0:00	16	100
127.78	10	680 Oil Pr. 2 OK	8:23	128.34	6048	17	114	7	128.89	82	0:00	17	100
129.43	8	680 Oil Pr. 2 OK	8:23	130	6048	15	129	7	130.56	82	0:00	17	100
131.11	6	880 Oil Pr. 2 OK	8:23	131.65	6048	17	128	7	132.22	83	0:00	16	100
132.78	8	1200 Oil Pr. 2 OK	8:23	133.31	6048	17	120	7	133.87	83	0:00	16	100
134.44	12	1960 Oil Pr. 2 OK	8:23	135	6048	16	123	7	135.55	83	0:00	16	100
136.09	22	2280 Oil Pr. 2 OK	8:23	136.66	6048	18	129	7	137.21	83	0:00	16	100
137.75	32	2160 Oil Pr. 2 OK	8:23	138.3	6048	20	135	7	138.84	84	0:00	16	100
139.4	30	1200 Oil Pr. 2 OK	8:23	139.97	6048	19	125	7	140.52	84	0:00	16	100
141.06	20	840 Oil Pr. 2 OK	8:23	141.62	6048	18	122	7	142.17	84	0:00	16	100
142.72	10	640 Oil Pr. 2 OK	8:23	143.28	6048	18	126	7	143.83	84	0:00	16	100
144.37	2	680 Oil Pr. 2 OK	8:23	144.93	6048	18	120	7	145.5	85	0:00	16	100
146.05	20	3040 Oil Pr. 2 OK	8:23	146.59	6048	16	124	7	147.14	85	0:00	16	100

147.68	46	5440 Oil Pr. 2 <min	8:23	148.25	6048	10	97	7	148.8	85	0:00	16	100
149.34	48	2800 Oil Pr. 2 OK	8:23	149.86	6048	15	115	7	150.39	85	0:00	16	100
150.93	46	1640 Oil Pr. 2 OK	8:23	151.5	6048	14	115	7	152.05	85	0:00	16	100
152.59	42	1200 Oil Pr. 2 OK	8:23	153.15	6048	15	118	7	153.7	85	0:00	16	100
154.24	40	1120 Oil Pr. 2 OK	8:23	154.81	6048	15	117	7	155.37	85	0:00	16	100
155.92	36	1200 Oil Pr. 2 OK	8:23	156.46	6048	16	120	7	157.03	85	0:00	16	100
157.58	36	1120 Oil Pr. 2 OK	8:23	158.12	6048	15	120	7	158.68	85	0:00	16	100
159.25	36	1440 Oil Pr. 2 OK	8:23	159.8	6048	18	129	7	160.34	85	0:00	16	100
160.9	32	1800 Oil Pr. 2 OK	8:23	161.45	6048	19	138	7	161.99	86	0:00	16	100
162.56	26	1920 Oil Pr. 2 OK	8:23	163.11	6048	22	135	7	163.65	86	0:00	16	100
164.22	18	2280 Oil Pr. 2 OK	8:23	164.78	6048	17	117	7	165.33	86	0:00	16	100
165.87	18	2200 Oil Pr. 2 OK	8:23	166.43	6048	16	112	7	167	86	0:00	16	100
167.55	16	1880 Oil Pr. 2 OK	8:23	168.09	6048	15	117	7	168.64	86	0:00	16	100
169.18	12	1440 Oil Pr. 2 OK	8:23	169.75	6048	15	120	7	170.3	86	0:00	16	100
170.84	6	760 Oil Pr. 2 OK	8:23	171.4	6048	18	127	7	171.95	86	0:00	16	100
172.49	0	640 Oil Pr. 2 OK	8:23	173.02	6048	18	130	7	173.55	86	0:00	16	100
174.09	2	680 Oil Pr. 2 OK	8:23	174.64	6048	18	126	7	175.18	86	0:00	16	100
175.71	6	1200 Oil Pr. 2 OK	8:23	176.24	6048	19	125	7	176.78	86	0:00	16	100
177.33	8	1040 Oil Pr. 2 OK	8:24	177.87	6048	19	128	7	178.4	86	0:00	16	100
178.92	6	800 Oil Pr. 2 OK	8:24	179.46	6048	19	120	7	180.02	86	0:00	16	100
180.56	4	1000 Oil Pr. 2 OK	8:24	181.08	6048	19	126	7	181.61	86	0:00	16	100
182.14	8	1440 Oil Pr. 2 OK	8:24	182.68	6048	19	133	7	183.21	86	0:00	16	100
183.73	6	800 Oil Pr. 2 OK	8:24	184.28	6048	18	124	7	184.84	86	0:00	16	100
185.39	2	680 Oil Pr. 2 <min	8:24	185.93	6048	19	126	7	186.46	87	0:00	16	100
186.99	0	680 Oil Pr. 2 <min	8:24	187.53	6048	18	134	7	188.08	86	0:00	16	100
188.62	0	640 Oil Pr. 2 <min	8:24	189.15	6048	19	126	7	189.67	87	0:00	16	100
190.21	0	640 Oil Pr. 2 <min	8:24	190.78	6048	19	121	7	191.33	87	0:00	16	100
191.87	0	640 Oil Pr. 2 <min	8:24	192.43	6048	18	131	7	192.99	87	0:00	16	100
193.53	0	680 Oil Pr. 2 <min	8:24	194.08	6048	19	134	7	194.62	87	0:00	16	100
195.14	0	720 Oil Pr. 2 <min	8:24	195.67	6048	19	129	7	196.21	87	0:00	16	100
196.76	0	680 Oil Pr. 2 <min	8:24	197.3	6048	19	124	7	197.83	87	0:00	16	100