

Technical Service Bulletin



17 Engine oils that meet Audi Oil Quality Standards 501 01, 502 00, 505 00, 505 01, and 504 00/507 00

17 13 35 2010043/13 January 9, 2013. Supersedes Technical Service Bulletin Group 17 number 12-29 dated June 26, 2012 for reasons listed below.

| Model(s) | Year | VIN Range | Vehicle-Specific Equipment |
|----------|-----------|-----------|----------------------------|
| all | 1997-2014 | all | Not Applicable |

Condition

| REVISION HISTORY | | |
|------------------|------------|---|
| Revision | Date | Purpose |
| 13 | - | Revised <i>Service</i> (MY 2014 R8 V10 info added) Revised <i>Header</i> (Added model year 2014) |
| 12 | 6/26/12 | Revised header data (Added model year 2013) |
| 11 | 6/6/2011 | R8 GT required oil VW 501 01 and 505 00, added to list |
| 10 | 6/18/2010 | Revised header data (Controlling TSB display in ElsaWeb) |
| 9 | 6/24/2009 | Revised <i>Service</i> |
| 8 | 4/6/2009 | Revised header data (Added 2009 - 2010) Revised <i>Condition</i> Revised <i>Service</i> |
| 7 | 11/21/2008 | Revised Title to include Repair Group |

Engine oils that meet Audi Oil Quality Standards VW 501 01, 502 00, 505 00, 505 01, and 504 00/507 00.

Technical Background

Not applicable.

Production Solution

Not applicable.

Service

Oil Quality

All Audi engines must always use engine oils that conform to the applicable Audi Oil Quality Standard. No other engine oils may be used. This also applies when topping off engine oil between services.

Recommendation for Customers

It is recommended that the customer always carry a spare quart/liter of engine oil that conforms to the applicable Audi Oil Quality Standard in case the engine oil needs topping off while on the road. The spare quart/liter of oil should be stored in its original container, securely closed in the luggage compartment. Ensure the container is securely stowed.



Note:

Use of the wrong oil may damage the engine. Damage caused by using the wrong oil will not be covered by the applicable vehicle warranties.

Approved Engine Oils

Below are the lists of engine oils that currently meet Audi Oil Quality Standards VW 501 01, VW 502 00, VW 505 00, VW 505 01 and 504 00/507 00.

- The first four lists of products are comprised of oils that meet Audi Oil Quality Standard VW 501 01, VW 502 00, VW 505 00, VW 505 01, or VW 504 00/507 00 and are generally available in the North American market at the time of publication. The attachment lists products that meet Audi Oil Quality Standard VW 501 01, VW 502 00, VW 505 00, VW 505 01, or VW 504 00/507 00 available worldwide at the time of publication.
- Please refer to the specific *Vehicle Owner's Manual*, published Technical Service Bulletins and Fluid Capacity Charts to select the appropriate oil required for each Audi vehicle.
- The lists below are also posted on www.audiusa.com and www.audicanada.ca.

PRODUCTS GENERALLY AVAILABLE IN NORTH AMERICA

Audi Oil Quality Standard VW 501 01 VW 505 00 is used exclusively for the R8 GT and MY 2014 R8 V10 only.

| Audi Oil Quality Standard | Manufacturer | Oil Type | Viscosity |
|---------------------------|--------------|--|------------|
| VW 501 01 VW 505 00 | Castrol | Edge Professional TWS Part Number: G 052 194 1L DSP | SAE 10W-60 |

Technical Service Bulletin



Audi Oil Quality Standard VW 502 00

| Audi Oil Quality Standard | Manufacturer | Oil Type | Viscosity |
|---------------------------|---------------------|------------------------------------|-----------|
| VW 502 00 | Castrol | ZVW 352 167 | SAE 5W-30 |
| VW 502 00 | Castrol | ZVW 352 540 | SAE 5W-40 |
| VW 502 00 | Agip | Agip synthetic PC | SAE 5W-40 |
| VW 502 00 | Blu Lubricants Inc. | Blu Synthetic-Technician Series FS | SAE 5W-30 |
| VW 502 00 | Bucher AG | MOTOREX Select LA-X | SAE 5W-30 |
| VW 502 00 | Caltex | Caltex Havoline Fully Synthetic | SAE 5W-40 |
| VW 502 00 | Castrol | Castrol SLX Professional Longtec | SAE 0W-40 |
| VW 502 00 | Castrol | Castrol SLX Professional OE | SAE 5W-30 |
| VW 502 00 | Castrol | Castrol Syntec European Formula | SAE 0W-30 |
| VW 502 00 | Castrol | Castrol TXT 505 01 | SAE 5W-40 |
| VW 502 00 | Castrol | Castrol Syntec | SAE 5W-40 |
| VW 502 00 | Cepsa | Cepsa Star Mega Synthetic | SAE 5W-40 |
| VW 502 00 | Chevron | Havoline Ultra | SAE 5W-40 |
| VW 502 00 | Chevron | Havoline Ultra S | SAE 5W-30 |
| VW 502 00 | Chevron | Havoline Ultra S | SAE 5W-40 |
| VW 502 00 | Delek | Delek Motorsynth FE | SAE 5W-30 |
| VW 502 00 | Delek | Delek Motorsynth TDI | SAE 5W-40 |
| VW 502 00 | Elf | Elf Excellium Full tec | SAE 0W-30 |
| VW 502 00 | Elf | Elf Solaris LSX | SAE 5W-30 |
| VW 502 00 | Fuchs | Fuchs TITAN GT 1 | SAE 5W-30 |
| VW 502 00 | Fuchs | Fuchs TITAN Supersyn | SAE 5W-40 |
| VW 502 00 | Fuchs | Fuchs TITAN Supersyn PLUS | SAE 5W-40 |
| VW 502 00 | Fuchs | Titan GT1 | SAE 5W-30 |
| VW 502 00 | Igol | Process Compact M | SAE 5W-30 |

Technical Service Bulletin



| | | | |
|-----------|------------|---|-----------|
| VW 502 00 | Liqui Moly | Liqui Moly Leichtlauf HC 7 | SAE 5W-40 |
| VW 502 00 | Liqui Moly | Liqui Moly Profi Premium | SAE 5W-40 |
| VW 502 00 | Liqui Moly | Liqui Moly Synthoil Longtime | SAE 0W-30 |
| VW 502 00 | Liqui Moly | Liqui Moly Diesel High Tech | SAE 5W-40 |
| VW 502 00 | Liqui Moly | Liqui Moly Nachfüll-Öl | SAE 5W-40 |
| VW 502 00 | Liqui Moly | Liqui Moly Pro-Engine M 400 | SAE 5W-40 |
| VW 502 00 | Liqui Moly | Liqui Moly Top Tec 4100 | SAE 5W-40 |
| VW 502 00 | Lotos | Lotos Quazar | SAE 0W-30 |
| VW 502 00 | Lotos | Lotos Quazar | SAE 5W-40 |
| VW 502 00 | Lotos | Lotos Quazar | SAE 5W-30 |
| VW 502 00 | Meguin | megol Motorenoel Low Emission | SAE 5W-40 |
| VW 502 00 | Meguin | megol Motorenoel Super Leichtlauf Multisynth | SAE 0W-30 |
| VW 502 00 | Meguin | Motorenoel Ultra Performance Longlife | SAE 5W-40 |
| VW 502 00 | Mobil | Mobil 1 | SAE 0W-40 |
| VW 502 00 | Mobil | Mobil Syst S Special V | SAE 5W-30 |
| VW 502 00 | Motul | Motul 8100 X-cess | SAE 5W-40 |
| VW 502 00 | Motul | Motul 8100 X-clean | SAE 5W-40 |
| VW 502 00 | Motul | Motul 8100 X-max | SAE 5W-40 |
| VW 502 00 | Motul | Motul Specific 505 01 502 00 505 01 | SAE 5W-40 |
| VW 502 00 | Northland | Synergy Synthetic EuroSyn | SAE 5W-40 |
| VW 502 00 | Pennzoil | Pennzoil Platinum European Formula | SAE 5W-40 |
| VW 502 00 | Pennzoil | Pennzoil Platinum European Formula Ultra Diesel | SAE 5W-30 |
| VW 502 00 | Pennzoil | Pennzoil Platinum Low SAPS | SAE 5W-30 |
| VW 502 00 | Pennzoil | Pennzoil Synthetic European Formula | SAE 5W-40 |

Technical Service Bulletin



| | | | |
|-----------|---------------|--------------------------------|-----------|
| VW 502 00 | Pentosin | Pento High Performance | SAE 5W-40 |
| VW 502 00 | Pentosin | Pento High Performance II | SAE 5W-40 |
| VW 502 00 | Pentosin | Pentospeed VS* | SAE 0W-30 |
| VW 502 00 | Pentosin | Pentosynth HC | SAE 5W-40 |
| VW 502 00 | Quaker State | Q European Engine Ultra Diesel | SAE 5W-30 |
| VW 502 00 | Quaker State | Q Horsepower Full Synthetic | SAE 5W-40 |
| VW 502 00 | Quaker State | Q European Formula Ultra | SAE 5W-30 |
| VW 502 00 | Quaker State | Q State Synquest Low SAPS | SAE 5W-30 |
| VW 502 00 | Redoil Italia | Challoils | SAE 5W-40 |
| VW 502 00 | Shell | Shell Helix Ultra | SAE 5W-40 |
| VW 502 00 | Shell | Shell Helix Ultra AX | SAE 5W-30 |
| VW 502 00 | SK energy | ZIC RV | SAE 5W-30 |
| VW 502 00 | SK energy | ZIC XQ | SAE 5W-40 |
| VW 502 00 | SK energy | ZIC XQ RV | SAE 5W-40 |
| VW 502 00 | Statoil | Statoil PRO Synthetic C | SAE 5W-40 |
| VW 502 00 | Total | Total Quartz 9000 Energy | SAE 5W-40 |
| VW 502 00 | Total | Total Quartz 9000 Energy | SAE 0W-30 |
| VW 502 00 | Total | Total Quartz INEO MC3 | SAE 5W-30 |
| VW 502 00 | Valvoline | Valvoline SynPower HST | SAE 5W-40 |
| VW 502 00 | Valvoline | Valvoline SynPower MST | SAE 5W-30 |
| VW 502 00 | VAPS | Vapsoil | SAE 5W-30 |

Technical Service Bulletin



Audi Oil Quality Standard VW 505 01

| Audi Oil Quality Standard | Manufacturer | Oil Type | Viscosity |
|---------------------------|--------------------|---|-----------|
| VW 505 01 | Castrol | G 052 167 A2 | SAE 5W-40 |
| VW 505 01 | Blu Lubricants Inc | Blu Synthetic-Technician Series FS | SAE 5W-30 |
| VW 505 01 | Bucher AG | MOTOREX Select LA-X | SAE 5W-30 |
| VW 505 01 | Castrol | Castrol SLX Professional OE | SAE 5W-30 |
| VW 505 01 | Castrol | Castrol TXT 505 01 | SAE 5W-40 |
| VW 505 01 | Chevron | Havoline Ultra S | SAE 5W-40 |
| VW 505 01 | Delek | Delkol Motorsynth TDI | SAE 5W-40 |
| VW 505 01 | Elf | Elf Solaris LSX | SAE 5W-30 |
| VW 505 01 | Fuchs | Fuchs TITAN Superssyn PLUS | SAE 5W-40 |
| VW 505 01 | Liqui Moly | Liqui Moly Diesel High Tec | SAE 5W-40 |
| VW 505 01 | Liqui Moly | Liqui Moly Nachfüll-Ölo | SAE 5W-40 |
| VW 505 01 | Liqui Moly | Liqui Moly Pro-Engine M 400 | SAE 5W-40 |
| VW 505 01 | Liqui Moly | Liqui Moly Top Tec 4100 | SAE 5W-40 |
| VW 505 01 | Meguin | megol Motorenoel Low Emmission | SAE 5W-40 |
| VW 505 01 | Mobil | Mobil Syst S Special V | SAE 5W-30 |
| VW 505 01 | Motul | Motul 8100 X-clean | SAE 5W-40 |
| VW 505 01 | Motul | Motul Specific 505 01 502 00 505 01 | SAE 5W-40 |
| VW 505 01 | Pennzoil | Pennzoil Platinum European Ultra Diesel | SAE 5W-30 |
| VW 505 01 | Pennzoil | Pennzoil Platinum Low SAPS | SAE 5W-30 |
| VW 505 01 | Pentosin | Pento High Performance II | SAE 5W-40 |
| VW 505 01 | Pentosin | Pentosynth HC | SAE 5W-40 |
| VW 505 01 | Quaker State | Q European Engine Ultra Diesel | SAE 5W-30 |
| VW 505 01 | Quaker State | Q Synquest Low SAPS | SAE 5W-30 |

Technical Service Bulletin



| | | | |
|-----------|---------------|-----------------------------|-----------|
| VW 505 01 | Redoil Italia | Challoils Ultrasynt | SAE 5W-40 |
| VW 505 01 | Shell | Shell Helix Ultra AX | SAE 5W-30 |
| VW 505 01 | Statoil | Statoil PRO Synthetic C | SAE 5W-40 |
| VW 505 01 | Total | Total Quartz INEO MC3 | SAE 5W-30 |
| VW 505 01 | Valvoline | Valvoline SynPower HST | SAE 5W-40 |
| VW 505 01 | Valvoline | Valvoline SynPower MST | SAE 5W-30 |
| VW 505 01 | VAPS | Vapsoil 505 01 | SAE 5W-30 |
| VW 505 01 | Lotos | Lotos Quazar C3 | SAE 5W-30 |
| VW 505 01 | Lotos | Lotos Quazar | SAE 5W-40 |
| VW 505 01 | YPF | Elaion Full Performance SM | SAE 5W-40 |
| VW 505 01 | YPF | Elaion Full Performance Tdi | SAE 5W-40 |
| VW 505 01 | YPF | Elaion Plus | SAE 5W-40 |

Technical Service Bulletin



Audi Oil Quality Standard VW 504 00 / 507 00

| Audi Oil Quality Standard | Manufacturer | Oil Type | Viscosity |
|---------------------------|-------------------|---------------------------------------|-----------|
| VW 504 00 / 507 00 | Castrol | GAU 052 195 M2 | SAE 5W-30 |
| VW 504 00 / 507 00 | Castrol | G 052 195 1L | SAE 5W-30 |
| VW 504 00 / 507 00 | BP | BP Visco 7000 Longlife III | SAE 5W-30 |
| VW 504 00 / 507 00 | Castrol | Castrol SLX Professional Longlife III | SAE 5W-30 |
| VW 504 00 / 507 00 | Denicol | Denicol SYN Extra Long Life III | SAE 5W-30 |
| VW 504 00 / 507 00 | Elf | Elf Solaris LLX | SAE 5W-30 |
| VW 504 00 / 507 00 | Liqui Moly | Liqui Moly Pro-Engine M 600 | SAE 5W-30 |
| VW 504 00 / 507 00 | Liqui Moly | Liqui Moly Top Tec 4200 | SAE 5W-30 |
| VW 504 00 / 507 00 | Meguin | megol Motorenoel Compatible | SAE 5W-30 |
| VW 504 00 / 507 00 | Mobil | Mobil 1 ESP Formula | SAE 5W-30 |
| VW 504 00 / 507 00 | Morris Lubricants | Multilife V-MAX | SAE 5W-30 |
| VW 504 00 / 507 00 | Pennzoil | Pennzoil Platinum VX | SAE 5W-30 |
| VW 504 00 / 507 00 | Pentosin | Pento Super Performance III | SAE 5W-30 |
| VW 504 00 / 507 00 | Quaker State | Q Diesel Plus | SAE 5W-30 |

Technical Service Bulletin



| | | | |
|-----------------------|--------------|-----------------------------|-----------|
| VW 504 00 / 507 00 | Quaker State | Q European Engine VX | SAE 5W-30 |
| VW 504 00 / 507 00 | Sinopec | Great Wall Ultra Gold V5457 | SAE 5W-30 |
| VW 504 00 / 507 00 | Statoil | Statoil LazerWay LL | SAE 5W-30 |
| VW 504 00 / 507 00 | Total | Total Quartz Ineo 504/507 | SAE 5W-30 |

Warranty

This TSB is informational only and not applicable to any Audi warranty.

Additional Information

All parts and service references provided in this TSB are subject to change and/or removal. Always check with your Parts Department and service manuals for the latest information.

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| Manufacturer | Oil Type | Viscosity |
|--------------------------|--------------------------------------|-----------|
| ACT | Voltronic Motor Oil | SAE 5W-40 |
| Adamol | Adamol Multitop PDI | SAE 5W-40 |
| Adamol | Adamol Multitop VSI | SAE 0W-40 |
| Addinol | Addinol Eco Light | SAE 5W-40 |
| Addinol | Addinol Super light MV 0546 | SAE 5W-40 |
| Addinol | Extra Light MV 038 | SAE 0W-30 |
| Addinol | Extra Power MV 0538 LE | SAE 5W-30 |
| Addinol | High Star | SAE 5W-40 |
| Adnoc | Adnoc Image | SAE 5W-40 |
| Agip | Agip 7004 | SAE 5W-40 |
| Agip | Agip Extra HTS | SAE 5W-40 |
| Agip | Agip Formula Prestige | SAE 5W-40 |
| Agip | Agip Sint Evolution | SAE 5W-40 |
| Agip | Agip Sint Turbo Diesel Evolution | SAE 5W-40 |
| Agip | Agip Synthetic PC | SAE 5W-40 |
| Agip | Agip Tec sint | SAE 5W-30 |
| Agip | Agip Tec sint SL | SAE 5W-40 |
| Aral | Aral High Tronic | SAE 5W-40 |
| Aral | Aral P 426 | SAE 0W-40 |
| Aral | Aral SuperSynth | SAE 0W-40 |
| Aral | Aral SuperTronic | SAE 0W-40 |
| Aral | Aral SuperTronic Diesel | SAE 0W-40 |
| Aral | Aral SuperTronic G | SAE 0W-30 |
| Aral | Aral Tronic 431 | SAE 5W-40 |
| Armorine | Armorine Cougar | SAE 5W-40 |
| Auto-Teile-Ring | Cartechnic Motorenöl | SAE 5W-40 |
| Auto-Teile-Ring | Cartechnic Motorenöl MS | SAE 5W-30 |
| Avia | Avia Synth | SAE 5W-40 |
| Beijing Tongyi Petroleum | Xin Gai Nian | SAE 5W-40 |
| Blu Lubricants Inc | Blu Synthetic - Technician Series FS | SAE 5W-30 |
| BP | BP EuroSpirit | SAE 5W-40 |
| BP | BP Professional EURO Plus | SAE 5W-40 |
| BP | BP Visco 5000 | SAE 5W-40 |
| BP | BP Visco 5000 C | SAE 5W-40 |
| BP | BP Visco 5000 Turbo Diesel | SAE 5W-40 |
| BP | BP Visco 7000 | SAE 0W-40 |
| BP | BP Visco 7000 M | SAE 0W-30 |
| BP | BP Visco 7000 Sport | SAE 5W-40 |
| BP | BP Visco 7000 Turbo Diesel | SAE 0W-40 |
| BP | BP Visco 7000 Turbo Diesel Sport | SAE 5W-40 |
| BP | BP Visco 7000M | SAE 0W-30 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|-----------|---|-----------|
| BP | BP Visco Special V | SAE 5W-40 |
| Bucher AG | MOTOREX PROFILE V-XL | SAE 5W-40 |
| Bucher AG | MOTOREX Select LA-X | SAE 5W-30 |
| Bucher AG | MOTOREX Select SP-X | SAE 5W-30 |
| Caltex | Caltex Havoline Fully Synthetic | SAE 5W-40 |
| Car Jack | Car Jack GPD | SAE 5W-40 |
| Carat | ad-Diesel PD Oil | SAE 5W-40 |
| Carat | ad-Synt Oil | SAE 5W-40 |
| Castrol | Castrol DCO Top Up | SAE 0W-30 |
| Castrol | Castrol Edge | SAE 0W-30 |
| Castrol | Castrol Edge | SAE 5W-40 |
| Castrol | Castrol Edge | SAE 0W-40 |
| Castrol | Castrol Edge Sport | SAE 0W-40 |
| Castrol | Castrol Edge Turbo Diesel | SAE 5W-40 |
| Castrol | Castrol Edge Turbo Diesel | SAE 0W-30 |
| Castrol | Castrol Formula SLX Long Tec Turbo Diesel | SAE 0W-30 |
| Castrol | Castrol GTX 9 Magnatec | SAE 5W-30 |
| Castrol | Castrol GTX Magnatec | SAE 5W-30 |
| Castrol | Castrol GTX Magnatec C3 | SAE 5W-30 |
| Castrol | Castrol Magnatec | SAE 5W-30 |
| Castrol | Castrol Magnatec C3 | SAE 5W-30 |
| Castrol | Castrol Magnatec C3 | SAE 5W-40 |
| Castrol | Castrol Magnatec Diesel B4 | SAE 5W-40 |
| Castrol | Castrol Magnatec Diesel C3 | SAE 5W-40 |
| Castrol | Castrol Magnatec Professional B4 | SAE 5W-40 |
| Castrol | Castrol Magnatec Professional C3 | SAE 5W-30 |
| Castrol | Castrol Magnatec Professional C3 | SAE 5W-40 |
| Castrol | Castrol SLX | SAE 0W-30 |
| Castrol | Castrol SLX 505 01 | SAE 5W-40 |
| Castrol | Castrol SLX Longtec | SAE 0W-30 |
| Castrol | Castrol SLX Professional | SAE 5W-40 |
| Castrol | Castrol SLX Professional 505 01 | SAE 5W-40 |
| Castrol | Castrol SLX Professional B4 | SAE 5W-30 |
| Castrol | Castrol SLX Professional C3 | SAE 5W-30 |
| Castrol | Castrol SLX Professional C3 TD | SAE 0W-30 |
| Castrol | Castrol SLX Professional Longtec | SAE 0W-30 |
| Castrol | Castrol SLX Professional Longtec | SAE 0W-40 |
| Castrol | Castrol SLX Professional OE | SAE 5W-30 |
| Castrol | Castrol SLX Professional Powerflow | SAE 0W-30 |
| Castrol | Castrol SLX Professional Powerflow C3 | SAE 0W-30 |
| Castrol | Castrol Syntec European Formula | SAE 0W-30 |
| Castrol | Castrol TXT 505 01 | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|---------------------|---|-----------|
| Castrol | Castrol TXT Softec | SAE 5W-40 |
| Castrol | Castrol Edge Formula RS | SAE 0W-40 |
| Castrol | Castrol Syntec | SAE 5W-40 |
| Cepsa | Cepsa Star Mega Synthetic | SAE 5W-40 |
| Chevron | Havoline Synthetic DS | SAE 0W-30 |
| Chevron | Havoline Ultra | SAE 5W-40 |
| Chevron | Havoline Ultra S | SAE 5W-40 |
| Chevron | Havoline Ultra S | SAE 5W-30 |
| Cyclon Hellas | Cyclon F1 Racing | SAE 5W-40 |
| Delek | Delkol Motorsynth FE | SAE 5W-30 |
| Delek | Delkol Motorsynth TDI | SAE 5W-40 |
| Duckhams | Duckhams Q Fully Synthetic | SAE 5W-40 |
| Duckhams | Duckhams QS Premium MO | SAE 5W-40 |
| Elf | Elf Excellium C3 | SAE 5W-30 |
| Elf | Elf Excellium DID | SAE 5W-40 |
| Elf | Elf Excellium DID | SAE 5W-30 |
| Elf | Elf Excellium Full tech | SAE 0W-30 |
| Elf | Elf Solaris LSX | SAE 5W-30 |
| Elf | Elf Excellium | SAE 0W-30 |
| Engen Petroleum | Engen Formula 505.01 | SAE 5W-40 |
| Engen Petroleum | Engen Xtreme | SAE 5W-40 |
| Enoc | Enoc Protec X-treme | SAE 5W-40 |
| Esso | Esso 50501 | SAE 5W-30 |
| Esso | Esso Megatron | SAE 5W-40 |
| Esso | Esso Ultron | SAE 5W-40 |
| Esso | Esso Ultron Turbo Diesel | SAE 5W-40 |
| Eurol | Eurol Super Lite | SAE 5W-40 |
| Eurol | Eurol Turbo DI | SAE 5W-40 |
| Eurol | XADO SL/CF | SAE 5W-40 |
| FAW-Sihuan Petrofer | Huan Lu | SAE 5W-40 |
| Fina | Fina First 500 | SAE 5W-30 |
| Fina | Fina First 600 | SAE 0W-30 |
| FL Selenia | Selenia Aktual Fully Synth | SAE 5W-40 |
| FL Selenia | Selenia Benzina Multi Valves Generation | SAE 5W-40 |
| FL Selenia | Selenia Diesel Common Rail Generation | SAE 5W-40 |
| FL Selenia | Selenia DIGITECH | SAE 0W-30 |
| FL Selenia | Selenia K | SAE 5W-40 |
| FL Selenia | Selenia K Pure Energy | SAE 5W-40 |
| FL Selenia | Selenia Multipower C3 | SAE 5W-30 |
| FL Selenia | Selenia WR | SAE 5W-40 |
| Fuchs | Fuchs TITAN GT1 | SAE 5W-30 |
| Fuchs | Fuchs TITAN Supersyn | SAE 0W-30 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|------------------|-------------------------------------|------------|
| Fuchs | Fuchs TITAN Supersyn | SAE 5W-40 |
| Fuchs | Fuchs TITAN Supersyn LONGLIFE | SAE 5W-30 |
| Fuchs | Fuchs TITAN Supersyn PLUS | SAE 5W-40 |
| Galp energia | Galp Energy Plus | SAE 5W-40 |
| Galp energia | Galp Energy Ultra LS | SAE 5W-40 |
| Galp energia | Galp Formula 1 Plus | SAE 5W-40 |
| Galp energia | Galp Formula 505 | SAE 5W-40 |
| Galp energia | Galp Formula TD Plus | SAE 5W-40 |
| GEMA | Formula | SAE 10W-40 |
| GEMA | Formula S | SAE 5W-40 |
| Ginouves | York 848 | SAE 5W-40 |
| Ginouves | York 948 | SAE 5W-30 |
| Gulf Oil | Gulf Formula ULE | SAE 5W-30 |
| Igol | Igol Process 505.01 | SAE 5W-40 |
| Igol | Igol Process Compact M | SAE 5W-30 |
| Igol | Igol Profive 505.01 | SAE 5W-40 |
| Igol | Igol Profive Gold | SAE 5W-40 |
| Igol | Igol Profive Silver | SAE 5W-30 |
| INA | INA Millennium | SAE 5W-40 |
| IP | IP SINTIAX 505 EXCLUSIV | SAE 5W-40 |
| Jet | Jet Top Level | SAE 0W-40 |
| Kuttenkeuler | Sorotec Pdi | SAE 5W-40 |
| Kuwait Petroleum | Q8 Formula Excel | SAE 5W-40 |
| Liqui Moly | Liqui Moly Leichlauf HC 7 | SAE 5W-40 |
| Liqui Moly | Liqui Moly Profi Premium | SAE 5W-40 |
| Liqui Moly | Liqui Moly Synthoil Longtime | SAE 0W-30 |
| Liqui Moly | Liqui Moly Diesel High Tech | SAE 5W-40 |
| Liqui Moly | Liqui Moly Leichtlauf Special LL | SAE 5W-30 |
| Liqui Moly | Liqui Moly Longtime High Tech | SAE 5W-30 |
| Liqui Moly | Liqui Moly Nachfüll-Öl | SAE 5W-40 |
| Liqui Moly | Liqui Moly Pro-Engine M 300 | SAE 5W-30 |
| Liqui Moly | Liqui Moly Pro-Engine M 400 | SAE 5W-40 |
| Liqui Moly | Liqui Moly Pro-Engine M 500 | SAE 5W-30 |
| Liqui Moly | Liqui Moly Top Tec 4100 | SAE 5W-40 |
| Lotos | Lotos Economic SL/CF | SAE 5W-30 |
| Lotos | Lotos Quazar | SAE 0W-30 |
| Lotos | Lotos Quazar | SAE 5W-40 |
| Lotos | Lotos Quazar C3 | SAE 5W-30 |
| Lotos | Lotos Syntetic SL/SJ/CF/CD | SAE 5W-40 |
| Lotos | Lotos Traffic Diesel 505.01 | SAE 5W-40 |
| Lotos | Lotos Traffic Thermal Control SL/CF | SAE 5W-40 |
| Lotos | Lotos Traffic Turbodiesel CF | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|------------|--|------------|
| Lukoil | Lukoil Synthetic | SAE 5W-40 |
| Meguin | megol Motorenoel Low Emission | SAE 5W-40 |
| Meguin | megol Motorenoel New Generation | SAE 5W-30 |
| Meguin | megol Motorenoel Power Synt | SAE 10W-40 |
| Meguin | megol Motorenoel Super Leichtlauf Multisynth | SAE 0W-30 |
| Meguin | megol Motorenoel Ultra Performance Longlife | SAE 5W-40 |
| Meguin | megol Motorenoil Quality | SAE 5W-30 |
| Meguin | Motorenoel Ultra Performance Longlife | SAE 5W-40 |
| Meister-Öl | Meister-Öl Leichtlauf-Motorenöl | SAE 5W-40 |
| Meister-Öl | Meister-Öl Super Leichtlauf-Motorenöl | SAE 5W-40 |
| Mobil | Mobil 1 | SAE 0W-40 |
| Mobil | Mobil 1 | SAE 5W-40 |
| Mobil | Mobil 1 New Life | SAE 0W-40 |
| Mobil | Mobil 1 New Life Turbo Diesel | SAE 0W-40 |
| Mobil | Mobil 1 Turbo Diesel | SAE 0W-40 |
| Mobil | Mobil 1 Turbo Diesel | SAE 5W-40 |
| Mobil | Mobil Motor Oil Plus | SAE 5W-40 |
| Mobil | Mobil Special X | SAE 5W-40 |
| Mobil | Mobil Super 3000 X1 | SAE 5W-40 |
| Mobil | Mobil Synt S | SAE 5W-40 |
| Mobil | Mobil Syst S ESP | SAE 5W-30 |
| Mobil | Mobil 1 Arctic | SAE 0W-40 |
| Mobil | Mobil 1 Formula C | SAE 0W-40 |
| Mobil | Mobil Formula X2 | SAE 5W-40 |
| Mobil | Mobil Special X | SAE 5W-40 |
| Mobil | Mobil Super 3000 X1 | SAE 5W-40 |
| Mobil | Mobil Super 3000 X2 | SAE 5W-40 |
| Mobil | Mobil Super 3000 X2 Turbo Diesel | SAE 5W-40 |
| Mobil | Mobil Synt S | SAE 5W-40 |
| Mobil | Mobil Synt S Turbo Diesel | SAE 5W-40 |
| Mobil | Mobil Syst S Special V | SAE 5W-30 |
| Modrica | Optima Eco | SAE 5W-30 |
| MOL | MOL Dynamic Gold | SAE 5W-30 |
| MOL | MOL Dynamic Max | SAE 10W-40 |
| MOL | MOL Dynamic Prima | SAE 5W-40 |
| Motul | Motul 8100 X-cess | SAE 5W-40 |
| Motul | Motul 8100 X-clean | SAE 5W-40 |
| Motul | Motul 8100 X-max | SAE 5W-30 |
| Motul | Motul 8100 X-max | SAE 5W-40 |
| Motul | Motul Specific 505 01 502 00 505 01 | SAE 5W-40 |
| Motul | Motul Synergie | SAE 5W-40 |
| MRD | Motor Gold Highline | SAE 0W-30 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|--------------------------------|--|------------|
| MRD | Motor Gold Supertec | SAE 5W-40 |
| Neste Oil | Neste City Pro | SAE 5W-40 |
| NIS Oil Refinery Beograd | Galax Sint 502 | SAE 10W-40 |
| Norsk-Pennsylvansk | DynoCat Neutron CXS | SAE 5W-30 |
| Norsk-Pennsylvansk | DynoCat Neutron CXS | SAE 5W-40 |
| Northland | Synergy Synthetic EuroSyn | SAE 5W-40 |
| Oel-Brack | Midland Synova | SAE 5W-40 |
| Oel-Brack | Midland Synqron | SAE 5W-40 |
| Oest | Oest Gigant LS Plus | SAE 5W-30 |
| Ölwerke Julius Schindler | OJS Econo Veritas XL-HC | SAE 5W-40 |
| Ölwerke Julius Schindler | OJS Econo-Veritas OM Extra | SAE 0W-30 |
| Ölwerke Julius Schindler | OJS Econo-Veritas XV | SAE 5W-40 |
| Ölwerke Julius Schindler | OJS Engine Oil | SAE 5W-40 |
| Ölwerke Julius Schindler | OJS Meister-Öl Premium-Motorenöl | SAE 0W-40 |
| Ölwerke Julius Schindler | OJS Platinum Vollsynthese | SAE 0W-40 |
| Ölwerke Julius Schindler | OJS Veritas Syntolube | SAE 0W-40 |
| OMV | OMV BIXXOL extra | SAE 10W-40 |
| OMV | OMV BIXXOL extra Diesel | SAE 10W-40 |
| OMV | OMV BIXXOL premium | SAE 5W-40 |
| OMV | OMV BIXXOL premium Diesel | SAE 5W-40 |
| OMV | OMV BIXXOL special C3 | SAE 5W-30 |
| OMV | OMV BIXXOL special G | SAE 5W-30 |
| OMV | OMV control light | SAE 10W-40 |
| OMV | OMV syn com SAE 5W-40 | SAE 5W-40 |
| Orlen Oil | Orlen Platinum MaxEnergy Euro 4 | SAE 5W-30 |
| Orlen Oil | Orlen Platinum Vollsynthese | SAE 0W-40 |
| Paramo | Mogul Extreme | SAE 5W-40 |
| Paz Lubricants & Chemicals Ltd | Top Paz | SAE 5W-40 |
| Pennzoil | Pennzoil Platinum European Formula | SAE 5W-40 |
| Pennzoil | Pennzoil Platinum European Formula Ultra | SAE 5W-30 |
| Pennzoil | Pennzoil Platinum European Ultra Diesel | SAE 5W-30 |
| Pennzoil | Pennzoil Platinum Low SAPS | SAE 5W-30 |
| Pentosin | Pento High Performance | SAE 5W-30 |
| Pentosin | Pento High Performance | SAE 5W-40 |
| Pentosin | Pento High Performance II | SAE 5W-40 |
| Pentosin | Pentospeed VS* | SAE 0W-30 |
| Pentosin | Pentosynth HC | SAE 5W-40 |
| Petro China | Kunlun Tianrun | SAE 5W-40 |
| Petro China | Kunlun Tianyuan SM | SAE 5W-40 |
| Profi-Tech | Profi-Car Synth Tech XT | SAE 5W-40 |
| PTT Public Company Limited | Performa Euro Syn | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|--------------------------|--------------------------------|------------|
| Quaker State | Q European Engine Ultra | SAE 5W-40 |
| Quaker State | Q European Engine Ultra | SAE 5W-30 |
| Quaker State | Q European Engine Ultra Diesel | SAE 5W-30 |
| Quaker State | Q Horsepower Full Synthetic | SAE 5W-40 |
| Quaker State | Q Synquest | SAE 5W-40 |
| Quaker State | Q Synquest Low SAPS | SAE 5W-30 |
| Quantum | Quantum PD Diesel | SAE 5W-40 |
| Quantum | Quantum Synta ED | SAE 0W-30 |
| Quantum | Quantum Synta Gold | SAE 5W-40 |
| Rafinerija Modrica | Galax Racing | SAE 5W-40 |
| Raloy | Raloy Genuine Engine Oil | SAE 5W-40 |
| Ravenol | Ravenol Hydrocrack Synth. HCS | SAE 5W-40 |
| Ravenol | Ravenol Super Synthetic SSO | SAE 0W-30 |
| Ravenol | Ravenol VPD | SAE 5W-40 |
| Ravenol | Ravenol VSI | SAE 5W-40 |
| real | real,- Quality GSR | SAE 5W-30 |
| real | real,- Quality GPD | SAE 5W-40 |
| Redoil Italia | Challoils Ultrasynt | SAE 5W-40 |
| Repsol | Repsol Elite 50501 TDI | SAE 5W-40 |
| Repsol | Repsol Elite Competicion | SAE 5W-40 |
| Repsol | Repsol Elite Multivalvulas | SAE 10W-40 |
| Rothen Oil | Rothen Extrasynth | SAE 5W-30 |
| Rowe | Rowe Hightec Synth RS 5W-40i | SAE 5W-40 |
| Rowe | Rowe Synt - HC | SAE 5W-40 |
| Rowe | Rowe Synt PD | SAE 5W-40 |
| Rowe | Rowe Synt RS DLS | SAE 5W-30 |
| Rowe | Rowe Synt RS HC-FE | SAE 5W-30 |
| Shanghai Lizhong | LUHU | SAE 5W-40 |
| Shanghai Tempo Petrochem | Tempo 8000-1C | SAE 5W-40 |
| Shell | PKW Motorenöl | SAE 5W-40 |
| Shell | Shell Helix Diesel HX7 C | SAE 5W-40 |
| Shell | Shell Helix Diesel Plus | SAE 5W-30 |
| Shell | Shell Helix Diesel Plus | SAE 5W-40 |
| Shell | Shell Helix Diesel Plus VA | SAE 5W-30 |
| Shell | Shell Helix Diesel Ultra | SAE 0W-40 |
| Shell | Shell Helix Diesel Ultra | SAE 5W-30 |
| Shell | Shell Helix Diesel Ultra | SAE 5W-40 |
| Shell | Shell Helix Diesel Ultra E | SAE 5W-30 |
| Shell | Shell Helix Diesel Ultra VA | SAE 5W-30 |
| Shell | Shell Helix HX7 | SAE 5W-30 |
| Shell | Shell Helix HX7 | SAE 5W-40 |
| Shell | Shell Helix HX7 C | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|---------------------|----------------------------------|------------|
| Shell | Shell Helix Plus | SAE 5W-40 |
| Shell | Shell Helix Plus | SAE 10W-40 |
| Shell | Shell Helix Plus | SAE 5W-30 |
| Shell | Shell Helix Plus AR | SAE 10W-40 |
| Shell | Shell Helix Plus Extra | SAE 5W-40 |
| Shell | Shell Helix Plus S | SAE 5W-30 |
| Shell | Shell Helix Plus S | SAE 5W-40 |
| Shell | Shell Helix Plus SM | SAE 5W-40 |
| Shell | Shell Helix Plus SM | SAE 5W-30 |
| Shell | Shell Helix Plus VB | SAE 10W-40 |
| Shell | Shell Helix Premium | SAE 5W-40 |
| Shell | Shell Helix Ultec | SAE 0W-40 |
| Shell | Shell Helix Ultra | SAE 0W-40 |
| Shell | Shell Helix Ultra | SAE 5W-30 |
| Shell | Shell Helix Ultra | SAE 5W-40 |
| Shell | Shell Helix Ultra AM | SAE 5W-30 |
| Shell | Shell Helix Ultra AM | SAE 5W-40 |
| Shell | Shell Helix Ultra AX | SAE 5W-30 |
| Shell | Shell Helix Ultra C | SAE 0W-40 |
| Shell | Shell Helix Ultra E | SAE 5W-30 |
| Shell | Shell Helix Ultra Extra Polar | SAE 0W-40 |
| Shell | Shell PKW Motorenöl | SAE 5W-40 |
| Singapore Petroleum | SPC Syn Ace API SM/CF | SAE 5W-40 |
| Sinopec | Polar Star III | SAE 5W-40 |
| Sinopec | Ultra Gold | SAE 5W-40 |
| SK energy | ZIC RV | SAE 5W-30 |
| SK energy | ZIC XQ | SAE 5W-40 |
| SK energy | ZIC XQ RV | SAE 5W-40 |
| S-Oil Corporation | SSU EURO XT | SAE 5W-40 |
| S-Oil Corporation | SSU EURO XT | SAE 5W-30 |
| Sonol | Sonol Synt 502.00 | SAE 5W-40 |
| SRS | SRS ViVA 1 longlife | SAE 5W-30 |
| SRS | SRS ViVA 1 topsynth | SAE 5W-40 |
| SRS | SRS ViVA 1 topsynth alpha | SAE 5W-30 |
| SRS | SRS ViVA 1 topsynth alpha LA | SAE 5W-30 |
| Startol | Startol Rasanta Specialsynth Pdi | SAE 5W-40 |
| Statoil | Statoil LazerWay | SAE 5W-40 |
| Statoil | Statoil LazerWay TDI | SAE 5W-40 |
| Statoil | Statoil PRO Synthetic | SAE 5W-40 |
| Statoil | Statoil PRO Synthetic C | SAE 5W-40 |
| Sunlight | Sunlight Fullypower F-1A | SAE 5W-40 |
| SWD | Concep-Tech HDC | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

| | | |
|--------------------------------|----------------------------|-----------|
| SWD | GECCO Motorenöl HC | SAE 5W-40 |
| SWD | swd PRIMUS DX | SAE 5W-30 |
| SWD | swd Primus HDC | SAE 5W-40 |
| TACTI Corporation | Castle Euaro 502 | SAE 5W-40 |
| Tamoil | Tamoil SINT FUTURE EXTRA | SAE 5W-40 |
| Tamoil | Tamoil SINT FUTURE RACING | SAE 5W-40 |
| Tecar | Tecar 50501 | SAE 5W-30 |
| Tecar | Tecar Leichtlaufmotorenoel | SAE 5W-40 |
| Tecar | Tecar Motorenoel 505 01 | SAE 5W-30 |
| Tecar | Tecar Supersyn | SAE 5W-40 |
| Tedex | Tedex Synthetic Motor Oil | SAE 5W-40 |
| TNK Lubricant LLC | TNK Magnum Synthetic | SAE 5W-40 |
| Total | Total Activa 9000 | SAE 5W-40 |
| Total | Total Activa Diesel 9000 | SAE 5W-40 |
| Total | Total Activa Energy 9000 | SAE 0W-30 |
| Total | Total Quartz 9000 | SAE 5W-40 |
| Total | Total Quartz 9000 Energy | SAE 5W-40 |
| Total | Total Quartz 9000 Energy | SAE 0W-30 |
| Total | Total Quartz INEO MC3 | SAE 5W-30 |
| Unil Opal | Opaljet 24 S | SAE 5W-40 |
| United Oil | United 1 Fully Synthetic | SAE 5W-40 |
| Valvoline | Valvoline SynPower | SAE 5W-30 |
| Valvoline | Valvoline SynPower HST | SAE 5W-40 |
| Valvoline | Valvoline SynPower MST | SAE 5W-40 |
| Valvoline | Valvoline SynPower MST | SAE 5W-30 |
| VAPS | VAPSOIL 502 00 | SAE 5W-40 |
| VAPS | VAPSOIL 505 01 | SAE 5W-30 |
| Vial Oil | Consol Ultima | SAE 5W-40 |
| Vic-Hung | ONEWAY | SAE 5W-40 |
| Volkswagen Original Teile ® | Volkswagen Special plus | SAE 5W-40 |
| Weco | Weco TXI Syntolube | SAE 5W-40 |
| Westfalen AG | Westfalen Gigatron | SAE 0W-40 |
| Westfalen AG | Westfalen Mega Tron | SAE 5W-40 |
| Wolf | Wolf Masterlube Synflow DC | SAE 5W-40 |
| Wolf | Wolf Masterlube Synflow PI | SAE 5W-40 |
| Würth | Triathlon Formula LL | SAE 5W-30 |
| Würth | Triathlon Performance | SAE 5W-40 |
| Würth | Triathlon Special PD | SAE 5W-40 |
| Yacco | Yacco VX 1703 FAP | SAE 5W-40 |
| Yacco | Yacco VX 1703 FAP | SAE 5W-30 |
| Yacco | Yacco VX 600 | SAE 5W-40 |
| Zeller+Gmelin | Divinol Syntholight | SAE 5W-40 |

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America
