

## Vehicle identification

The FI results within the catalogues are proposals which have to be checked for correctness.

## Vehicle data

| Vehicle Identification No.         | WAUZZZ8L22A003296         |
|------------------------------------|---------------------------|
| Model                              | audi a3 qu. 1.9 tdi<br>A3 |
| Date of production                 | 11.07.2001                |
| Year                               | 2002                      |
| Sales type                         | 8L1AG9                    |
| Engine code                        | ASZ                       |
| Transmission code                  | FEK                       |
| Axle drive                         | 6S                        |
| Interior trim code                 | EK                        |
| Roof color                         | 5B                        |
| <b>Exterior color / Paint Code</b> | 5B / Y7W                  |
|                                    |                           |

## **PR Number**

| Activated carbon canister | 1E0 | Without activated charcoal canister |  |
|---------------------------|-----|-------------------------------------|--|
| Additional child seat     | 3B4 | Child seat anchor for               |  |

| anchors                         |     | child seat system<br>ISOFIX                                      |
|---------------------------------|-----|--|
| Additional dust seals           | 6U0 | Without additional seals outside                                 |
| Additional tires (winter tires) | 2WA | Without additional tires   |
| Air bag                         | 4UF | Driver's and front passenger air bag air bag deactivation        |
| Anti-theft protection system    | 7AA | Electronic vehicle immobilization device                         |
| Antifreeze                      | 1C2 | Antifreeze up to -35 degree celsius tolerance up to -40 degree C |
| Auxiliary heating               | 9M0 | Without<br>auxiliary/parking<br>heater                           |
| Backrest release                | 3H0 | Without backrest release for front seats                         |
| Base engine                     | T9J | 4-cylinder diesel<br>engine 1.9 L<br>unit 038.K                  |
| Batteries                       | J0R | Battery 380 A (80 Ah)  |
| Body measures                   | 5C0 | Without special body measures                                    |

| Body style  | K8G | Hatchback   |
|---|-----|---|
| Brake pad wear indicator                                      | 9U1 | Brake pad wear indicator  |
| Brake type, front   | 1LE | Disc brakes, front  |
| Brake type, rear  | 1KE | Disc brakes, rear   |
| Braking systems   | 1AT | Electronic stabilization program (ESP)                          |
| Breakaway interior mirror                                     | 4L2 | Dipping breakaway interior rear view mirror                     |
| Bumper  | 2JB | Standard bumpers  |
| Carrier frequency for radio remote control                    | 5D0 | Without carrier frequency                                       |
| CD changer/CD player  | 7A0 | Without CD changer/CD player                                    |
| Cd enhancing underbody panel                                  | 2D1 | Complete cd enhancing underbody panel                           |
| CD ROM/DVD/SD card  | 7QA | Without CD/DVD for navigation                                   |
| Center armrest  | 6E0 | Without center armrest front                                    |
| Center rear seat belts  | 3C1 | Static lap belt, center rear                                    |
| Component part sets with country-specific design requirements | ВОА | Component parts set without country-specific design requirement |

| Components with special surface appearance | 6FB          | Body-colored exterior mirror housings  |
|--|--------------|--|
| Cruise control                             | 8T0          | Without cruise control system (CCS)  |
| Customized installation                    | FC0          | Without customized installation  |
| Door and lid locking system                | 4F1          | Central locking system   |
| Doors                                      | 0A2          | 4 doors  |
| Drive layout                               | 1X1          | Four wheel drive   |
| Electronic map cooling system              | QS0          | Without electronic map cooling system  |
| Emission standard                          | 0GE          | Emission standard<br>EU3   |
| Engine cooling system                      | 8 <b>Z</b> 7 | Cold country   |
| Engine specifications                      | D3E          | 4-cyl. turbo diesel engine 1.9 L/96 kW TDI with pump-jet injection system Base engine is T9J |
| Equipment levels                           | A9F          | "Attraction" equipment   |
| Exterior mirror setting                    | 6XD          | Exterior mirrors: electrically adjustable/heated   |
| Exterior noise suppression measures        | 2B3          | Additional exterior noise suppression (hood, capsule and dash panel)                         |

| Fire extinguisher  | 6A0 | Without fire extinguisher                                      |
|--|-----|--|
| First aid kit / warning triangle                                     | 1T2 | Warning triangle   |
| Fresh air intake for passenger compartment (with particulate filter) | 2V5 | Fresh air intake<br>system with activated<br>charcoal canister |
| Front fog light/additional headlight                                 | 8WB | Front fog lights   |
| Front license plate carrier  | 6W5 | Front license plate carrier                                    |
| Front seats  | Q1A | Standard front seats   |
| Front stabilizer   | 0AS | Front stabilizer   |
| Front underbody guard  | 1SA | Without additional front underbody guard                       |
| Fuel filler cap/door, locking option                                 | 2W0 | Fuel filler cap  |
| Fuel quantity for initial filling                                    | 1Z1 | Increase in initial standard fuel filling                      |
| Fuel systems   | 0F9 | Cooled fuel system for diesel engine                           |
| Fuel tank treatment  | 2LB | Fuel tank with special material treatment                      |
| Gearshift boot/cover   | 6R2 | Leather gearshift boot   |
| Gearshift knob/handle  | 6Q2 | Leather gearshift  |

| 7 dail dadi do qui 1.0 tai 200                         | ,   | knob/handle   |
|--|-----|---|
| General operating permit, alterations                  | C17 | Operating permit, alteration                                    |
| Generators   | 8GL | Alternator 120 A  |
| Hand brake lever handle                                | 6PA | Plastic hand brake lever handle                                 |
| Handling standard production and pre-production series | FA0 | Control of standard production                                  |
| Headlight  | 8JH | Ellipsoidal headlight for driving on the right                  |
| Headlight activation                                   | 8K1 | Separate daytime running lights                                 |
| Headlight washer system                                | 8X1 | Headlight washer system   |
| Headlight-range adjustment                             | 8Q1 | Headlight-range adjustment                                      |
| Heat accumulator system/additional heater              | 7E5 | Sheathed type glow plug and crankcase ventilation system heater |
| Heated door lock cylinder                              | 9X4 | Without heated door lock cylinder with micro switch             |
| Heated washer nozzles                                  | 9T1 | Heated washer nozzles, front                                    |
| Heating and air conditioning                           | 9AK | Climatronic with  |

| system   |     | impact pressure control free of cfc  |
|--|-----|--|
| Horns  | 8Y1 | Two-tone horn  |
| Identification plates                                | 1EX | Special identification plate for EC for M1 passenger vehicle                 |
| Ignition/starter switch locking system               | 0RA | Without ignition/starter switch locking system                               |
| Insert for the filling up of unleaded fuel/fuel type | 2G8 | Filler neck module 2 without insert  |
| Inserts  | 5TC | Without decorative inserts   |
| Installation differentiation for vehicle components  | 0EN | Installation differentiation for transmission MQ 350 vehicle components      |
| Instrument inserts                                   | U1A | Instrument insert with km/h speedometer, clock, tachometer and trip odometer |
| Label for central electric                           | 0W2 | Label for central electric English-speaking countries                        |
| Left exterior mirror                                 | 5SL | Left exterior mirror: aspherical   |
| Light package (lighting)                             | QQ0 | Without add. lights  |

| Addi addi ao qu. 1.9 tul               | 2002 WAOZZZOLZ | (interior lighting)                               |
|--|----------------|---|
| Lock operation for tailgate/trunk lid  | 4E0            | Tailgate/trunk lid unlocking from outside         |
| Lockable wheel bolts                   | 1PA            | Standard wheel bolts                              |
| Lumbar support                         | 7P1            | Power adjustable lumbar support in front seats    |
| Manufacturing sequence differentiation | 0FA            | Standard<br>manufacturing<br>sequence             |
| Mud flap                               | 6N0            | Without mud flaps                                 |
| Multi-function display/trip computer   | 9Q0            | Without multi-function display/ on-board computer |
| Navigation device                      | 7Q0            | Without navigation device                         |
| Outdoor temperature gage               | 9Y1            | Outdoor temperature gage                          |
| Owner's manuals                        | 0VV            | Information kit in<br>Swedish                     |
| Paint preservative/transit coating     | 5K1            | Paint preservative (wax)                          |
| Park distance control                  | 7X0            | Without park distance control                     |
| Platform group class                   | 7PE            | Platform group class 5                            |
|  |                |   |

| Platform module floor pan, rear            | 4P0 | Rear floor panel module, type 1                               |
|--|-----|---|
| Preparation for two-way radio installation | 9D0 | Without preparation for two-way radio installation            |
| Proportioning valve                        | 1H0 | Without proportioning valve                                   |
| Quattro GmbH                               | FQ0 | Standard production wheels                                    |
| Radios                                     | 8YU | Radio preparation for commercial goods                        |
| Rear axle                                  | 0N5 | Standard rear axle  |
| Rear fog light                             | 8TC | Rear fog light for driving on the right                       |
| Rear headrests                             | 3Q1 | Rear headrests  |
| Rear seats                                 | 3NC | Rear seat<br>bench/backrest, split<br>folding                 |
| Rear spoiler                               | 5J0 | Without rear spoiler  |
| Rear stabilizer                            | 0BH | Rear stabilizer   |
| Rear trim panel                            | 6V1 | Rear trim panel (ECE)   |
| Rear window wiper and washer system        | 8M1 | Rear window wiper and washer system with intermittent control |
| Right exterior mirror                      | 5RU | Right exterior mirror:<br>convex<br>(large viewing field)     |

| Roof insert/convertible top       | 3FA | Without roof insert (standard roof)                     |
|-----------------------------------|-----|---|
| Rough-road/sports version         | 2UA | Standard design   |
| Safety certificate                | 0LE | Special plates/stickers/ safety certificates for Sweden |
| Scuff plates                      | 7M0 | Plastic scuff plates in door apertures                  |
| Seat adjustment                   | 3L3 | Manual height adjustment for front seats                |
| Seat belt check                   | 9P0 | Without seat belt reminder                              |
| Seat covering                     | N0R | Seat covering   |
| Seat heater                       | 4A3 | Seat heater for front seats separately controlled       |
| Self-collection / special control | A00 | No self-collection                                      |
| Service interval prolongation     | QG1 | Service interval prolongation                           |
| Shock absorption, chassis, front  | G68 | Front shock absorption                                  |
| Shock absorption, chassis, rear   | 1JU | Rear shock absorption, basic                            |

| logbook  |                           |     | design<br>four wheel drive           |
|--|---------------------------|-----|--------------------------------------|
| Sill top/sill cover  Spare wheel/breakdown set  Spare wheel/breakdown set  Spare wheel/breakdown set  Spare wheel/breakdown set  Space-saving spare wheel for temporary use, radial tire (5-hole)  Speaker installation  Special editions  Special editions  Special labels/plates  2KA  Labels/plates in Swedish and English  Steering  1N6  Power steering  Steering column systems  2C5  Axial and vertical adjustable steering column  Steering system arrangement  Steering wheels  1MR  Leather steering wheel  Tachograph/logbook  Telephone/telematics  9W0  W/o car phone   | Side air bag              | 4X1 | Side air bag front                   |
| Spare wheel/breakdown set  Spare wheel/breakdown set  Space-saving spare wheel for temporary use, radial tire (5-hole)  Speaker installation  Special editions  Special labels/plates  Steering  Steering  Steering column systems  Steering system arrangement  Steering wheels  Tachograph/logbook  Telephone/telematics  1G9  Space-saving spare wheel for temporary use, radial tire (5-hole)  SPACE AND POWER SPEAKERS  Special edition  STEE AND Special edition  SWE Labels/plates in Swedish and English  Swedish and English  Axial and vertical adjustable steering column  LOL Left-hand drive vehicle  Steering wheels  1MR Leather steering wheel  SWED Without electronic logbook  Woo car phone | Side lights               | 7R3 |                                      |
| wheel for temporary use, radial tire (5-hole)  Speaker installation 8RX Passive speakers  Special editions E0A No special edition  Special labels/plates 2KA Labels/plates in Swedish and English  Steering 1N6 Power steering  Steering column systems 2C5 Axial and vertical adjustable steering column  Steering system L0L Left-hand drive vehicle arrangement  Steering wheels 1MR Leather steering wheel  Tachograph/logbook 9NX Without electronic logbook  Telephone/telematics 9W0 W/o car phone  | Sill top/sill cover       | 5E1 |                                      |
| Special editionsE0ANo special editionSpecial labels/plates2KALabels/plates in Swedish and EnglishSteering1N6Power steeringSteering column systems2C5Axial and vertical adjustable steering columnSteering system arrangementLoLLeft-hand drive vehicleSteering wheels1MRLeather steering wheelTachograph/logbook9NXWithout electronic logbookTelephone/telematics9W0W/o car phone  | Spare wheel/breakdown set | 1G9 | wheel for temporary use, radial tire |
| Special labels/plates2KALabels/plates in Swedish and EnglishSteering1N6Power steeringSteering column systems2C5Axial and vertical adjustable steering columnSteering system arrangementLOLLeft-hand drive vehicleSteering wheels1MRLeather steering wheelTachograph/logbook9NXWithout electronic logbookTelephone/telematics9W0W/o car phone   | Speaker installation      | 8RX | Passive speakers                     |
| Steering 1N6 Power steering  Steering column systems 2C5 Axial and vertical adjustable steering column  Steering system LOL Left-hand drive vehicle arrangement  Steering wheels 1MR Leather steering wheel Tachograph/logbook 9NX Without electronic logbook  Telephone/telematics 9W0 W/o car phone  | Special editions          | E0A | No special edition                   |
| Steering column systems  2C5 Axial and vertical adjustable steering column  Steering system LOL Left-hand drive vehicle arrangement  Steering wheels 1MR Leather steering wheel Tachograph/logbook 9NX Without electronic logbook  Telephone/telematics 9W0 W/o car phone  | Special labels/plates     | 2KA | •                                    |
| adjustable steering column  Steering system arrangement  LOL Left-hand drive vehicle  Steering wheels  1MR Leather steering wheel  Tachograph/logbook  9NX Without electronic logbook  Telephone/telematics  9W0 W/o car phone   | Steering                  | 1N6 | Power steering                       |
| arrangement  Steering wheels  Tachograph/logbook  Telephone/telematics  1MR Leather steering wheel  9NX Without electronic logbook  9W0 W/o car phone  | Steering column systems   | 2C5 | adjustable steering                  |
| Tachograph/logbook9NXWithout electronic logbookTelephone/telematics9W0W/o car phone  |                           | LOL | Left-hand drive vehicle              |
| logbook  Telephone/telematics 9W0 W/o car phone  | Steering wheels           | 1MR | Leather steering wheel               |
| • ·  | Tachograph/logbook        | 9NX |                                      |
|  | Telephone/telematics      | 9W0 | -                                    |

| Throttle actuation  | 0L2 | Electric throttle actuation                              |
|---|-----|--|
| Tie down straps/net/pocket                                  | 6M0 | Without tie down straps/net/pocket                       |
| Tire suppliers  | V0A | Tires w/o specification of tire brand                    |
| Tires   | H6S | Tires 195/65 R15 V                                       |
| Trailer hitch   | 1D0 | Without trailer hitch                                    |
| Transit coating   | NT1 | Transit coating (type 2)                                 |
| Transmission specifications                                 | G0L | 6-speed manual transmission for four-wheel drive vehicle |
| Transmission types/gearshift mechanisms                     | 0G4 | Cable gearshift  |
| TV reception/digital radio reception                        | QV0 | W/o TV reception/digital radio reception                 |
| Type approval countries/countries with special requirements | B07 | Type approval<br>Sweden                                  |
| Type sign   | 2Z1 | Type sign at rear and "Quattro" nameplates respectively  |
| Vehicle class differentiation units/platform components     | 0CJ | Vehicle class differentiation 8L0                        |

| Vehicle specifications                                   | F0A | No special purpose vehicle, standard equipment                         |
|--|-----|--|
| Vehicle type   | AZ0 | Vehicle with standard production scope                                 |
| Washer fluid level indicator                             | 8W0 | Without washer fluid level indicator                                   |
| Weight category front axle                               | L73 | Suspension range 73 installation control only, no requirement forecast |
| Weight category rear axle                                | 0YZ | Without determination of weight category for rear axle                 |
| Wheels   | C7S | Alloy wheels 6J x 15   |
| Window regulator   | 4R3 | Power windows with comfort operation                                   |
| Windshield glass type                                    | 4GH | Windshield in heat-<br>insulating glass<br>with sunshield              |
| Windshield wiper intermittent control/ light/rain sensor | 8N4 | Windshield wiper intermittent control with potentiometer (four speeds) |
|  | PH5 |  |
|  | PVT |  |