Car data

12:08

31.08.2015

VIN Number	WAUZZZ4B73N094668	Engine Code	BAU
Sales Type	4B50FZ	Transmission Code	FAU
Model Year	2003	Finaldrive Ident	5A
Model	A6	Interior Trim Code	MB
Model Designation	audi a6 av. qu. 2.5 tdi	Roof Color	F5
Date of Production	21.03.2003	Exterior Color/Paint Code	F5/X7Z
Order Number			

PR Numbers

A00	No self-collection
A8S	Standard equipment
B01	Type approval Germany
BOA	Component parts set without
2011	country-specific design requirement
C1X	Alloy wheels 7.5J x 17
	5-arm spider style, offset 45
C22	Operating permit, alteration
EOA	No special edition
FOA	No special purpose vehicle, standard
1 011	equipment
FA0	Control of standard production
FC0	Without customized installation
FQ0	Standard production wheels
GÕQ	5-speed automatic transmission for
	four-wheel drive vehicle
H8A	Tires 235/45 R 17 93Y
J1G	Battery 450 A (92 Ah)
K8D	Station Wagon Variant/Avant
LOL	Left-hand drive vehicle
MR1	6-cyl. diesel engine 2.5 L/132 kW 24V
	TDI with fuel distributor injection pump
	base engine is T1K/T5T
N1H	Leather seat covering
NT0	Transit coating (type 1)
P16	three-spoke leather-covered sports
	steering wheel
PK6	auxiliary heating/ventilation with
	remote control
PLD	Buffalino leather
PNB	navigation system plus (RNS 4.1)
Q1A	Standard front seats
QA0	Without child seat
QH0	Without voice control
QV0	W/o TV reception/digital radio reception
T1K	6-cylinder diesel engine 2.5 L
	unit 059.E
U2B	Instrument insert with km/h speedometer,
	radio-controlled clock, tachometer, trip
	odometer and additional instruments
VOA	Tires w/o specification of tire brand

Audi

 $\mathcal{O}\mathcal{O}\mathcal{O}$

Car data

PK Numbers VC0 W/o remote-controlled garage door opener VJ1 Reinforced bumpers VX0 Without hands-free system VY0 Without danger alarm system WDD ProLine Ambition Germany WDD ProLine Ambition Germany WDD ProLine Ambition Germany WDD ProLine Ambition Germany WDE ProLine Ambition Germany WBC entrol number 7 0DS Vehicle class differentiation 4B0 0G7 Tiptronic 0G7 Tiptronic 0G7 Tiptronic 0G7 Tiptronic 0G7 Envision standard EU3, diseel with EOBD 0JI. Weight cange of formany 0K1 Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries UP 0V1 Label for central electric German-speaking countries UP 0V2 Information kit in German 0W1 Label for central electric German-speaking countries UP 0V1 Label for central electric 12 Antifreze up to -25 degree celius 13 Ally spare wheel				
VC0 W/o remote-controlled garage door opener V31 Reinforced bumpers VX0 Without hands-free system VY0 Without hands-free system WDC ProLine Style Germany WDD ProLine Style Germany WDD ProLine Style Germany WDD ProLine Style Germany WDD Control number 7 0DS Vehicle class differentiation 4B0 GC7 Triptronic GG7 Triptronic WG7 Full system for discele engine Weight category front ave weight range 11 ØLM Weight category front ave weight range 11 ØLM ØLV Recentral ender for ende			12:08	31.08.2015
V30Without hands-free systemV30Without hands-free systemV30Without hands-free systemWDCProLine Style GermanyWDDProLine Style GermanyWDDProLine Style Giesel engine0F3Fuel system for diesel engine0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Special plates/stickers/safety certificates for Germany004Neer alx with reduced tread005Fuel system for diesel engine005Fuel system for diesel engine016Rear alx with reduced tread017Labels/plates in German and French007Information kit in German008Rear alx with reduced tread009Reight range 16011Label for central electric020German-speaking countries031Reight supersion/shock absorption132Lithout trailer hitch138Special electric discue and an alter139Lithout trailer hitch149Without trailer hitch140Without trailer hitch151Mithout trailer hitch152Special electric discue anister153Antifreeze up to -30 degree celsus154Aloy spare wheel with original155equipment fires154Aloy spare wheel with original155epides156brakes, rear <t< th=""><th>PR Numbe</th><th>rs</th><th></th><th>•</th></t<>	PR Numbe	rs		•
V30Without hands-free systemV30Without hands-free systemV30Without hands-free systemWDCProLine Style GermanyWDDProLine Style GermanyWDDProLine Style Giesel engine0F3Fuel system for diesel engine0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Tiptronic0G7Special plates/stickers/safety certificates for Germany004Neer alx with reduced tread005Fuel system for diesel engine005Fuel system for diesel engine016Rear alx with reduced tread017Labels/plates in German and French007Information kit in German008Rear alx with reduced tread009Reight range 16011Label for central electric020German-speaking countries031Reight supersion/shock absorption132Lithout trailer hitch138Special electric discue and an alter139Lithout trailer hitch149Without trailer hitch140Without trailer hitch151Mithout trailer hitch152Special electric discue anister153Antifreeze up to -30 degree celsus154Aloy spare wheel with original155equipment fires154Aloy spare wheel with original155epides156brakes, rear <t< td=""><td>VC0</td><td>W/o remote-controlled garage door opener</td><td></td><td></td></t<>	VC0	W/o remote-controlled garage door opener		
 VX0 Without hands-free system VX0 Without hands-free system WDC ProLine Style Germany WDD ProLine Style Germany WDD ProLine Busines Germany YBR control number 7 OBS Vehicle class differentiation 4B0 0F3 Fuel system for diesel engine 0G7 Tjurtonic 0G2 Emission standard EU3, diesel with EOBD 0JL Weight category front axle weight range 1 0LW Special plates/stickers/ safety certificates for Germany 0N6 Rear axle with reduced tread 0ST Labels/plates in German and French 0VC Information kit in German 0VF Information kit in German 0VF Labels/plates in German and French 0VC Information kit in German 0VF Labels/plates in German and French 0VC Information kit in German 0VF Labels/plates in German and French 0VC Information kit in German 0VF Label for central electric German-speaking countries 0VR Weight range 16 installation control only, no requirement forecast 1EB Sports suspension/shock absorption 1C1 Antifreze up to -25 degree C 1D0 Without activated charcoal canister 1EX Spezielles Typschild für FG 1G3 Alloy spare wheel with original cquipment fires 1KD Disc brakes, front 1N1 Power steering 1VH Installation parts for siz-cylinder cgine 1VH Transmission shafts for rear axle dditional error underbody guard 113 First aid kit with warning triangle 1VH Transmission shafts for rear axle dditional error rois suppression 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2A4 Delivery equipment for shipment (transit coating) wi				
 VY0 Without danger alarin system WDC ProLine Style Germany WDD ProLine Ambition Germany WDE ProLine Subject Germany WDE ProLine Style Germany WDB Control number 7 ODS Vehicle class differentiation 4B0 OF3 Fuel system for diesel engine OG7 Tiptronie OG2 Emission standard EU3, diesel with EOBD OLI. Weight category front axle weight range 11 WOY Interval and the system for diesel engine OF3 Fuel system for diesel engine OF3 Fuel system for diesel engine OF3 Fuel system for diesel engine W Special plates/stickers/ safety certificates for Germany ON6 Rear aske with reduced tread OST Labels/plates in German and French OVC Information kit in German OW1 Label for central electric German-speaking countries OW1 Label for central electric German-speaking countries OW1 Liber and the diese diese and the diese di				
WDC ProLine Style Germany' WDD ProLine Business Germany WDE ProLine Business Germany WDE ProLine Business Germany WDE ProLine Business Germany WBE Control number 7 OBS Vehice class differentiation 4B0 0F3 Fuel system for diesel engine 0G7 Tiptronic 0G2 Emission standard EU3, diesel with EOBD 0JL Weight crange 11 0LW Special platestickers/ safety certificates for Germany Safety certificates for German 0N6 Rear asle with reduced tread 0N7 Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries German-speaking countries 0VR Weight range 16 installation control only, no requirement forecast tradition cartrol only, no requirement forecast toffareac up to -25 degree C Diotyperts suspension/shock absorption 1C1 Antiffrezee up to -25 degree C				
WDD ProLine Ambition Germany WDE ProLine Business Germany YBR control number 7 0DS Vehicle class differentiation 4B0 0F3 Fuel system for discel engine 0G7 Tiptronic 0G2 Emission standard EU3, discel with EOBD 0JL Weight category front axle weight range 11 01.W 01.W Special plates/stickers/ safety certificates for Germany 00 00.K Rear axle with reduced tread 08T Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries 0 0VR Weight range 16 11 Installation control only, no requirement foreceast toferance up to -30 degree C 10D Without rativated charcoal canister 1EX Spezielles Typechild fir EG 1G3 Alloy spare wheel with original cquipment fires Quipter for size raske, front 1N1 Power steering <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
WDE ProLine Business Germany YBR control number 7 0DS Vehicle class differentiation 4B0 0F3 Fuel system for diesel engine 0G7 Tiptronic 0G2 Emission standard EU3, diesel with EOBD 0LW Special plates/stickers/ safety certificates for Germany 0N6 Rear axle with reduced tread 0S7 Labek/plates in German and French 0VC Information kit in German and French 0W1 Label/plates in German and French 0W2 Information kit in German 0W1 Label/plates in German and French 0W2 Information kit in German 0W1 Label/plates in German and French 0W2 Information kit in German 0W1 Label for central electric German-speaking countries German-speaking countries 0F7 Sperites Typesnosityshock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without activated charcoal canister 1EX Sperie				
YBR control number 7 0DS Vehicle class differentiation 4B0 0B3 Fuel system for diesel engine 0G7 Tiptronic 0K1 Weight range 11 0LW Special plates/stickers/ safety certificates for Germany 0 0K1 Labels/plates in German and French 0VC1 Information kit in German 0W1 Label for central electric German-speaking countries 0 0VR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antfrezeu pt o -25 degree C 1DW Without ractivated chareoal canister 1EX Spezielles Typschild fir EG <t< td=""><td></td><td></td><td></td><td></td></t<>				
0DS Vehicle class differentiation 4B0 0F3 Fuel system for diesel engine 0G7 Tiptronic 0GZ Emission standard EU3, diesel with EOBD 0JL Weight category front axle weight range 11 W 0LW Special plates/stickers/ safety certificates for Germany Safety certificates for Germany 0N6 Rear axle with reduced tread 0S7 Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries German-speaking countries 0VR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifrezz up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without ratier hitch 1EX Specielles Typschild für EG 1G3 Alloy spare wheel with original equipment fires 114 1N Power steering 1PC Wheel bolts with anti-theft protection (unockable) <td< td=""><td></td><td></td><td></td><td></td></td<>				
0F3 Fuel system for diesel engine 0G7 Tiptronic 0G2 Emission standard EU3, diesel with EOBD 0JL Weight category front axle weight range 11 0LW 0LW Special plates/stickers/ safety certificates for Germany 00 0N6 Rear axle with reduced tread 0ST Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries 00 0W1 Label for central electric German-speaking countries 0 0W1 Label for central electric 0W2 Inforecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without trailstee hitch 1E0 Without trailstee charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment fires 11 1KD Disc brakes, front 1IG Disc br				
0GZ Tiptronic 0GZ Emission standard EU3, diesel with EOBD 0JL Weight category front axle weight range 11 01.W 01.W Special plates/stickers/ safety certificates for Germany 006 08T Labels/plates in German and French 0VC Information kit in German and French 0VC Information kit in German and French 0VC Information kit in German and French 0VT Labels/plates in German and French 0VC Information kit in German 0WI Label for central electric German-speaking countries Orger 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antfreeze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 115 1KD Disc brakes, front 1N1 Power steering <td></td> <td></td> <td></td> <td></td>				
0GZ Enission standard EU3, diesel with EOBD 0JL Weight category front axle weight range 11 0LW 0LW Special plates/stickers/ safety certificates for Germany 0N6 0N6 Rear axle with reduced tread 0N7 Labek/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries 0 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreze up to -25 degree celsius tolerance up to -30 degree C 100 1E0 Without trailer hitch 1E0 Without trailer hitch 1E0 Without trailer hitch 1E3 Alloy spare wheel with original equipment tires 114 1KD Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 114 173 First aid kit with warning triangle 1VH				
01.W Weight range 11 01.W Special plates/stickers/ safety certificates for Germany 00N Rear axle with reduced tread 08T Labels/plates in German and French 0VV1 Information kit in German 0WV1 Label for central electric German-speaking countries German-speaking countries 0VR Weight range 16 installation control only, no requirement forecast IBE Sports suspension/shock absorption IC1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without activated charcoal canister IEX Spezielles Typschild für EG IG3 Alloy spare wheel with original equipment tires 114 ILG Disc brakes, front IN1 Power steering IPC Wheel boits with anti-theft protection (unlockable) 113 IN1 First aid kit with waraing triangle IVD Transmission shaft for rear axle diameter 108 114 IVD Transmission shaft for rear axle				
weight range 11 0LW Special plates/stickers/ safety certificates for Germany 0N6 Rear axle with reduced tread 0ST Labels/plates in German and French 0VC Information kit in German 0W1 Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries O 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alby spare wheel with original equipment tires ILI 1KD Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) Installation parts for six-cylinder engine IWD 1Tasmission shaft for rear axle diameter 108				
0LW Special plates/stickers/ safety certificates for Germany 0N6 Rear aske with reduced tread 0ST Label/splates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries 0 0VR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without activated charcoal canister 1EX Specialles Typoschild für EG 1G3 Alloy spare wheel with original equipment tires 11KD 1KD Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 113 1T3 First aid kit with warning triangle 1VD Transmission shaft for rear axle diameter 108 126 126 Increase in initial standard fuel diameter 108 126 127 Transmission shafts for rear axle </td <td></td> <td></td> <td></td> <td></td>				
 safety certificates for Germany 0N6 Rear axle with reduced tread 0ST Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without trailer hitch 1E3 Specification of the specification o	0LW			
0%6 Rear axle with reduced tread 0%7 Labels/plates in German and French 0W1 Label for central electric German-speaking countries 0 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 0 1D0 Without ratiler hitch 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering <td></td> <td></td> <td></td> <td></td>				
0ST Labels/plates in German and French 0VC Information kit in German 0W1 Label for central electric German-speaking countries German-speaking countries 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 100 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1E3 Spezielles Typschild für EG 1G3 Alloy spare wheel with original cquipment fires 114 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 113 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 114 1WD Transmission shaft for rear axle diameter 108 126 <t< td=""><td>0N6</td><td></td><td></td><td></td></t<>	0N6			
0VC Information kit in German 0W1 Label for central electric German-speaking countries 0000 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -32 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1EX Spezielles Typschild für E G 1G3 Alloy spare wheel with original equipment tires IKD 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1WD Transmission shaft for tripod joints 1X1 Four wheel drive IVD Transmission shafts for rear axle diameter 108 Increase in initial standard fuel filling 2A4 Delivery equipment fo				
0W1 Label for central electric German-speaking countries 0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without tativated charcoal canister 1E2 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment fires 1KD Disc brakes, rear 1LG Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle IVH Installation parts for six-cylinder engine IVH IVH Transmission shaft for rear axle diameter 108 IZ6 IRC Increase in initial standard fuel filling 2A4				
German-speaking countries 0YR Weight range 16 installation control only, no requirement forecast IBE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires Its 1LG Disc brakes, rear 1LG Disc brakes, rear 1LG Disc brakes, rear 1LG Wheel bolts with anti-theft protection (unlockable) Interpretering 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine IVW IVD Transmission shaft for tripod joints 1X1 Four wheel drive IVD Transmission shafts for rear axle diameter 108 IZ6 IZ6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit				
0YR Weight range 16 installation control only, no requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without railer hitch 1E0 Without railer hitch 1E0 Without railer hitch 1E1 Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1RD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjust	0.112			
installation control only, no requirement forecast IBE Sports suspension/shock absorption IC1 Antifrezze up to -30 degree celsius tolerance up to -30 degree C ID0 Without trailer hitch IE0 Without activated charcoal canister IE1 Anloy spare wheel with original equipment tires IKD IKD Disc brakes, rear ILG Disc brakes, front IN1 Power steering IPC Wheel bolts with anti-theft protection (unlockable) ISA ISA Without additional front underbody guard IT3 First aid kit with warning triangle IVH Installation parts for six-cylinder engine IWD Transmission shaft for tripod joints IX1 Four wheel drive IVD Transmission shafts for rear axle diameter 108 Izdatadard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical a	0YR			
requirement forecast 1BE Sports suspension/shock absorption 1C1 Antifreeze up to -30 degree clsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine engine IWD 1X1 Four wheel drive 1YD Transmission shaft for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column				
1BE Sports suspension/shock absorption IC1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment fires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1WD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column				
 1C1 Antifreeze up to -25 degree celsius tolerance up to -30 degree C 1D0 Without trailer hitch 1E0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1BE			
tolerance up to -30 degree C1D0Without trailer hitch1E0Without activated charcoal canister1EXSpezielles Typschild für EG1G3Alloy spare wheel with original equipment tires1KDDisc brakes, rear1LGDisc brakes, front1N1Power steering1PCWheel bolts with anti-theft protection (unlockable)1SAWithout additional front underbody guard1T3First aid kit with warning triangle1VHInstallation parts for six-cylinder engine1WDTransmission shaft for tripod joints1X1Four wheel drive1YDTransmission shafts for rear axle diameter 1081Z6Increase in initial standard fuel filling2A4Delivery equipment for shipment (transit coating) with thick seat cover2B1Additional exterior noise suppression2C5Axial and vertical adjustable steering column				
1D0Without trailer hitch1E0Without activated charcoal canister1EXSpezielles Typschild für EG1G3Alloy spare wheel with original equipment fires1KDDisc brakes, rear1LGDisc brakes, front1N1Power steering1PCWheel bolts with anti-theft protection (unlockable)1SAWithout additional front underbody guard1T3First aid kit with warning triangle1VHInstallation parts for six-cylinder engine1WDTransmission shaft for tripod joints1X1Four wheel drive1YDTransmission shafts for rear axle diameter 1081Z6Increase in initial standard fuel filling2A4Delivery equipment for shipment (transit coating) with thick seat cover2B1Additional exterior noise suppression2C5Axial and vertical adjustable steering column				
 1E0 Without activated charcoal canister 1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1D0			
1EX Spezielles Typschild für EG 1G3 Alloy spare wheel with original equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column				
 1G3 Alloy spare wheel with original equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 				
equipment tires 1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column	1G3			
1KD Disc brakes, rear 1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column				
1LG Disc brakes, front 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column	1KD			
 1N1 Power steering 1PC Wheel bolts with anti-theft protection (unlockable) 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1LG	Disc brakes, front		
(unlockable)1SAWithout additional front underbody guard1T3First aid kit with warning triangle1VHInstallation parts for six-cylinder engine1WDTransmission shaft for tripod joints1X1Four wheel drive1YDTransmission shafts for rear axle diameter 1081Z6Increase in initial standard fuel filling2A4Delivery equipment for shipment (transit coating) with thick seat cover2B1Additional exterior noise suppression2C5Axial and vertical adjustable steering column		Power steering		
 1SA Without additional front underbody guard 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1PC	Wheel bolts with anti-theft protection		
 1T3 First aid kit with warning triangle 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 		(unlockable)		
 1VH Installation parts for six-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1SA	Without additional front underbody guard		
 engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1T3	First aid kit with warning triangle		
 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1VH	Installation parts for six-cylinder		
 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 		engine		
 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1WD	Transmission shaft for tripod joints		
 diameter 108 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1X1	Four wheel drive		
 1Z6 Increase in initial standard fuel filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1YD	Transmission shafts for rear axle		
filling 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column				
 2A4 Delivery equipment for shipment (transit coating) with thick seat cover 2B1 Additional exterior noise suppression 2C5 Axial and vertical adjustable steering column 	1Z6			
coating) with thick seat cover2B1Additional exterior noise suppression2C5Axial and vertical adjustable steering column		filling		
2B1Additional exterior noise suppression2C5Axial and vertical adjustable steering column	2A4			
2C5 Axial and vertical adjustable steering column				
column				
	2C5	Axial and vertical adjustable steering		
2G0 Without insert for the filling up of				
	2G0	Without insert for the filling up of		

 \mathbf{m} Audi

Car data

		12:08	31.08.2015
PR Numb	ers		
	fuel		
2PV	Leather trimmed sports steering wheel		
2T1	Double-sized standard (DIN)		
2WA	Without additional tires		
2Z1	Type sign at rear		
	and "Quattro" nameplates respectively		
3B0	Without additional child seat anchor		
3C7	3-point seat belt for center rear seat		
3CB	Removable net partition		
3FE	Electric slide/tilt sunroof		
UL	with sun screen/sunblind		
3GD	Plane rear cargo area		
3HA	Without leather parts scope		
3NZ	Rear seat bench unsplit, backrest split		
5112	folding		
3PF	Electric height adjustment for both		
011	front seats		
3Q6	Three rear headrests		
3S1	Bright roof rails		
3V0	Without child bench seat		
3X1	Load-through provision with ski bag		
3Y0	Without roll-up sun screen		
4A3	Seat heater for front seats		
члы	separately controlled		
4E0	Tailgate/trunk lid unlocking		
110	from outside		
4GH	Windshield in heat-insulating glass		
1011	with sunshield		
4K4	Radio remote controlled central locking		
4KC	Side and rear windows in heat-insulating		
me	glass		
4L2	Dipping breakaway interior rear view		
	mirror		
4N0	Standard dashboard		
4UE	Air bag for driver and front seat		
102	passenger		
4W0	Without cassette and CD storage unit		
4X3	Side air bag front with curtain air bag		
4ZB	Bright moldings		
5A5	Trunk lining, with stowage trays		
5C0	Without special body measures		
5D1	Carrier frequency 433.92 MHz-434.42 Mhz		
5E6	Sill top with door cover		
5J0	Without rear spoiler		
5K1	Paint preservative (wax)		
5RU	Right exterior mirror: convex		
-	(large viewing field)		
5SL	Left exterior mirror: aspherical		
5TM	Decorative aluminum inserts "check		
-	gray"		
6E3	Front center armrest		
6FB	Body-colored exterior mirror housings		
6M1	Tie down strans		

6FB 6M1 Body-colored ext Tie down straps \mathfrak{m} Audi

Car data

		12:08	31.08.2015
'R Numbo			
6PC	Leather hand brake lever handle		
6Q2	Leather gearshift knob/handle		
6R0	Selector lever cover		
6SS	Luggage compartment floor covering		
6U0	Without additional seals outside		
6V1	Rear trim panel (ECE)		
6W5	Front license plate bracket		
6XD	Exterior mirrors: electrically		
	adjustable/heated		
7A2	CD changer		
7AA	Electronic vehicle immobilization device		
7E6	Electric auxiliary air heater		
7K0	Without tire pressure warning light		
7M1	Scuff plates in door apertures with		
	metal inserts		
7P1	Power adjustable lumbar support in front		
	seats		
7Q2	Navigation system with color screen		
7QB	CD ROM (Germany)		
7X1	Park distance control		
8AY	Radio/navigation system		
8ED	Bi-functional headlight with gas		
	discharge lamp, for driving on the right		
8GU	Alternator 140 A		
8K0	Without special headlight		
	activation		
8N4	Windshield wiper intermittent control		
	with potentiometer (four speeds)		
8Q3	Automatic headlight-range adjustment		
	dynamic (self-adjusting while driving)		
8T1	Cruise control system (CCS)		
8TC	Rear fog light for driving on the right		
8X1	Headlight washer system		
8Z5	Not hot country		
9AK	Climatronic with impact pressure		
	control free of cfc		
9B0	Without telepay device		
9M9	Parking heater with radio remote control		
9NX	Without electronic logbook		
9P0	Without seat belt reminder		
9Q2	Multi-function display/on-board computer with check control		
9VD	Speaker (active)		
9ZF	Mobile phone preparation with hands-free speaking system		