

19:13 09.09.2015

VIN Number	WA1CCAFP8GA048097	Engine Code CTUD
Sales Type	8RB5CA	Transmission Code QCY
Model Year	2016	Finaldrive Ident 8A
Model	AQ5	Interior Trim Code XG
Model Designation	audi q5 quattro 3.0	Roof Color L5
Date of Production	29.08.2015	Exterior Color/Paint Code L5/Z7G
Order Number		

PR Numbers

l



19:13 09.09.2015

PR Numbers

QE1	Two: owers madrage 1
	Tray areas package 1
QF0 QH1	Without receiver/telephony (car phone) Voice control
_	
QQ1	With additional lights (interior
01/0	lighting)
QV8	Satellite radio reception NAR
QZ7	Power steering
TC6	6-cylinder gasoline engine 3.0 l
LIID	unit 06E.C
U1B	Instrument insert with mph speedometer,
LIE	clock, tachometer and trip odometer
UF7	Electric interface for external use
UH1	Parking brake
V48	Alloy wheels 8.5J x 21
VC2	Remote-controlled garage door opener
VG6	Type of tire: design 2
VW6	Side and rear windows
WTP	Leather package for NAR
OCO	Standard
0FA	Standard manufacturing sequence
0G7	Tiptronic Weight and a second selections of the second selection of the second
0JB	Weight category front axle
OIZO.	weight range 2
0K0 0LB	Without alternative drive module
ULB	Special plates/decals/
ONIA	safety certificates for USA
0NA	Without nameplate set
0RC	(without model designation) Stanton switch looking system
0SS	Starter switch locking system Labels/plates in English and French
0TD	Front and rear floor mats
01D 0U0	Fuel quality 98 RON
0VM	Information kit in American English
0W2	Label for central electric
0 11 2	English-speaking countries
0Y4	Cold and tropical climatic zones (US)
0YD	Weight range 4
UID	installation control only, no
	requirement forecast
1A2	Fuel system for SI engine with direct
1712	injection (FSI)
1AT	Electronic stabilization program (ESP)
1D8	Trailer hitch preparation
1E4	Activated charcoal canister acc. to ORVR
LLT	and siphoning device for filling up
1EP	Special identification plate (USA)
1PA	Standard wheel bolts
181	Tool kit and jack
1SH	Additional engine and transmission guard
1T0	Without first aid kit and warning
	triangle
1VH	Installation parts for six-cylinder
- '	engine
	- 0 -



19:13 09.09.2015

PR Numbers

Introduction of the content of the c	1 V 1	
filling 17XK Disc brakes, front 17XK Disc brakes, rear 17XK Disc	1X1	Four wheel drive
IZK Disc brakes, front Ubunt cd enhancing underbody panel Disc brakes, rear Tdive select" Standard bumpers Suspension/shock absorption Suspension/shock absorption Suspension/shock absorption Standard bumpers Disc brakes, rear Tdive select State and standard bumpers Suspension/shock absorption Suspension/shock absorption Surpension/shock absorption Surpension Surpen	120	
2D0 Without cenhancing underbody panel ELI Disc brakes, rear 2H1 "drive select" Suspension/shock absorption 2P2 Trunk sill protection in stainless steel 2PK Leather trimmed multi-function sports steering wheel w/ Tiptronic WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3CI Using sign at rear in thou tabilistic seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3CI Oblapsible spare wheel 3FU Big roof system 3GO Without child seat anchor front (ISOFIX) 3GD Plane rear carge area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without load-through provision 3Y1 Carter locking system "Keyless Entry" withour deadlock 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4H3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4H8 Air bag for NAR 4X3 Side air bag front with curtain air bag 4H8 Bright moldings 5CL Body measures for increased safety requirements 5L5 Carrier frequency 315 MHz 5L5 Carrier frequency 315 MHz 5L6 Carrier frequency S15 MHz 5L6 Carrier tire mirror: convex (US)	1717	
2EJ Disc brakes, rear "drive select" 2K4 Standard bumpers 2MT Suspension/shock absorption 2P2 Trunk sill protection in stainless steel 2PK Leather trimmed multi-function sports steering wheel w Tiptronic 2WA Without additional tires 2ZI Type sign at rear and "Quattro" nameplates respectively 3B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3B7 Uithout child seat anchor front (ISOFIX) 3GD Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3H4 Electric seat adjustment for both front seats, driver's seat with memory feature 3A3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4H3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4H3 Side air bag front with curtain air bag 4WB Air bag for NAR 3H2 Bright moldings 5C1 Body measures for increased safety requirements 5LX Transport protection cover (shape- adapted system) with additional transport protection measures 5KX Three rear seats 5MK Becorative inserts, carbon weave 5MK Right read and subject to the subject to the subject of th		
2HI "drive select" K4 Standard bumpers 2MT Suspension/shock absorption 2P2 Trunk sill protection in stainless steel 2PK Leather trimmed multi-function sports steering wheel w/ Tiptronic 2MA Without additional tires 2ZI Type sign at rear and "Quattro" nameplates respectively 3B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3FI Collapsible spare wheel 3FI Big roof system 3GO Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4H3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4K4 Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5KA Transport protection cover (shape- adapted system) with additional transport protection measures 5KK Tirrer rear seats 5MK Decorative inserts, carbon weave 5KIM Right texterior mirror: convex (US)		9 • •
2K4 Standard bumpers 2MT Suspension/shock absorption 2P2 Trunk sill protection in stainless steel 2PK Leather trimmed multi-function sports steering wheel W Tiptronic 2WA Without additional tires 2ZI Type sign at rear and "Quattro" nameplates respectively 3B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3FU Big roof system 3GO Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3N0 Without foll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4K4 Parenaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 5X3 Deflector vane 5X4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon wave		
2MT Suspension/shock absorption 2P2 Trunk sill protection in stainless steel 2PK Leather trimmed multi-function sports steering wheel w/Tiptronic 2WA Without additional tires 2Z1 Type sign at rear and "Ouattro" nameplates respectively 3B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3FU Big roof system 3GO Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3S1 Bright roof rails 3S2 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L3 Side air bag front with curtain air bag ## Seakaway interior rear view mirror, automatically dimming, with compass 4L3 Side air bag front with curtain air bag ## Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5KA Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5KBW Right exterior mirror: convex (US)		
2PX Leather trimmed multi-function sports steering wheel w/ Tiptronic 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively 2B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3F2 Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GB Plane rear cargo area 3C4 Electric seat adjustment for both front seats, driver's seat with memory feature 3B8 Passenger car design 3Q1 Rear headrests 3E1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats seap rately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag Bright mount in the according to the provision in the provision in the provision without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5KA Three rear seats 5KK Three rear seats 5KK Three rear seats 5KK Three rear seats 5KK Decorative inserts, carbon weave 5KK Richard States and carbon measures 5KK Piglit exterior mirror: convex (US)		
2PK steering wheel w/ Tiptronic 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3F2 Big roof system 3G0 Without child seat anchor front (ISOFIX) 3G0 Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature seats, driver's seat with memory feature seats, driver's seat with memory feature passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside side air bag front with curtain air bag Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5KA Three rear seats 5KK Three rear seats 5KK Three rear seats 5KK Pigt exterior mirror: convex (US)		
steering wheel w/ Tiptronie Without additional tires 2ZI Type sign at rear and "Quattro" nameplates respectively BY Child seat anchor according to Canadian requirements and child seat system ISOFIX CAN Without partition GOIlapsible spare wheel GOIlapsible wheel GOIlapsible wheel GOIlapsible wheel GOIlapsible wheel GOIlapsible wheel G		
2Z1 Type sign at rear and "Quattro" nameplates respectively 3B7 Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3F1 Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L1 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 3L3 Deflector vane 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5KA Three rear seats 5KK Three rear seats 5KK Decorative inserts, carbon weave 5KW Right esterior mirror; convex (US)	2PK	
2ZI Type sign at rear and "Quattro" nameplates respectively Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3F1 Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4X3 Side air bag front with curtain air bag 4X4 Side air bag front with curtain air bag 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5K4 Transport protection cover (shape-adapted system) with additional transport protection measures 5KK Three rear seats 5KK Decorative inserts, carbon weave 5KW Right exterior mirror: convex (US)		
and "Quattro" nameplates respectively Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3FU Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 314 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without load-through provision 3Y0 Without proll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 413 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5D3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KK Three rear seats 5KK Three rear seats 5KK Decorative inserts, carbon weave 5KW Right exterior mirror; convex (US)		
Child seat anchor according to Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3FU Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5LA Transport protection cover (shape- adapted system) with additional transport protection measures 5KK Three rear seats 5MK Decorative inserts, carbon weave 8Rgh fet exterior mirror; convex (US)	2Z1	
Canadian requirements and child seat system ISOFIX 3CA Without partition 3F1 Collapsible spare wheel 3FU Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 31.4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5C2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KK Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
child seat system ISOFIX 3CA Without partition 3FI Collapsible spare wheel 3FU Big roof system 3GO Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 3CI Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	3B7	
3CA Without partition 3F1 Collapsible spare wheel 3F2 Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without load-through provision 3Y0 Without load-through provision 3Y0 Without poll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5C2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
3FI Collapsible spare wheel 3FU Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	• ~ .	V
3FU Big roof system 3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
3G0 Without child seat anchor front (ISOFIX) 3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5KA Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5KK Decorative inserts, carbon weave 8RW Right exterior mirror: convex (US)		
3GD Plane rear cargo area 3L4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 8RW Right exterior mirror: convex (US)		
31.4 Electric seat adjustment for both front seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shapeadapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
seats, driver's seat with memory feature 3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats		
3M3 Passenger car design 3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	3L4	
3Q1 Rear headrests 3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
3S1 Bright roof rails 3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
3X0 Without load-through provision 3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
3Y0 Without roll-up sun screen 4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
4A3 Seat heater for front seats separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
separately controlled 4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shapeadapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
4E9 Trunk lid power closing with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	4A3	
with operating lever inside 4GQ Windshield in heat-insulating glass 4I3 Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
4GQ Windshield in heat-insulating glass Central locking system "Keyless Entry" without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	4E9	
4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
without deadlock 4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
4L7 Breakaway interior rear view mirror, automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	413	
automatically dimming, with compass 4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
4UB Air bag for NAR 4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	4L7	
4X3 Side air bag front with curtain air bag 4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	4***	
4ZB Bright moldings 5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shapeadapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
5C1 Body measures for increased safety requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
requirements 5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shapeadapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
5D2 Carrier frequency 315 MHz 5J3 Deflector vane 5K4 Transport protection cover (shapeadapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	5C1	
5J3 Deflector vane 5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
5K4 Transport protection cover (shape- adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
adapted system) with additional transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
transport protection measures 5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)	5K4	
5KA Three rear seats 5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
5MK Decorative inserts, carbon weave 5RW Right exterior mirror: convex (US)		
5RW Right exterior mirror: convex (US)		
large viewing field	5RW	
		large viewing field



19:13 09.09.2015

PR Numbers

5SG	Left exterior mirror: flat
5XF	Sun visors on driver's and passenger
JAI	side, extractable
6E3	Front center armrest
6F3	Emblems
6FT	
or i	Exterior mirror housings in dulled aluminum
(NO	
6NQ	Standard molded headlining
6SN	Trunk protection insert
6V2	Rear trim panel
6W3	Front license plate carrier (small, NAR)
6XL	Exterior mirrors: with memory function,
	automatically dimming, electrically
	foldable/adjustable/heated
7AJ	Electronic vehicle immobilization device
705	with alarm system and backup horn
7D5	DVD player
7E0	W/o heat accumulator/auxiliary heating
7F9	Plastic/leather gearshift knob/handle
7G0	Without preparation for VTS
F CD	(vehicle tracking system)
7GB	Emission standard ULEV 2
7HC	Leather variant 2
7JL	Vehicle class differentiation 8R0-
7K6	Flat tire indicator
7L7	Regenerative braking with 12.5 V
7M2	Scuff plates in door apertures with "S"
5D1	badge
7P1	Power adjustable lumbar support in front
704	seats
7QA	Without CD/DVD for navigation
7T6	Navigation system (MID)
7X8	Park distance control, front and rear
#X71	with rear view camera
7Y1	Side Assist
8DY	Radio "HIGH" America
8EH	Bi-functional headlight with gas
	discharge lamp, for driving on the right
OTZA	(US design)
8K4	Separate daytime running lights
ONIC	NAR
8N6	Windshield wiper intermittent control
002	with light/rain sensor
8Q3	Automatic headlight-range adjustment
OCI	dynamic (self-adjusting while driving)
8SL	LED taillamp assembly (NAR)
8T1	Cruise control system (CCS)
8WB	Front fog lights
8X1	Headlight washer system
8Z6	Hot country
9AQ	Air conditioning plus
9G3	Alternator 120-180 A
9M0	Without auxiliary/parking heater



19:13 09.09.2015

PR Numbers

R Numbe	Seat belt reminder, optical and acoustic
<i>3</i> 1 3	electric contact
9Q8	Multi-function display/on-hoard computer
9VK	Sound nackage "1"
9WC	Multi-function display/on-board computer Sound package "1" Without "Multimedia" in vehicle
9ZW	Mobile phone preparation
,,,	Modele phone preparation