

ClubAudi.ro

19:05

03.10.2016

VIN Number	WAUZZZ8T1EA074185	Engine Code	CGWC
Sales Type	8T3S4Y	Transmission Code	PWW
Model Year	2014	Finaldrive Ident	7A
Model	A5CO	Interior Trim Code	ZM
Model Designation	audi s5 coupe quattro 3.0	Roof Color	P5
Date of Production	21.05.2014	Exterior Color/Paint Code	P5/X7W
Order Number			
Open field campaigns	none available		

PR Numbers

 A00 No self-collection A51 Audi AG A52 Audi AG A85 Standard-production quality A70 Driving on the left B24 Type approval New Zealand B24 Type approval New Zealand, various parts Component parts set, complying with vehicle type for New Zealand, various parts C32 Operating permit, alteration C46 Alloy wheels 91 x 20 D11 6-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8 E00A No special edition E40 Without maintenance contract F0A No special purpose vehicle, standard equipment FA0 Control of standard production FC1 Customized installation FC2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (02 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle KK1 Refrigerant R134a L0R Right-hand drive vehicle M31 Leather seat covering NM1 Engine cover NY1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wekes, 7 twin spoke design, size 91 x 20, with 265/30 R20 tyres Q4U 		
A8SStandard equipmentAQ0Standard-production qualityAV0Driving on the leftB24Type approval New ZealandB2KComponent parts set, complying with vehicle type for New Zealand, various partsC32Operating permit, alterationC46Alloy wheels 91 x 20D116-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionE40Without maintenance contractF0ANo special purpose vehicle, standard equipmentF40Control of standard productionFC1Customized installationFC1Customized installationF70"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleG4HBasic rear axle differentialG22Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y xlJ0B520 A (92 Ah) batteryKK1Refrigerant R134aL0RRight-hand drive vehicleKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine cover keideNM1Engine coverNM1Engine cover keideNM1Engine cover keideNM1Engine cover keideNM1Engine co	A00	No self-collection
AQ0Standard-production qualityAV0Driving on the leftB24Type approval New ZealandB24Component parts set, complying with vehicle type for New Zealand, various partsB25Component parts set, complying with vehicle type for New Zealand, various partsC32Operating permit, alterationCV6Alloy wheels 9J x 20D116-cyl. St engine 3.0 / 2/45 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionEAOWithout subsequent warrantyEW0Without maintenance contractFOANo special engraves vehicle, standard equipmentFA0Control of standard productionFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialG22Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J08520 A (92 Ah) batteryKK1Refrigerant R134aL08Right-hand drive vehicleKK1Refrigerant R134aL08Right-hand drive vehicleNM1Engine coverNM1Engine cove	A51	Audi AG
AV0Driving on the leftB24Type approval New ZealandB2KComponent parts set, complying with vehicle type for New Zealand, various partsC32Operating permit, alterationCV6Alloy wheels 9J x 20D116-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionEAAWithout subsequent warrantyEW0Without subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationF04"S" variantF05"S" variantF06Tres Ze6/30 ZR20 94Y x1G1D7-speed automatic transmission for four-wheel drive vehicleG1BRisc rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires Ze6/30 ZR20 94Y x1J0BS20 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine coverNM1Engine coverNM2Jucreased battery capacityPQFAndie schusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	A8S	Standard equipment
B24 Type approval New Zealand B2K Component parts set, complying with vehicle type for New Zealand, various parts C32 Operating permit, alteration CV6 Alloy wheels 91 x 20 D11 6-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8 E0A No special edition EA0 Without subsequent warranty EW0 Without maintenance contract F0A No special purpose vehicle, standard equipment equipment FA0 Control of standard production FC1 Customized installation FN0 "S" variant FO1 Wheels of Quattro GmbH G1D 7-speed automatic transmission for four-wheel drive vehicle GH G8 S20 A (92 Ah) battery K8C Coupe KK1 Refigerant R134a L0R Right-hand drive vehicle MM1 Engine cover NT1 Transit coating (type 2) NT2 Increased battery capacity PV2 Increased b	AQ0	Standard-production quality
B2K Component parts set, complying with vehicle type for New Zealand, various parts C32 Operating permit, alteration CV6 Alloy wheels 91 x 20 D11 6-cyl, SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8 E0A No special edition EA0 Without subsequent warranty EW0 Without maintenance contract F01 Control of standard production FC1 Customized installation FV0 "S" variant FQ1 Wheels of Quattro GmbH GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A	AV0	Driving on the left
 vehicle type for New Zealand, various parts c32 Operating permit, alteration C32 Operating permit, alteration C44 Alloy wheels 91 x 20 D11 6-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8 E0A No special edition EA0 Without subsequent warranty EW0 Without maintenance contract FA0 No special purpose vehicle, standard equipment FA0 Control of standard production FN0 'S' variant FQ1 Wheels of Quattro GmbH GID 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 26/530 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle N11 Engine cover N12 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheeks, 7 twin-spoke design, size 9J x 20, with 265/30 R20 PJ xs 20, with 265/30 R20 PJ xs 	B24	Type approval New Zealand
partsC32Operating permit, alterationCV6Alloy wheels 9J x 20D116-cyl. SI engine 3.0 1/245 kW (24V)TFSI, homogeneousBase engine is TC6/TE8/TM8E0ANo special editionEAOWithout subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standardequipmentFA0Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aLORRight-hand drive vehicleNM1Engine coverNM1Engine coverNM1Engine coverNM2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	B2K	Component parts set, complying with
C32Operating permit, alterationCV6Alloy wheels 91 x 20D116-cyl. SI engine 3.0 1/245 kW (24V)TFSI, homogeneousBase engine is TC6/TE8/TM8E0ANo special editionE40Without subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standardequipmentF1Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleG41Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		vehicle type for New Zealand, various
CV6Alloy wheels 9J x 20D116-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionEAOWithout subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationFV0'S' variantFQ1Wheels of Quattro GmbHGID7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		parts
CV6Alloy wheels 9J x 20D116-cyl. SI engine 3.0 1/245 kW (24V) TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionEAOWithout subsequent warranty EW0EW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFAOControl of standard productionFC1Customized installationFN0"S' variantFQ1Wheels of Quattro GmbHGID7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN11Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	C32	Operating permit, alteration
TFSI, homogeneous Base engine is TC6/TE8/TM8E0ANo special editionEA0Without subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationFN0'S'' variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	CV6	
Base engine is TC6/TE8/TM8E0ANo special editionEA0Without subsequent warrantyEW0Without subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	D11	6-cyl. SI engine 3.0 l/245 kW (24V)
Base engine is TC6/TE8/TM8E0ANo special editionEA0Without subsequent warrantyEW0Without subsequent warrantyEW0Without maintenance contractF0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		TFSI, homogeneous
 EA0 Without subsequent warranty EW0 Without maintenance contract F04 No special purpose vehicle, standard equipment FA0 Control of standard production FC1 Customized installation FN0 "S" variant FQ1 Wheels of Quattro GmbH GID 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle N3M Leather seat covering NM1 Engine cover NT1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres 		
 EW0 Without maintenance contract F0A No special purpose vehicle, standard equipment FA0 Control of standard production FC1 Customized installation FN0 "S" variant FQ1 Wheels of Quattro GmbH G1D 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle NM1 Engine cover NT1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres 	EOA	No special edition
F0ANo special purpose vehicle, standard equipmentFA0Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHGID7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	EA0	Without subsequent warranty
equipmentFA0Control of standard productionFC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	EW0	Without maintenance contract
 FA0 Control of standard production FC1 Customized installation FN0 ''S'' variant FQ1 Wheels of Quattro GmbH G1D 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle N3M Leather seat covering NM1 Engine cover NT1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres 	FOA	No special purpose vehicle, standard
FC1Customized installationFN0"S" variantFQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleNM1Engine coverNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		equipment
 FN0 ''S'' variant FQ1 Wheels of Quattro GmbH G1D 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle N3M Leather seat covering NM1 Engine cover NT1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres 	FA0	Control of standard production
FQ1Wheels of Quattro GmbHG1D7-speed automatic transmission for four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	FC1	Customized installation
 GID 7-speed automatic transmission for four-wheel drive vehicle GH1 Basic rear axle differential GP2 Vehicles with special upgrade measures HY2 Tires 265/30 ZR20 94Y x1 J0B 520 A (92 Ah) battery K8C Coupe KK1 Refrigerant R134a L0R Right-hand drive vehicle N3M Leather seat covering NM1 Engine cover NT1 Transit coating (type 2) NY2 Increased battery capacity PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres 	FN0	"S" variant
four-wheel drive vehicleGH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	FQ1	Wheels of Quattro GmbH
GH1Basic rear axle differentialGP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	GID	7-speed automatic transmission for
GP2Vehicles with special upgrade measuresHY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		four-wheel drive vehicle
HY2Tires 265/30 ZR20 94Y x1J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	GH1	Basic rear axle differential
J0B520 A (92 Ah) batteryK8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	GP2	Vehicles with special upgrade measures
K8CCoupeKK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		Tires 265/30 ZR20 94Y x1
KK1Refrigerant R134aL0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	JOB	520 A (92 Ah) battery
L0RRight-hand drive vehicleN3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres	K8C	Coupe
N3MLeather seat coveringNM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		Refrigerant R134a
NM1Engine coverNT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		
NT1Transit coating (type 2)NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		
NY2Increased battery capacityPQFAudi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		Engine cover
PQF Audi exclusive cast aluminium alloy wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		
wheels, 7 twin-spoke design, size 9J x 20, with 265/30 R20 tyres		
20, with 265/30 R20 tyres	PQF	
		wheels, 7 twin-spoke design, size 9J x
Q4Q Sports front seats		
	Q4Q	Sports front seats

Car data



03.10.2016

19:05

		19.03	03.10.2010
PR Numb	ers		
QE1	Tray areas package 1		
QF0	Without receiver (car phone)		
QH1	Voice control		
QQ1	With additional lights (interior		
ττ-	lighting)		
QV0	W/o TV reception/digital radio reception		
QZ7	Power steering		
TC6	6-cylinder gasoline engine 3.0 l		
	unit 06E.C		
U1A	Instrument insert with km/h speedometer,		
-	clock, tachometer and trip odometer		
UF7	Electric interface for external use		
UH2	Parking brake		
VOA	Tires w/o specification of tire brand		
VC0	W/o remote-controlled garage door opener		
VG6	Type of tire: design 2		
VW1	Side windows tinted green, from B-pillar		
	to rear window gray tinted safety glass		
0C0	Standard		
0FA	Standard manufacturing sequence		
0G7	Tiptronic		
0JH	Weight category front axle		
0011	weight range 8		
0NA	Without nameplate set		
	(without model designation)		
0P0	Rear exhaust tailpipe (standard)		
ORZ	Without ignition/starter switch locking		
	system,		
	without steering lock		
0TD	Front and rear floor mats		
0U0	Fuel quality 98 RON		
0VF	Information kit in English		
0W2	Label for central electric		
•••=	English-speaking countries		
0Y1	Standard climatic zones		
0YH	Weight range 8		
	installation control only, no		
	requirement forecast		
1A2	Fuel system for SI engine with direct		
	injection (FSI)		
1AT	Electronic stabilization program (ESP)		
1BL	Suspension/shock absorption		
	(closed-loop)		
1 D 8	Trailer hitch preparation		
1E1	Activated carbon canister		
1EY	Special identification plate		
	with weight data, but without general		
	operating permit (ROW)		
1G5	Space-saving spare wheel, same size		
~~	(same rolling circumference) as original		
	equipment tires		
1KE	Disc brakes, rear		
1LJ	Disc brakes, front		

Audi

Car data



			i
		19:05	03.10.2016
R Numb	ers		
	(unlockable)		
1QB	Special plates/stickers/		
τ.	safety certificates for ROW		
1S1	Tool kit and jack		
1SA	Without additional front underbody guard		
1T0	Without first aid kit and warning		
	triangle		
1VH	Installation parts for six-cylinder		
	engine		
1X1	Four wheel drive		
1XX	Leather trimmed multi-function sports		
	steering wheel w/ Tiptronic		
1Z5	Increase in initial standard fuel		
	filling		
2D0	Without cd enhancing underbody panel		
2H1	"drive select"		
2K3	Reinforced bumpers		
2KR	Labels/plates in English and German		
2P1	Plastic trunk sill protection		
2WA	Without additional tires		
277A 2Z1	Type sign at rear		
411	and "Quattro" nameplates respectively		
3B4	Child seat anchor for		
3D4	child seat system ISOFIX		
3FA	Without roof insert (standard roof)		
зга 3G1			
3GI 3KA	Child seat anchor, front left (ISOFIX)		
JNA	Rear seat bench unsplit, backrest split		
2T 4	folding Electric cost a directment for both front		
3L4	Electric seat adjustment for both front		
23.42	seats, driver's seat with memory feature		
3M3	Passenger car design		
3X2	Load-through provision		
3Y0	Without roll-up sun screen		
4A3	Seat heater for front seats		
	separately controlled		
4E2	Tailgate/trunk lid release		
	from inside (electrically)		
4GF	Windshield in heat-insulating glass		
4K4	Radio remote controlled central locking		
4L6	Breakaway interior rear view mirror,		
	automatically dimming		
4UF	Driver's and front passenger air bag		
	with front passenger air bag		
	deactivation		
4X3	Side air bag front with curtain air bag		
4ZB	Bright moldings		
5C0	Without special body measures		
5D1	Carrier frequency 433.92 MHz-434.42 Mhz		
5J2	Rear spoiler (type 2)		
5K5	Transit coating film with additional		
	transport protection measures		
5NC	Standard tailgate stay		
5SJ	Left exterior mirror: convex		
5TG	Decorative aluminum inserts, dulling		
	with and and the with the second		

Car data



			i
		19:05	03.10.2016
PR Numb			
6E3	Front center armrest		
6EP	Additional stone guard body covers		
6F3	Emblems		
6FC	Aluminum exterior mirror housings		
6M0	Without tie down straps/net/pocket		
6NJ	Standard molded headlining		
6SS	Luggage compartment floor covering		
6TS	Right exterior mirror: aspherical,		
	large viewing field		
6V1	Rear trim panel (ECE)		
6W6	Front license plate carrier		
6XL	Exterior mirrors: with memory function,		
-	automatically dimming, electrically		
	foldable/adjustable/heated		
6Y8	Cruise control speed limit system		
7AL	Anti-theft alarm system, passenger		
	compartment control, backup horn and		
	towing protection		
7B0	Without socket		
7D5	DVD player		
7E0			
7E0 7F9	W/o heat accumulator/auxiliary heating		
	Plastic/leather gearshift knob/handle		
7G0	Without preparation for VTS		
7110	(vehicle tracking system)		
7HB	Leather variant 1		
7JM	Vehicle class differentiation 8T0		
7K0	Without tire pressure warning light		
7L8	Start/stop system with regenerative		
	braking		
7M2	Scuff plates in door apertures with "S"		
	badge		
7MJ	Emission standard EU5 plus		
7P1	Power adjustable lumbar support in front		
	seats		
7QA	Without CD/DVD for navigation		
7T6	Navigation system (MID)		
7X8	Park distance control, front and rear		
	with rear view camera		
7Y1	Side Assist		
8AJ	Radio		
8BP	Bi-functional headlight with gas		
	discharge lamp		
8K4	Separate daytime running lights		
	NAR		
8N6	Windshield wiper intermittent control		
0110	with light/rain sensor		
8Q3	Automatic headlight-range adjustment		
UQJ	dynamic (self-adjusting while driving)		
8SK	LED taillamp assembly		
8T1			
	Cruise control system (CCS)		
8WB	Front fog lights		
8X1	Headlight washer system		
8Z5	Not hot country		

C	Q	Ø	Ø	$\mathbf{)}$
Α	ud	i		

Car data



	19:05	03.10.2016	
rs			

9G3	Alternator 120-180 A
9M0 9P3	Without auxiliary/parking heater
9P3	Seat belt reminder, electric contact in
	buckle
9Q8	Multi-function display/on-board computer
9Q8 9VK	Sound package "1"
9Z0	Operating voltage 12V

9ZX Mobile phone preparation