

22:51 26.06.2017

Chassis No	WAUML44E06N018139	Engine Code	BGK
Sales Type	4E851L	Transmission Code	НКТ
Model Year	2006	Finaldrive Ident	6A
Model	A8Q	Interior Trim Code	LR
Model Designation	audi a8l qu. 4.2	Roof Color	A2
Date of Production	20.01.2006	Exterior Color/Paint Code	A2/Y9B
Order Number			
Open field campaigns	none available		

PR Numbers

PR Numbe	rs
A00	No self-collection
A8U	Executive US equipment
B0A	Component parts set without
	country-specific design requirement
B34	Legal requirements USA
C00	Operating permit, initial registration
CG4	Forged alloy wheels 8.5J x 19
	offset 45
D0G	8-cyl. gas. engine V8 4.2 L/246 kW 40V
	camshaft adj. w/o cylinder cutout, MPI
	base engine is T81/T79/T88
E0A	No special edition
F0A	No special purpose vehicle, standard
	equipment
FA0	Control of standard production
FC0	Without customized installation
FM0	Basic equipment variant
FQ0	Standard production wheels
G0R	6-speed automatic transmission for
	four-wheel drive vehicle
GS1	Aluminum applications
GT0	Decorative plastic strips
GZ2	Door power latching
HT2	All weather tires 255/40 R19 100H xl NAR
J0Z	Battery 520 A (110 Ah)
K8L	Notchback - long wheelbase
LOL	Left-hand drive vehicle
N5D	Valcona leather seat covering
NT1 PPD	Transit coating (type 2)
PRQ	premium package for USA forged aluminium alloy wheels, 8.5Jx19,
INQ	12-spoke design, polished, two-colour,
	with 255/40 R 19 tyres
Q2J	Comfort front seats
QZJ QF0	Without receiver (car phone)
QH2	Voice control
QQ3	Ambience and environment lighting
QV4	Satellite radio reception USA
QW1	Central control unit, front
T81	8-cylinder gasoline engine 4.2 L
	y 8

et_fdl.frm Page : 001



22:51 26.06.2017

PR Numbers

unit 077.B (aluminum) UIB Instrument insert with mph speedometer, clock, tachometer and try odometer volock, tachometer and try of which without volocity of variety without determination of weight category for front axe volocity of variety		
clock, tachometer and trip odometer VAA VAA VAA VAA VAA VAA VAA VAA VAA VA		unit 077.B (aluminum)
VOAD Without cushion/pillow VCI Remote-controlled garage door opener VEI Vanity mirror, rear Vanity	U1B	Instrument insert with mph speedometer,
VXO VICT VCT VCT VCT VCT VCT VCT VCT VCT VCT V		clock, tachometer and trip odometer
VC1 Remote-controlled garage door opener VE1 Vaity mirror, rear 0GM Emission standard LEV 1 0JZ Without determination of weight category for front axic safety certificates for USA 0SS Labels/plates in English and French Tront and rear floor mats 0UA Without special color trim 0VM Information kit in American English 0VZ Label for central electric English-speaking countries 0VZ Without determination of weight category for rear axic 1A1 Fuel sys. for carburetor gasoline eng. w/injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antiferezu up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1DD Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1WD Transmission shaft for rear axle 1LI Gail Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Insert for the filling up of unleaded fuel 1X2 Reinforced bumpers 2X1 Type sign at rear and "Quattro" nameplates respectively	V0A	Tires w/o specification of tire brand
VEIL Vanity mirror, rear OGM Emission standard LEV 1 0JZ Without determination of weight category for front axle 0LB Special plates/stickers/ safety certificates for USA 0SS Labels/plates in English and French 0TD Front and rear floor mats 0UA Without special color trim 0VM Information kit in American English 0W2 Label for central electric English-speaking countries 0YZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng. w/ injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, froat 1LL Disc brakes, froat 1LL Disc brakes, froat 1LT Sic brakes, froat 1LT Sic brakes, froat 1LT Transmission shaft for tripod joints 1T3 First aid kit with warning triangle 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Increase in initial standard fuel filling 2C7 Reinforced bumpers 2X1 Without additional tires 2X21 Type sign at rear and 'Quattro' mameplates respectively	VA0	Without cushion/pillow
Veril Vanity mirror, rear OGM Emission standard LEV 1 0JZ Without determination of weight category for front axle 0LB Special plates/stickers/ safety certificates for USA 0SS Labels/plates in English and French 0TD Front and rear floor mats 0UA Without special color trim 0VM Information kit in American English 0W2 Label for central electric English-speaking countries 0YZ Without determination of weight category for rear axle 1A1 Fuel sys, for carburetor gasoline eng, winjector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehice class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, froat 1LL Disc brakes, froat 1LL Disc brakes, froat 1LT Sies brakes, froat 1LT Sies brakes, froat 1LT Tansmission shaft for tripod joints 1T3 First aid kit with warning triangle 1WO Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1XI Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Increase in initial standard fuel filling 2C7 Reinforced bumpers 2XI Without additional tires 2XI Type sign at rear and 'Quattro' nameplates respectively	VC1	Remote-controlled garage door opener
OGM Emission standard LEV 1 OJZ. Without determination of weight category for front axle OLB Special plates/stickers/ safety certificates for USA OSS Labels/plates in English and French Tront and rear floor mats OUA Without special color trim OUA Without special color trim OUA Information kit in American English OW2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A2 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A3 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A4 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A5 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A6 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A4 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A5 Fuel sys. for carburetor gasoline eng, w/ injector system without fuel return 1A4 Standard wheel both 1A5 Fuel sys. for celsius 1A6 Aloy spare wheel with original equipment tires 1A4 Standard wheel both 1A7 Standard wheel both 1A7 Standard wheel both 1A7 Standard wheel both 1A8 Standard wheel both 1A9 Standard wheel both 1A9 Standard for tripod joints 1A7 Fuel wheel drive 1A9 Transmission shaft for tripod joints 1A7 Fuer wheel drive 1A7 Transmission shaft for rear axle diameter 108 1A6 Increase in initial standard fuel filling 2A7 Safety steering column with electric axial and inclination adjustment 1A9 Insert for the filling up of unleaded fuel 1A9 Reinforced bumpers 2A9 Without additional tires 2A1 Type sign at rear and "Quattro" mameplates respectively	VE1	
for Front aske Special plates/stickers/ safety certificates for USA SSS Labels/plates in English and French Front and rear floor mats UAA Without special color trim Hormation kit in American English WZ Label for central electric English-speaking countries OYZ Without determination of weight category for rear aske All Freak sys. for carburetor gasoline eng. w/ injector system without fuel return BK 4-corner air suspension with electronic shock absorption control CC Antifreeze up to -35 degree celsius tolerance up to -40 degree C CX Vehicle class differentiation 4E0 Without trailer hitch EP Special identification plate (USA) Alloy spare wheel with original equipment fires IKW Disc brakes, rear ILL Disc brakes, front PA Standard wheel bolts TT3 First aid kit with warning triangle IWJ Installation parts for eight-cylinder engine Without refrigerator/glove compartment cooling system WD Transmission shafts for rear asle diameter 108 Type sign at rear and "Quattro" nameplates respectively		
for Front aske Special plates/stickers/ safety certificates for USA SSS Labels/plates in English and French Front and rear floor mats UAA Without special color trim Hormation kit in American English WZ Label for central electric English-speaking countries OYZ Without determination of weight category for rear aske All Freak sys. for carburetor gasoline eng. w/ injector system without fuel return BK 4-corner air suspension with electronic shock absorption control CC Antifreeze up to -35 degree celsius tolerance up to -40 degree C CX Vehicle class differentiation 4E0 Without trailer hitch EP Special identification plate (USA) Alloy spare wheel with original equipment fires IKW Disc brakes, rear ILL Disc brakes, front PA Standard wheel bolts TT3 First aid kit with warning triangle IWJ Installation parts for eight-cylinder engine Without refrigerator/glove compartment cooling system WD Transmission shafts for rear asle diameter 108 Type sign at rear and "Quattro" nameplates respectively	0JZ	Without determination of weight category
OLB Special plates/stickers/ safety certificates for USA OSS Labels/plates in English and French OTD Front and rear floor mats ULA Without special color trim OVM Information kit in American English OW2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axde IAI Fuel sys. for carburetor gasoline eng. w/ injector system without fuel return IBK 4-corner air suspension with electronic shock absorption control IC2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C UCX Vehicle class differentiation 4E0 Without trailer hitch IEP Special identification plate (USA) IG3 Alloy spare wheel with original equipment tires IKW Disc brakes, rear ILL Disc brakes, front IPA Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IWO Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IXI Four wheel drive IYD Transmission shaft for rear axle diameter 108 IZ6 Increase in initial standard fuel filling CC7 Safety steering column with electric axial and inclination adjustment Increase in initial standard fuel filling IXI Type sign at rear and "Quattro" nameplates respectively		
safety certificates for USA OSS Labels/plates in English and French OTD Front and rear floor mats OUA Without special color trim OWA Information kit in American English OW2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng, wi injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment fires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1NJ Installation parts for eight-cylinder engine Without refrigerator/glove compartment cooling system WD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Inper to the filling up of unleaded fuel KE Reinforced bumpers Without additional tires Type sign at rear and "Quattro" nameplates respectively	0LB	
OSS Labels/plates in English and French OTD Front and rear floor mats OUA Without special color trim OVM Information kit in American English OV2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng. w/ injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehice class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bobts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1WO Without refrigerator/glove compartment cooling system WHO Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1Act Increase in initial standard fuel filling 1AC Enforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
OTD Front and rear floor mats OUA Without special color trim OWM Information kit in American English OW2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng. w/injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 Without trailer hitch IEP Special identification plate (USA) IG3 Alloy spare wheel with original equipment tires Disc brakes, rear ILL Disc brakes, front IPA Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine WO Without refrigerator/glove compartment cooling system Transmission shaft for tripod joints IX1 Four wheel drive Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling CC7 Safety steering column with electric axial and inclination adjustment III. Insert for the filling up of unleaded fuel EkC Reinforced bumpers Without additional tires Type sign at rear and "Quattro" nameplates respectively	OSS	
0UA Without special color trim 0VM Information kit in American English 0V2 Label for central electric English-speaking countries 0YZ Without determination of weight category for rear axle 1A1 Fuel sys, for carburetor gasoline eng, w' injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehice class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1Tansmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1	
OW2 Label for central electric English-speaking countries OYZ Without determination of weight category for rear axle 1A1 Fuel sys, for carburetor gasoline eng, w/injector system without fuel return 1BK 4-corner air suspension with electric shock absorption control 1C2 Antifreze up to -35 degree celsius tolerance up to 40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, front 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1WO Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
0W2 Label for central electric English-speaking countries 0YZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng. w/injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
English-speaking countries Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng, w/injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to 40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
0YZ Without determination of weight category for rear axle 1A1 Fuel sys. for carburetor gasoline eng. w' injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1LL Disc brakes, rear 1LL Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1WO Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 12C1 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	* =	
for rear axle IA1 Fuel sys. for carburetor gasoline eng.	0YZ	
1A1 Fuel sys. for carburetor gasoline eng. w/ injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Insert for the filling up of unleaded fuel fuel 2K2 Reinforced bumpers Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	***	
w/ injector system without fuel return 1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1A1	
1BK 4-corner air suspension with electronic shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bots 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1C8 Reinforced bumpers Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
shock absorption control 1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1BK	
1C2 Antifreeze up to -35 degree celsius tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment tires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
tolerance up to -40 degree C 1CX Vehicle class differentiation 4E0 1D0 Without trailer hitch 1EP Special identification plate (USA) 1G3 Alloy spare wheel with original equipment fires 1KW Disc brakes, rear 1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 1K2 Reinforced bumpers 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1C2	
ICX Vehicle class differentiation 4E0 ID0 Without trailer hitch IEP Special identification plate (USA) IG3 Alloy spare wheel with original equipment tires IKW Disc brakes, rear ILL Disc brakes, front Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IW0 Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment ISG1 Insert for the filling up of unleaded fuel IX2 Reinforced bumpers IX3 Without additional tires IX4 Pype sign at rear and "Quattro" nameplates respectively	102	
IDO Without trailer hitch IEP Special identification plate (USA) IG3 Alloy spare wheel with original equipment tires IKW Disc brakes, rear ILL Disc brakes, front IPA Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IWO Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment INSE Insert for the filling up of unleaded fuel EX2 Reinforced bumpers EX3 Without additional tires IX9 Sign at rear and "Quattro" nameplates respectively	1CX	
IEP Special identification plate (USA) IG3 Alloy spare wheel with original equipment tires IKW Disc brakes, rear ILL Disc brakes, front IPA Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IW0 Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment IG1 Insert for the filling up of unleaded fuel XE2 Reinforced bumpers Without additional tires IX7 Type sign at rear and "Quattro" nameplates respectively	1	
Alloy spare wheel with original equipment tires IKW Disc brakes, rear ILL Disc brakes, front PA Standard wheel bolts TT3 First aid kit with warning triangle IV1 Installation parts for eight-cylinder engine IW0 Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment Insert for the filling up of unleaded fuel ZK2 Reinforced bumpers Without additional tires Type sign at rear and "Quattro" nameplates respectively		
equipment tires IKW Disc brakes, rear ILL Disc brakes, front IPA Standard wheel bolts IT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IW0 Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel EX2 Reinforced bumpers Without additional tires ZY1 Type sign at rear and "Quattro" nameplates respectively		
IKW Disc brakes, rear ILL Disc brakes, front PA Standard wheel bolts TT3 First aid kit with warning triangle IVJ Installation parts for eight-cylinder engine IW0 Without refrigerator/glove compartment cooling system IWD Transmission shaft for tripod joints IX1 Four wheel drive IYD Transmission shafts for rear axle diameter 108 IZ6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	103	
1LL Disc brakes, front 1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1KW	
1PA Standard wheel bolts 1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1	
1T3 First aid kit with warning triangle 1VJ Installation parts for eight-cylinder engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1	,
1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	l .	
engine 1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
1W0 Without refrigerator/glove compartment cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	110	
cooling system 1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1W0	
1WD Transmission shaft for tripod joints 1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1 1 1 1 1	
1X1 Four wheel drive 1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1WD	
1YD Transmission shafts for rear axle diameter 108 1Z6 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively		
diameter 108 Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	l .	
Increase in initial standard fuel filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	110	
filling 2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	176	
2C7 Safety steering column with electric axial and inclination adjustment 2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	12.0	
axial and inclination adjustment Insert for the filling up of unleaded fuel K2 Reinforced bumpers Without additional tires Type sign at rear and "Quattro" nameplates respectively	207	
2G1 Insert for the filling up of unleaded fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	1201	•
fuel 2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	261	
2K2 Reinforced bumpers 2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	201	0 1
2WA Without additional tires 2Z1 Type sign at rear and "Quattro" nameplates respectively	2K2	
Type sign at rear and "Quattro" nameplates respectively	1	
and "Quattro" nameplates respectively	1	
	44.1	
Leather trimmed multi-function steering	270	
	22Q	Leather trimmed multi-function steering



22:51 26.06.2017

PR Numbers

	wheel for air bag system
3B7	Child seat anchor according to
	Canadian requirements and
	child seat system ISOFIX
3D1	Center console
3FE	Electric slide/tilt sunroof
012	with sun screen/sunblind
3G0	Without child seat anchor front (ISOFIX)
3PN	Electric seat adjustment
JPN	
2370	for both front seats with memory system
3X0	Without load-through provision
3Y5	Electrically operated roll-up sun screen
	for rear window and mechanically
1	operated for side windows
4A4	Seat heater for front and rear seats
	separately controlled
4D0	Without seat ventilation/massage seat
4E9	Trunk lid power closing
	with operating lever inside
4GP	Windshield in heat-insulating glass with
	sunshield and viewing window for vehicle
	identification number
4K7	Central locking system "Keyless Entry"
	"two-stage unlocking"
4KC	Side and rear windows in heat-insulating
	glass
4L6	Breakaway interior rear view mirror,
TLU	automatically dimming
4QF	3-point seat belts front, with electric
1QI	
41111	height adjustment and memory system
4UH	Air bag for driver and front passenger
4770	with knee air bag
4V0	Without front passenger seat adjustment
	from the rear
5D2	Carrier frequency 315 MHz
5J0	Without rear spoiler
5K4	Ohne Lackkonservierung
5ME	Vavona wood insert ''amber'', high-gloss
5RW	Right exterior mirror: convex (US)
	large viewing field
5SG	Left exterior mirror: flat
5XH	Sun visors with illuminated vanity
	mirror on driver's and front seat
	passenger's side
5 Z 0	Without separate power seats rear
6E3	Front center armrest
6FB	Body-colored exterior mirror housings
6M1	Tie down straps
6NJ	Standard molded headlining
6Q2	Leather gearshift knob/handle
6V2	Rear trim panel
6W3	
	License plate bracket front (small, NAR)
6XL	Exterior mirrors: with memory function,
	automatically dimming, electrically

et_fd2.frm Page : 003



22:51 26.06.2017

PR Numbers

I IX I VUIIID	us — — — — — — — — — — — — — — — — — — —
	foldable/adjustable/heated
7A2	CD changer
7AN	Anti-theft alarm system, backup horn and
	towing protection
7HB	Leather variant 1
7K3	Tire pressure control, frequency 433 MHz
	high level version
7M1	Scuff plates in door apertures with
	metal inserts
7 P1	Power adjustable lumbar support in front
	seats
7Q2	Navigation system with color screen
7QA	Without CD/DVD for navigation
7X4	Park distance control, front and rear
7Y0	Without lane change assistant
8DY	Radio ''HIGH'' America
8EH	Bi-functional headlight with gas
	discharge lamp, for driving on the right
	(US design)
8K9	Separate daytime running lights with
	low beam assistant and "Coming Home"
	function
8Q6	Headlight-range adjustment, automatic/
	dynamic with fixed and dynamic bending
	light(AFS 2)
8RY	Speakers with BOSE sound
8T1	Cruise control system (CCS)
8X1	Headlight washer system
8Z6	Hot country
9AK	Climatronic with impact pressure
	control free of cfc
9JB	Smoking package, ashtray front and rear
9M0	Without auxiliary/parking heater
9P5	Seat belt reminder, optical and acoustic
OTTIG	electric contact
9WC	Without "Multimedia" in vehicle
9ZG	Mobile phone preparation with hands-free
	speaking system
1	