

Legend	A4 Cabriolet	A4 Cabriolet	A4 Cabriolet
	2.0 TFSI	2.0 TFSI	3.2 FSI
x = Standard o = Optional - = Not available	FrontTrak [®]	quattro®	quattro®
General Technical			
2.0 T FSI engine; 200 SAE hp; 207 lb-ft @ 1800-5000 RPM; inline 4-cylinder, spark ignition engine w/gasoline			
direct injection, exhaust tuirbo-charger with intercooler; 4 valves per cylinder due to FSI technology, DOHC	x	х	-
3.2 (3.123 cc) FSI engine: 255 hp; 243 lb-ft @ 3250 RPM; V6 spark ignition engine with direct injection, 4-valve	Э		
• due to FSI technology, DOHC, 2-stage, variable intake manifold with 2 charge movement flaps, demand	-	-	х
controlled high-pressure and low-pressure fuel system, fully variable valve timing			
■ LEV2 (Ultra low emission vehicle) certification	-	-	Х
ULEV II (CA)/Bin 5 (Federal) certification	Х	Х	-
Audi multitronic®, electronically controlled, link-plate chain driven Continuously Variable Transmission with Dynamic Regulation Program (DRP); Front Trak models	x	-	-
6-speed automatic transmission with Tiptronic® (allowing driver to select gears manually) and Dynamic Shift Program (DSP) which select from over 200 shift programs to match driver needs.	-	х	х
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake pressure Distribution (EBD)	х	х	х
Brake Assist, a system which automatically senses emergency braking and applies maximum available power			
boost to reduce overall stopping distance	x	х	Х
FrontTrak®, front wheel drive system with legendary four-link front suspension and ESP system	х	-	-
• quattro® permanent all wheel drive system, includes Torsen® torque sensing center differential	-	х	х
Fully galvanized sheet metal	х	х	х
 Sophisticated CAN network, including 3 fully functional CAN circuits (Infotainment / Comfort / Powertrain) 	X	X	x
■ ESP (Electronic Stabilization Program), version 5.7. System also includes ABS / EBD / EDL / ASR	х	х	х
● CFC-free (chloroflourocarbon) air conditioning refrigerant	х	х	х
Wheels / Tires			
▶ 7J x 16 ET 42 / 7-spoke cast alloy wheels with 215/55 all-season tires	х	х	-
● 7.5Jx17 ET 45/5-double-spoke cast alloy wheels with 235/45 all season tires	0	0	-
● 7.5J x 17 ET 45/5-spoke quattro GmbH high polish cast alloy wheels with 235/45 all season tires	-	-	Х
● 8J x18 ET 43/5-arm quattro GmbH cast alloy wheel with 235/40 all season tires (S line package)	0	0	0
● 8J x18 ET 43/5-arm quattro GmbH cast alloy wheel with 235/40 high performance tires (S line package)	0	0	0
Full size spare tire with steel wheel	x	х	x
Suspension / Steering / Brakes	_		
Front ventilated disc brakes Teves (FNRG-60), 320mm(12.6 in) x 30mm(1.2 in) rotors	Х	Х	Х
Solid rear disc brakes (TRW C11-41), 288mm(11.3 in) x 12mm(0.5 in) rotors	х	х	x
Disc-wiping feature; automatically taps brake discs to remain dryer, cleaner, and responsive; not noticeable by driver or passengers	X	х	х
Four-wheel Anti-lock Brake System (ABS) with Electronic Brake pressure Distribution (EBD)	х	х	х
Brake Assist, a system which automatically senses emergency braking and applies maximum available power	,	,	v
boost to reduce overall stopping distance	х	Х	Х
Sport suspension, including 30% stiffer shocks / springs, stronger stabilizer bars in front / rear, lowered by 20			
mm, with S4 and A6 componients for more dynamic and sporty driving without sacrificing driver/passenger	0	0	0
 comfort Improved four-link front suspension, now with higher aluminum content including forged aluminum upright 	x		~
<u> </u>	X	X X	X X
 Trapezoidal link, fully independent rear suspension Servotronic elec-controlled speed-sensitive steering (also standard on S4 and RS 4) 	+		
Tilt and telescopic manually adjustable steering column	X	X	X
I●I Hit and telescopic manually adjustable steering column	X	x	Х



S = Standard O = Optional -= Not available Exterior Features	A4 Cabriolet	A4 Cabriolet	A4 Cabriolet	Legend
SMPH (Federal standard) front and rear bumpers Retractable high pressure headlight washers concealed in the front bumper X	3.2 FSI quattro [®]	2.0 TFSI quattro [®]	2.0 TFSI FrontTrak [®]	x = Standard o = Optional -= Not available
Retractable high pressure headlight washers concealed in the front bumper Heated windshield washer nozzles Concealed antenna system under plastic trunk lid, includes GPS, telephone, 4-channel FM and 1-channel AM AX XX Body color outside mirrors; left side flat, right side convex Nomenclature: Nomenclature: -A4 on rear deck lid, left center -A5 on rear deck lid - right, center -2.0 Ton rear deck lid - right, center -2.0 Ton rear deck lid - right, center -2.0 Ton rear deck lid - right, center -3.2 on rear deck lid - right, center -5-Four rings in the center of rear deck lid -Four rings on top center of rear deck lid -Four rings in the center of front grille -5-St mm quattro badge on: rear deck lid - right under engine designation -7-XX rear deck lid - right under engine designation -7-XX Ton place, body-colored bumpers -7-XX Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) -7-XX Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) -7-XX -		·		Exterior Features
Heated windshield washer nozzles Concealed antenna system under plastic trunk lid, includes GPS, telephone, 4-channel FM and 1-channel AM and satellite radio antennas X	х	х	х	5 MPH (Federal standard) front and rear bumpers
Concealed antenna system under plastic trunk lid, includes GPS, telephone, 4-channel FM and 1-channel AM and satellite radio antennas Body color outside mirrors; left side flat, right side convex **X	х	х	х	Retractable high pressure headlight washers concealed in the front bumper
Body color outside mirrors; left side flat, right side convex Metallic / Pearl Effect paint	х	х	х	Heated windshield washer nozzles
Body color outside mirrors; left side flat, right side convex				Concealed antenna system under plastic trunk lid, includes GPS, telephone, 4-channel FM and 1-channel AM
Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center - A4 on rear deck lid - right, center - 2.0 T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 5-00 rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings on the center of front grille - 85 mm quattro badge on: - x x rear deck lid - right under engine designation - x x front grille - right - dashboard beltline trim - right - x x One piece, body-colored bumpers Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting - customers can program folg light DRL at dealership) Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting - customers can program folg light DRL at dealership) Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting - customers can program folg light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper One rear fog light in left rear light x x x Rear light assemblies with white side turn indicators and amber shine-through bulbs White side turn indicator lights in front fenders with amber shine-through bulbs White side turn indicator lights in front fenders with amber shine-through bulbs White side turn indicator lights in front fenders with amber shine-through bulbs Rain sensor, operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; Sensor, Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor, operated by adjusting exterior light switch to "auto" One of the membra of the grain and the province of the province of the province of the province	х	X	Х	and satellite radio antennas
Nomenclature: - A4 on rear deck lid, left center - 2.0 T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 5.2 on rear deck lid - right, center - 7.5 on rear deck lid - right, center - 8.5 on rear deck lid - right, center - 9.5 on rear deck lid - right, center - 19.5 on rear deck lid - right, center - 19.5 on rear deck lid - right, center - 19.5 on rear deck lid - right, center - 19.5 on rear deck lid - right under end front grille - 19.5 on x x x x x x x x x x x x x x x x x x	х	х	х	Body color outside mirrors; left side flat, right side convex
Nomenclature: - A4 on rear deck lid, left center - 2.0 T on rear deck lid - right, center - 3.2 on rear deck lid - right, center	0	0	0	Metallic / Pearl Effect paint
- 2.0 T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 7- Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings in the center of front grille - 8.85 mm quattro badge on: - 1			-	Nomenclature:
- 2.0 T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 7- Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings in the center of front grille - 8.85 mm quattro badge on: - 1	х	x	X	- A4 on rear deck lid. left center
- 3.2 on rear deck lid - right, center - Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings on top center of rear deck lid - Four rings on the center of front grille - 85 mm quattro badge on: - rear deck lid - right under engine designation - x front grille - right - x dashboard belltine trim - right - x One piece, body-colored bumpers - x x Sterior Lighting	-			
- Four rings in the center of front grille - 85 mm quattro badge on: - 185 mm quattro badge on: - 2	х	-	1	
- 85 mm quattro badge on: rear deck lid - right under engine designation - x x front grille - right - x x dashboard beltline trim - right - x x One piece, body-colored bumpers Exterior Lighting Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper x x x One rear fog light in left rear light Rear light assemblies with white side turn indicators and amber shine-through bulbs x x x Rear light assemblies with white side turn indicators and amber shine-through bulbs White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	Х	Х	Х	
rear deck lid - right under engine designation front grille - right dashboard bettline trim - right One piece, body-colored bumpers Exterior Lighting Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) Two-way ellipsolidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper Two front fog lights located in lower front bumper Two front fog lights located in lower front bumper Two front fog lights with white side turn indicators and amber shine-through bulbs Rear light assemblies with white side turn indicators and amber shine-through bulbs White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Homelink® universal garage door opener in driver's sunvisor Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: Typewer retention feature, which keeps power for windows on until either front door open "pinch protection" for all four windows which reverses window at force of 100 N or greater ""one-touch" individual up and down function for front and rear window controls at all window locations	х			
front grille - right dashboard beltline trim - right - x x One piece, body-colored bumpers x x x x Exterior Lighting Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes	X			
dashboard beltline trim - right One piece, body-colored bumpers Exterior Lighting Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper No rear fog light in left rear light Rear light assemblies with white side turn indicators and amber shine-through bulbs Rear light assemblies with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Romelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	X			
One piece, body-colored bumpers	X			
Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) O O	x			
Daytime Running Lights (100% in Canada; USA, adjustable by customer with Bi-Xenon; halogen lighting customers can program fog light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper Two front fog lights located in lower front bumper Two front fog lights located in lower front bumper Two front fog lights in left rear light Rear light assemblies with white side turn indicators and amber shine-through bulbs Rear light assemblies with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Two front / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	^		^	
customers can program fog light DRL at dealership) Two-way ellipsoidal halogen projector headlamp assembly with variable focus reflectors, integrated low beam and high beam tubes Two front fog lights located in lower front bumper None rear fog light in left rear light Rear light assemblies with white side turn indicators and amber shine-through bulbs Rear light assemblies with white side turn indicators and amber shine-through bulbs None headlights with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations				
and high beam tubes Two front fog lights located in lower front bumper One rear fog lights located in lower front bumper Nav x Rear light assemblies with white side turn indicators and amber shine-through bulbs Rear light assemblies with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Homelink® universal garage door opener in driver's sunvisor on until either front door open Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	0	0	0	
Two front fog lights located in lower front bumper One rear fog light in left rear light Rear light assemblies with white side turn indicators and amber shine-through bulbs Bi-Xenon headlights with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Homelink® universal garage door opener in driver's sunvisor o o o Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	х	х	х	
Rear light assemblies with white side turn indicators and amber shine-through bulbs Bi-Xenon headlights with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	х	х	х	
Rear light assemblies with white side turn indicators and amber shine-through bulbs Bi-Xenon headlights with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	х	×		
Bi-Xenon headlights with self-leveling White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations Bi-Xenton Homelink® universal garage door opener in driver's sunvisor o o v x x x x	х			Rear light assemblies with white side turn indicators and amber shine-through bulbs
White side turn indicator lights in front fenders with amber shine-through bulbs Comfort / Convenience Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	0			
Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	x			
Fully automatic dual-zone climate control system with seven temperature sensors, sun sensor and pressure sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	^	^	^	
sensor. Also includes active charcoal and electrostatic filters, which sense pollen, odors, bacteria and dust. Rain sensor; operated by pulling right-hand whindshield wiper stalk up one notch into intermittent mode; sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations x x	1			
sensitivity also adjustable within stalk Light sensor; operated by adjusting exterior light switch to "auto" Homelink® universal garage door opener in driver's sunvisor Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	х	x	х	
● Homelink® universal garage door opener in driver's sunvisor ● Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations x x x	0	0	0	
Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations x x x x	0	0	0	Light sensor; operated by adjusting exterior light switch to "auto"
Front and rear quarter power windows with: - power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations x x x x	0	0	0	Homelink® universal garage door opener in driver's sunvisor
- power retention feature, which keeps power for windows on until either front door open - "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations x x x	x			
- "pinch protection" for all four windows which reverses window at force of 100 N or greater - "one-touch" individual up and down function for front and rear window controls at all window locations	х			- power retention feature, which keeps power for windows
- "one-touch" individual up and down function for front and rear window controls at all window locations	х	х	х	- "pinch protection" for all four windows which reverses window
- master switch that retracts all windows at the same time x x	х	x	х	- "one-touch" individual up and down function for front and rear window controls at all
	х	х	х	- master switch that retracts all windows at the same time
- windows autmatically lower few millimeters when either front door open x x x	x			- windows autmatically lower few millimeters when either front door open
Electronic cruise control with coast, resume, speed-up &-down, controlled by a lever on left side of steering wheel; cruise control indicator located in the instrument panel	х			Electronic cruise control with coast, resume, speed-up &-down, controlled by a lever on left side of steering
Auto-Blink feature enables turn signals to automatically blink three times when blinker stalk briefly pushed up/down (common when changing lane) X	х	х	х	Auto-Blink feature enables turn signals to automatically blink three times when blinker stalk briefly pushed



	Legend	A4 Cobridet	A4 Cobriglet	A4 Cobriglet
		Cabriolet 2.0 TFSI	Cabriolet 2.0 TFSI	Cabriolet 3.2 FSI
	x = Standard o = Optional - = Not available	FrontTrak [®]	quattro [®]	quattro®
	Comfort / Convenience, continued		·	·
	- rear master switch located in center console, under ashtray.			
	The switch is used for locking all doors. It's a lock-only switch,	х	X	х
	and it includes LED to signal when the vehicle is locked.			
	- central locking can be programmed at any authorized Audi			
	dealer to automatically lock when vehicle reaches 8 MPH.	x	x	x
	Vehicle then automatically unlocks when key taken out of	^	^	^
_	ignition.			
•	Automatically dimming outside mirrors with folding feature	0	0	0
•	Four-position driver side memory for seat and mirror adjustments	-	-	0
	Electrically adjustable outside rearview mirrors with heating feature. Heating is automatically activated when			
•	outside temperature is less than 59 degrees F. When outside temperature reaches 77 degrees F, heating	х	Х	Х
_	automatically stops. Illuminated vanity mirrors in left and right front sunvisors	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
-	Third, middle sunvisor above rearview mirror	X	X	X
•	, ,	Х	Х	Х
•	Rear deck lid release with "soft touch" opening feature and remote deck lid release located in driver's door	Х	X	Х
_	Extended range (up to 150 ft.) radio frequency remote locking system with security "rolling code" feature, selective unlock, remote trunk opening and panic function, also activates interior lights and alarm system - all	Х	v	v
•	integrated in folding key	χ.	х	Х
	Interior lights in the overhead console with fade-in and fade-out feature, time delay and automatic switch on			
•	when key is withdrawn from ignition	X	x	x
	, ,			
•	Illuminated glove box, rear cargo area, lighter and ashtray	Х	Х	Х
	Sporty front seats with manual height adjustment using new flexible up/down lever, variable seat-back			
•	adjustment, adjustable head restraints and 4-way electric lumbar adjustment	x	х	-
_	12-way sporty power driver/passenger seat including 4-way electric lumbar adjustment and adjustable head	0		· · · · · · · · · · · · · · · · · · ·
•	12-way sporty power <u>driver/passeriger</u> seat including 4-way electric lumbar adjustment and adjustable flead	0	0	Х
•	adjustable head restraints / driver side memory	-	-	х
	12-way sport front seats including 4-way electric lumbar adjustment and adjustable head restraints (available in			
•	premium leather only)	-	-	0
	Storage tray under front driver and passenger seats (Storage tray under driver seat is not available when			
•	memory is ordered)	х	х	х
•	Front seat-back map net pockets	х	х	х
•	Large ski sack	х	х	х
•	3-point safety belts for all front and rear positions (total of 4)	Х	х	х
•	2 fixed head restraints for rear seats	×	×	X
j		^	^	^
	Interior Cloth upholstery			
•	· · · · ·	Х	Х	-
•	Leather seating inserts (Standard in Canada)	0	0	Х
•	Genuine Pearl Nappa Premium leather seat upholstery; door inserts, front / rear center armrest, shift knob and	-	-	О
	steering wheel in matching leather			_
•	Front and rear floor mats with fastening mechanism	Х	Х	Х
•	Genuine wood trim on dashboard, door panel interior beltline, center console and front / rear ashtrays	0	0	Х
•	4-spoke leather wrapped comfort steering wheel with audio controls	X	Х	Х
•	3-spoke leather-wrapped multi-function steering wheel with shift paddles	0	0	0
•	Leather covered transmission shift knob and hand brake handle	Х	X	х



			_	
1	Legend	A4	A4	A4
		Cabriolet	Cabriolet	Cabriolet
	x = Standard o = Optional - = Not available	2.0 TFSI	2.0 TFSI	3.2 FSI
		FrontTrak [®]	quattro [®]	quattro [®]
	Interior, continued			
	Folding front center armrest with adjustable height with dual cupholder	X	Х	Х
•	12 V power outlet (SAE) in trunk	X	Х	Х
•	Remote release fuel tank lid; located in driver door storage area	X	Х	Х
•	Automatically dimming interior mirror with digital compass	0	0	0
	Center Console: US/Canada-specific, full length, emergency brake lever moved several millimeters toward	х	x	x
	driver seat to accommodate dual integrated cupholders.	^	^	^
	- 12 V power outlets (SAE) (1) astray in front of rear shift knob, and (2) w/in console	X	X	х
	- 2 integrated cupholders with spring-loaded size adjustment tabs	Х	Х	Х
	- Front center armrest	Х	Х	Х
	- Front and rear ashtray	Х	Х	Х
	- Storage area under center armrest	Х	Х	Х
•	Fold down rear center armrest with a comprehensive First-aid kit and dual rear cup holders	Х	Х	Х
•	Storage area in the center of rear seats with a comprehensive First-aid kit	Х	Х	Х
•	Protective door sill trim	X	X	X
—	Climate control panel (in center console) with integrated heated seat switches (when heated seats are ordered)			
•	chinate control parter (in control concern) min integrated nearest control con	X	X	Х
-	Ambient red lighting in headliner for dash and center console	х	Х	х
	Illuminated air vent controls in dashboard			
		X	X	Х
	Aluminum interior beltline trim	X	X	-
	Brushed aluminum trim by quattro GmbH (S line)	0	0	0
	Dark Walnut Wood beltline trim; dashboard, door panel interior beltline, center console and front/rear ashtrays	-		X
•	Beige Birch Wood beltline trim; dashboard, door panel interior beltline, center console and front/rear ashtrays	0	0	0
•	Tool kit located in the spare wheel well	X	X	Х
	Instruments / Electrical equipment			
•	380 A Battery (80 AH)	Х	Х	Х
•	Backlit instrument cluster with automatic brightness control including following features:	Х	Х	Х
	- sporty, tubular gauge design	Х	Х	Х
	- white numbering with red pointers, digital clock with date	Х	Х	Х
	- tachometer, electronic speedometer	Х	Х	Х
	- fuel gauge, coolant temperature gauge	Х	Х	Х
	- various additional warning lights	Х	Х	Х
	- Driver information display (described below)	Х	Х	Х
	Bluetooth phone preparation (voice commands not included in Cabriolet) with hands-free conversation ability			
•	Transcent properties (1000 commente not more as in season) with hearts to commente as in y	0	0	0
•	Digital trip odometer with service interval indicator	Х	Х	Х
	Driver information display including:	Х	Х	Х
Ė	- 5-function trip computer (timer / miles-to-empty / average MPG /			
	average MPH / instant MPG)	X	X	Х
\vdash	- outside temperature display	ν.		v
H		X	X	X
H	- radio / telephone / navigation / telematics display	Х	X	Х
	- Auto Check system which constantly monitors various functions			
	and components within the vehicle, such as Battery voltage,	х	x	x
	Brake pad indicator, Oil level indicator, Washer fluid indicator,	^	^	^
	and more.			
T	- speed warning device	Х	Х	х
T	- pictogram display for open door and trunk	X	X	X
•	Concealed headlight washer system, integrated in the front bumper	X	X	X
	Windshield wipers with 4-position adjustable intermittent interval rate	X	X	X
	Heated windshield washer nozzles	X	X	X
	Advanced anti-theft vehicle alarm system with following features:	X	X	X
Ė	- theft deterrent light in front doors	X	X	X
H	- back-up battery in case main vehicle battery is disconnected	X	X	X
\vdash	- back-up horn	X	X	X
\vdash	- III. Generation Immobilizer prevents engine start when key with	^	^	^
		X	X	х
1	automatically changing electronic code feature is not used			
H	- tilt sensor which prevents theft by towing; func. can be defeated by switch located in driv.door	X	X	X
L	- system automatically arms when vehicle locked	X	X	X



Legend	A4 Cabriolet	A4 Cabriolet	A4 Cabriolet
x = Standard o = Optional -= Not available	2.0 TFSI FrontTrak [®]	2.0 TFSI quattro [®]	3.2 FSI quattro [®]
Instruments / Electrical equipment, continued		·	,
Third generation Audi Symphony II+ radio (with and without Bose):	х	Х	х
- AM / FM/SAT radio with channel preset capability (18 FM / 18 AM / 21 Satellite)	Х	Х	Х
- digital AM / FM tuner in combination with dual diversity antenna system	X	X	X
- in-dash six-disc CD changer with MP3 reading capability	Х	Х	х
- random mode for individual CD's as well as entire CD changer	х	Х	х
- phase diversity; improved reception for both AM and FM bands	Х	Х	Х
- RDS (Radio Data System) displays radio station call letters and other information	Х	Х	Х
- "Autostore" AS function, which automatically selects 6 AM and 6 FM strongest stations	Х	Х	Х
Theft-deterrent design which only fits an Audi vehicle	X	X	X
- GALA (Graduated Audio Level Adjustment) varies volume			
based on vehicle speed; NOTE: deactivated with Bose AudioPilot	X	Х	Х
- Satellite radio pre-wiring: installation through factory or dealer installation for Sirius or (XM receiver			
units-Canada only).	Х	X	Х
Audi Navigation Plus (with and without Bose):	0	0	0
,			
- AM/FM/SAT radio bands;30 combined radio presets	0	0	0
- Satellite radio pre-wiring/prep: XM(Canada) or Sirius provider capability	0	0	0
- 1 disc DVD to cover all US and Canada including Hawaii (excluding Alaska)	0	0	0
- Full color, map-based navigation screen	0	0	0
- MMI control logic with similar screen design and font (only controls radio/CD/nav functions)	0	0	0
- SD card inserts (2) to store MP3 data (music) to transfer into radio controls	0	0	0
- GALA (Graduated Audio Level Adjustment) varies volume	0	0	0
based on vehicle speed. Deactivated if equipped with Bose			
AudioPilot noise compensation feature.			
- Theft deterrent design to prevent theft	0	0	0
- Part of package with glovebox 6-CD changer	0	0	0
- LCD screen dimensions: 3 in. vertical; 5.5 in. horizontal; 6.25 in. diagonal	0	0	0
- 5 language settings and voice guidance (English/French/Spanish/Italian/German)	0	0	0
• 10-speaker sound system (4 in front doors; 2 per door, 4 in rear doors; 2 per door, subwoofer and front center	Х	Х	Х
Bose Premium sound system with Audio Pilot noise compensation feature (all 10 speakers Bose "Nd"			
Neodymium Iron Boron high efficiency woofers)	0	0	0
Rear window defroster. When activated, defroster remains continuously on when outside temperature is 32			
• degrees F or below. When temperature is 33 degrees F or above, function automatically turns off after approx.	x	x	х
10 minutes.	^	^	^
Sophisticated CAN network, including 3 fully functional CAN circuits (Infotainment / Comfort / Powertrain)	Х	Х	Х
Concealed antenna system under composite (plastic) trunk lid, includes GPS, telephone, 4-channel FM and 1-			
channel AM and satellite radio antennas	x	Х	х
<u> </u>			
Safety / Security			
● Four-wheel Anti-lock Brake System (ABS) with Electronic rear Brake pressure Distribution (EBD)	Х	Х	Х
Brake Assist, a system which automatically senses emergency braking and applies maximum available power	x	x	x
boost to reduce overall stopping distance	*	×	×
Valet key; cannot open glovebox, lockable folding rear seats and rear trunk	х	Х	х
Driver and front passenger next generation airbag supplemental restraints with dual threshold deployment			
determined by seat belt buckle switches	х	х	х
Driver and front passenger seat mounted head / thorax airbag supplemental restraints	Х	Х	Х
"Up front" crash sensors (2), which are integrated in a system of 6 sensors throughout the vehicle which can			
• best determine severity of a crash, and can therefore better deploy technology designed to protect the	x	x	x
passengers.			
Active rollover protection system	х	Х	Х
-	^	^	^



Legend	A4 Cabriolet	A4 Cabriolet	A4 Cabriolet
	2.0 TFSI	2.0 TFSI	3,2 FSI
x = Standard o = Optional -= Not available	FrontTrak [®]	quattro [®]	quattro [®]
Safety / Security, continued	Tionerian	quanto	quanto
● If crash sensor system is activated, following will happen automatically:	х	Х	Х
- central locking automatically unlocks	Х	Х	Х
- interior lighting is switched on	х	Х	х
- fuel pump and engine are switched off	х	х	Х
- hazard warning lights are switched on	Х	Х	Х
Impact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell	х	x	х
Side intrusion beams in side doors which ensure equal distribution of forces in case of side impact	х	х	х
Fuel tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover	х	х	х
LATCH (Lower Anchors and Tethers for Children) for both rear seating positions	х	х	х
Two adjustable front head restraints	х	х	х
Two fixed rear head restraints	х	х	х
Two front fog lights located in lower front bumper	х	х	х
One rear fog light in left rear light	х	х	х
Front 3-point safety belts with automatic pretensioning and belt force limiters	х	х	х
Two 3-point rear safety belts with automatic pretensioning	х	Х	х
Front passenger and rear safety belts with CLR (Convertible Locking Retractor, a ratcheting mechanism for conveniently securing a child seat)	х	х	х
Front seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose loads sliding forward during heavy braking	х	х	х
Seatbelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained	х	х	х
Auto-Blink feature enables turn signals to automatically blink three times when blinker lever briefly pushed up/down (common when changing lane)	х	х	х
Tire pressure monitoring system	0	0	0
Reflectors in rear of both doors	х	х	х
First Aid kit in rear center storage	х	х	х

2007 Audi A4 Cabriolet Option Program



Legend	A4	A4	A4
	Cabriolet	Cabriolet	Cabriolet
	2.0 T FSI	2.0 TFSI	3.2 FSI
x= included in package o= Optional -= Not available s= Standard	FrontTrak [®]	quattro®	quattro®
Optional Equipment			
Optional Equipment			
Premium Package	0	0	-
- Wind deflector	Х	Х	s
- Leather seating surfaces (Standard in Canada only)	Х	Х	S
- 17" cast alloy wheels, 5-Double-spoke design with all season tires	х	х	-
- 12-way sporty power driver & passenger seats including 4-way			
electric lumbar	x	x	s
adjustment and adjustable head restraints (Standard in Canada only)		, and a	J
Convenience Package	0	0	0
- Homelink® Universal garage door opener	0 X	0 X	<u>О</u> Х
- Bi-Xenon headlights with automatic self-leveling feature	X	X	X
- Adaptive front lighting system	X	X	X
- Interior/exterior auto-dimming, compass	X	X	S
- Interior/exterior auto-dimming, folding mirrors, compass	-	-	X
- Light sensor package, including "coming home", "leaving home"			
and automatic light switch functionalities	Х	Х	Х
- Driver side memory for front seat and mirror adjustments	-	-	х
- Acoustic convertible top	-	-	х
Audio Package	0	0	0
Bose® premium sound system with AudioPilot® noise compensation			
feature, including total of 9 speakers and using state-of-the-art Bose	х	х	x
Nd® speaker technology			
Sirius satellite radio, U.S. (Canada pre-wiring now standard initially with			
XM Satellite radio as dealer installed option)	Х	Х	Х
S line Package (requires Premium Package in USA only)	0	0	0
18" quattro GmbH / 5-arm wheels / high performance tires	Х	Х	Х
Brushed aluminum interior trim from quattro GmbH	Х	Х	Х
S line badges on sides and front grill	Х	Х	Х
Sport suspension	х	Х	Х
Separate Options			
Heated front seats (standard in Canada) (requires	0	0	0
Premium/Convenience Pkg)	U	U	U
Heated front and rear seats (requires Premium/Convenience Pkg)	-	-	0
Bluetooth phone preparation (requires Premium/Convenience Pkg)	0	0	0
Tire pressure monitoring system	0	0	0
Audi Navigation Plus: DVD-based, GPS, audible instructions, MMI			
control logic, AM/FM, sat radio available, Bose available, LCD color			
screen for navigation, glovebox 6 CD changer, SD card (MP3 music)	0	0	0
inserts behind LCD screen, 5 languages (Eng/Fr/Span/Ital/Germ);			
requires Premium Package Sport suspension (cannot be ordered with S line, requires			
Premium/Convenience Pkg)	О	О	0
Dark Walnut Wood or Beige Birch Wood Interior beltline trim	0	0	S
Metallic/Pearl Effect paint	0	0	0
Sold Order Options	J		Ű
Genuine Pearl Nappa Premium leather seat upholstery; door inserts,			
front / rear center armrest, shift knob and steering wheel in matching	_	_	О
leather			
Rear Parktronic	-	-	0
	-	-	