

	A4	A4	A4	A4
x = Standard o = Optional - = Not available	2.0T FrontTrak [®] sedan	2.0T quattro [®]	3.2 FrontTrak® sedan	3.2 quattro
General Technical				_
2.0T FSI Engine; 200 SAE hp: 207 lb-ft @ 1800-5000 RPM; Inline four-cylinder spark-ignition engine, exhaust turbo-charger with intercooler, 4 valves per cylinder, FSI direct injection technology, DOHC	х	х	-	-
3.2 (3,123 cc) FSI Engine; 255 SAE hp: 243 lb-ft @ 3250 RPM; V6 spark-ignition engine with direct injection, 4-valves per cylinder, FSI direct injection technology, DOHC, 2-stage variable intake manifold with two charge movement flaps, demand-controlled high-pressure	-	-	х	х
and low-pressure fuel system, variable valve timing LEV2 (Ultra Low Emission Vehicle) certification	-	_	x	х
ULEV II (CA) / Bin 5 (Federal) certification	Х	Х	-	-
Audi multitronic®, electronically controlled, link-plate chain driven Continuously Variable Transmission with Dynamic Regulation Program (DRP); FrontTrak models	0	-	х	-
6-speed automatic transmission with Tiptronic® (allowing driver to select gears manually) and Dynamic Shift Program (DSP) which selects from over 200 shift programs to match driver needs. Transmission also includes hill detection capability; quattro models 6-speed manual transmission with synchronized reverse gear; dual mass flywheel	-	0	-	0
4-wheel Anti-lock Brake System (ABS) with Elec Brake force Distribution (EBD)	X X	X X	X	X
Tire Pressure Monitoring System	X	X	X	X
Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance	х	х	х	х
FrontTrak®, front wheel drive system with legendary four-link front suspension and ESP system	Х	-	Х	-
quattro® permanent all-wheel drive system, includes torque sensing self-locking center differential	-	X	-	X
Fully galvanized sheet metal CAN network, including 3 fully functional CAN circuits (Infotainment / Comfort / Powertrain)	X X	x x	X X	X
ESP (Electronic Stabilization Program), version 8.0: advanced understeer control and hydraulic fading compensation to keep brake discs as dry as possible; also includes ABS / EBD / EDL / ASR.	X	X	X	X
CFC-free (chloroflourocarbon) air conditioning refrigerant	х	Х	х	Х
Wheels / Tires				
7J x 16 ET 42 / 7-spoke cast alloy wheels with 215/55 all-season tires	Х	Х	-	-
7.5J x 17 ET 45 / 5 double-spoke cast alloy wheels with 235/45 all-season tires	0	0	-	-
8J x 18 ET 43 / 5-arm quattro GmbH cast alloy wheel with 235/40 all-season tires (S line package) 8J x 18 ET 43 / 5-arm quattro GmbH cast alloy wheel with 235/40 high-performance tires (S line package)	0	0	X	Х
8J x 18 ET 43 / 5-arm qualitio Gribin cast alloy wheel with 235/40 right-periormance tires (5 line package) 8J x 18 ET 43 / 15-spoke quattro GmbH Titanium finish cast alloy wheel with 235/40 all-season tires (Titanium Pkg)	0	0	0	0
8 J x 18 ET 43 / 15-spoke qualito GmbH Titanium finish cast alloy wheel with 235/40 high-performance tires (Titanium Pkg)	0	0	0	0
Full size spare tire with alloy wheel	Х	X	Х	Х
Suspension / Steering / Brakes				
Front ventilated disc brakes (Teves FNRG-60);320 mm (12.6 in) x 30 mm (1.2 in) rotors	Х	Х	Х	Х
Rear solid disc brakes (TRW CII-41); 288 mm (11.3 in) x 12 mm (0.5 in) rotors Disc wiping feature: automatically taps brake discs to remain dryer, cleaner, and responsive; not noticeable by driver or passengers	X X	X X	X X	X
Lists wiping leature, automatically tapps brake discs to remain uyer, cleanier, and responsive, not noticeable by univer or passengers 4-wheel Anti-lock Brake System (ABS) with Electronic Brake force Distribution (EBD)	X	X	X	X
Brake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall stopping distance	х	х	х	х
Sport suspension, 30% stiffer shocks/springs, stronger stabilizer bars in front/rear, lowered by 20 mm, with S4 and A6 components for more dynamic and sporty driving without sacrificing driver/passenger comfort (S line only)	0	0	0	0
Suspension / Steering / Brakes, continued				
Four-link front suspension, with S4 track rods and E/F bearings, A6 H bearings	Х	X	X	Х
Trapezoidal-link rear suspension (S4 derived), fully independent, A6 dampers/shocks Servotronic elec-controlled speed-sensitive steering (also standard on S4 and RS 4)	X X	X X	X X	X
Tilt and telescopic manually adjustable steering column	X	X	X	X
Exterior Features	^		^	
5 MPH (Federal standard) front and rear bumpers	Х	Х	Х	Х
Retractable high pressure headlight washers concealed in the front bumper (sold-order)	0	0	0	0
Hoated windshield washer neggles	Х	X	X	X
Heated windshield washer nozzles	Х	х О	х о	х О
Chrome trim around exterior side windows (and Avant roof rails)		X	X	X
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg)	0 x		X	X
Chrome trim around exterior side windows (and Avant roof rails)	X X	X		
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade	х		X	Х
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone	x x x x	X X X	X X	Х
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored	x x x x	X X X	X X X	X X
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan)	x x x x x	x x x x	x x x o	х х о
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Power fold/auto-dimming/heated (USA 2.0T)	x x x x x 0	x x x x o	x x x 0	X X O
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Power fold/auto-dimming/heated (USA 2.0T)	x x x x x	x x x x	x x x o	х х о
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature:	x x x x x 0 0	X X X O O	x x x 0 0 0	X X 0 0 0
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center	x x x x x x 0 0 0 0 0 0 0 x x	X X X X O O O O	x x x 0 0 0	x x 0 0 0 0
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power fold/abte (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center - 2.0T on rear deck lid - right, center	x x x x x 0 0	X X X O O	X X X 0 0 0 0	X X 0 0 0 0
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors: left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center - 2.0T on rear deck lid - right, center - 3.2 on rear deck lid - right, center	x x x x x 0 0 0 0	X X X X O O O O O	x x x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	X X 0 0 0 0 0
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2.) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center - 2.0T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - Four rings on top center of rear deck lid	x x x x x 0 0 0 0 0	x x x x 0 0 0 0 0	x x x x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x x 0 0 0 0 0 x x x
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid - right, center - 2.0T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 5.2 on rear deck lid - right, center - Four rings on top center of rear deck lid - Four rings on top center of front grille - 85 mm quattro badge on:	x x x x x 0 0 0 0	X X X X O O O O O	x x x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x 0 0 0 0 0
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass till/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid, left center - 2.0T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 5.2 on rear deck lid - right, center - Four rings on top center of rear deck lid - Four rings on top center of front grille - 85 mm quattro badge on: rear deck lid - right, under engine designation	X X X X X Q Q Q Q Q Q	X X X X X O O O O O O O O O O O O O O O	x x x x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x x x 0 0 0 0 0 0 x x x x x x x x x x
Chrome trim around exterior side windows (and Avant roof rails) Black trim around exterior side windows (and Avant roof rails); front grille with glossy black frame (Titanium Pkg) Remote Release Tank Lid (fueling area continues to be on rear passenger side, button inside driver door storage area) Single-Frame front grill design Sunroof: glass tilt/slide with integrated sliding manual sunshade Roof antenna: GPS, Satellite Radio pre-wiring, Telephone Exterior mirrors; left side flat, right side convex; electrically adjustable, body-colored Exterior Mirrors: Power foldable (not available on Canadian 2.0T FrontTrak sedan) Exterior Mirrors: Pwr fold/auto-dimming/heated (USA 2.0T) Exterior Mirrors: Pwr fold/auto-dimming/heated/memory (USA 3.2/Can 2.0T quattro & 3.2) Metallic / Pearl Effect paint Nomenclature: - A4 on rear deck lid - right, center - 2.0T on rear deck lid - right, center - 3.2 on rear deck lid - right, center - 5.2 on rear deck lid - right, center - Four rings on top center of rear deck lid - Four rings on top center of front grille - 85 mm quattro badge on:	X X X X X O O O O O O O O O O O O O O O	X X X O O O O O X X X	x x x x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x x x 0 0 0 0 0 0 0 x x x x x x x x x



Legend		A4 2.0T	A4	A4 3.2	A4
x = Standard o = Optional -= Not available		FrontTrak® sedan	2.0T quattro®	FrontTrak® sedan	3.2 quattro®
Exterior Lighting		oodan			
Daytime running lights (100% in Canada; USA: adjustable by cust. with Bi-xenon; halogen lighting custo dealers)	omers can program foglight DRL at	0	0	0	0
Two-way ellipsoid halogen projector headlamp assembly with variable focus reflectors, integrated low b	eam and high beam tubes	Х	х	х	х
Bi-xenon headlights, self-leveling		0	0	0	0
Advanced front lighting system (front lights pivot with steering)		0	0	0	0
2 front fog lights in lower front bumper; operated by pulling light switch out 1 click 1 rear fog light in left rear light; operated by pulling light switch out 2 clicks		X X	X X	X X	X X
Rear light assembly also integrated into trunklid; rear blinker lighting now red when inactive red when fla	ashing	X	X	X	X
White side turn indicator lights in front fenders with amber shine-through bulbs	aorin'ig	X	X	X	X
Comfort / Convenience					
Climate control system: dual-zone, fully automatic with seven temperature sensors, sun sensor and pre-	essure sensor.	Х	Х	Х	Х
Windshield wipers with 4-position adjustable intermittent interval rate	20.20	Х	Х	Х	Х
Rain sensor: operated by pulling right-hand windshield wiper stalk up one notch into intermittent mode; stalk (not available on Canadian 2.0T FrontTrak sedan)	,	0	0	0	0
Light sensor: operated by adjusting exterior light switch to "Auto" (not available on Canadian 2.0T Front	Trak sedan)	0	0	0	0
HomeLink® universal garage door opener in driver's sunvisor		0	0	0	0
Front and rear power windows with: - two stage button mechanism		Х	Х	Х	Х
two stage button mechanism power retention feature, which keeps power for windows and					
sunroof on until either front door open					
- "pinch protection" for all four windows which reverses window					
at force of 100 N or greater					
- "one-touch" up and down for front and rear windows at all					
window locations					
 illuminated driver controlled lock out switch for rear power windows 					
Electronic cruise control (two-stage switch) with coast, resume, speed-up, now controlled by a new leve cruise control indicator located in the instrument panel	er on left side of steering wheel;	x	x	х	х
Auto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly push	ned up/down (common when				
changing lane)	ied ap/down (common when	х	Х	х	х
Extended range (up to 150 ft.) radio frequency remote locking system with security "rolling code" featur opening and panic function, also activates interior lights and alarm system - all integrated in folding key		х	x	х	х
Power central locking system (doors, deck lid and fuel door) with selective unlocking (enables unlocking					
doors), plus:	•	х	Х	х	х
- convenience open and close feature for windows & sunroof					
(opens / closes all windows and sunroof when key held in					
driver lock / unlock position) - front master switches located in driver and front passenger					
doors, include LED's to signal when vehicle is locked.					
- rear master switch located in center console, under ashtray.					
The switch is used for locking all doors. It's a lock-only switch,					
and it includes LED to signal when the vehicle is locked.					
- central locking can be programmed at any authorized Audi					
dealer to automatically lock when vehicle reaches 8 MPH. Vehicle then automatically unlocks when key taken out of					
ignition.					
Interior lights in front and rear headliner with fade-in and fade-out feature, time delay and automatic swi ignition	tch on when key is withdrawn from	х	x	x	х
Four-position driver side memory for seat and exterior mirror adjustments		_		_	
(not available on Canadian 2.0T FrontTrak sedan)		0	0	0	0
Exterior Mirrors: Power folding/auto-dimming/memory - interior controls inside driver door (not available on Canadian 2.0T FrontTrak sedan)		0	0	0	0
Exterior Mirror electronic view adjustment with heating feature. Heating is automatically activated wher		х	х	х	х
59 degrees F (15 degrees C). When outside temperature reaches 77 degrees F (25 degrees C), heatin Illuminated vanity mirrors in left and right front sunvisors	ig automatically Stops	x		x	x
Third, middle sunvisor above rearview mirror		X X	X X	X	X X
Four assist handles in headliner with silicone-dampened slow retraction feature		X	X	X	X
Rear deck lid release with "soft touch" opening feature and remote deck lid release located in driver's d	oor	X	X	X	X
Illuminated glove box, rear cargo area, lighter and ashtray		х	Х	Х	х
Steering wheel: 4-spoke, multifunction, leather-bound (shift paddles on auto models)		Х	Х	Х	Х
Steering wheel 2.0T/3.2 S line/Titanium: 3-spoke, multifunction, fully-perforated leather, shift paddles o		0	0	0	0
Steering wheel 2.0T/3.2: 4-spoke, multifunction, dark walnut wood segment trim, leather-bound, wood s	OFFICE KITOD	0	0	0	0



Legend	A4	A4	A4	A4
x = Standard o = Optional -= Not available	2.0T FrontTrak [®] sedan	2.0T quattro [®]	3.2 FrontTrak® sedan	3.2 quattro [®]
Seating				
Manual driver and passenger seat (Canadian 2.0T FrontTrak sedan)	Х	-	-	-
 12-way sporty power front <u>driver</u> seat (manual passenger) including front driver/passenger 4-way electric lumbar adjustment and adjustable head restraints (optional on Canadian 2.0T FrontTrak sedan) 	x	х	-	-
- 12-way sporty power front (driver & passenger) seats including front driver/passenger 4-way electric lumbar adjustment and adjustable head restraints	o	0	x	x
Front driver seat with memory function, incl driver/passenger exterior side mirrors (optional on Canadian A4 2.0T quattro)	-	-	0	0
Heated front seating (CANADA)	0	x	х	x
Heated front seating (USA)	0	0	х	Х
Heated front and rear seating (US & CAN) - not available on (1) Canadian 2.0T FrontTrak sedan; (2) USA 2.0T models)	0	0	0	0
Front seat-back map net pockets (not available on Canadian 2.0T FrontTrak sedan)	x	x	х	х
- 60/40 split folding rear seat with individual locks (sedan) and red indicators when seatback is not properly latched	x	x	х	х
3-point safety belts for all front and rear positions (total of 5)	x	x	х	х
3 adjustable head restraints for rear seats	x	x	х	x
Interior				
- Cloth seating: "Mikado" upholstery (black/platinum only)	x	x	-	-
Leather seating surfaces (standard on Canadian A4 2.0T quattro sedan/Avant quattro versions)	0	0	х	X
Genuine Volterra full-leather seat upholstery; door inserts, front/rear center armrest, shift knob and steering wheel in matching leather	-	-	0	0
Front and rear floor mats with snap-in fastening mechanism	х	Х	х	Х
- Remote Release Fuel Tank Lid: located in driver door storage area	х	х	х	х
- Center Console: US/Canada-specific, full length; emergency brake lever moved several millimeters toward driver seat to accommodate dual integrated cupholders	x	х	x	х
- 12 V power outlets (SAE) (1) ashtray in front of gear shift knob (2) w/in console				
- 2 integrated cupholders with spring-loaded size adjustment tabs				
- Front center armrest				
- Front and rear ashtray				
- Storage area under center armrest				
Folding front center armrest with adjustable height and dual cupholder	х	Х	х	Х
Fold down rear center armrest	х	х	х	х
Dual rear cupholder located in the rear center armrest	х	х	х	х
Climate control panel (in center console) with integrated heated seat switches (when heated seats ordered)	x	x	х	х
Ambient red lighting in headliner for dash and center console	x	x	х	х
- Aluminum interior beltline trim	Х	х	-	-
Brushed aluminum interior beltline trim from quattro GmbH (S line Pkg)	0	0	0	0
Piano black interior beltline trim from quattro GmbH (Titanium Pkg)	0	0	0	0
Dark walnut wood beltline trim: dashboard, door panel interior beltline, center console and front / rear ashtrays: (n/a Can. 2.0T)	0	0	х	Х
Leather covered transmission shift knob (automatic models), shift boot (manual models) and hand brake handle (all models)	x	x	х	х
- 12 V power outlet (SAE) in trunk	х	Х	х	Х
- Automatically dimming interior mirror with digital compass	0	0	0	0
- Protective aluminum door sill trim	х	Х	х	Х
Power rear sunshade with manual rear side window shades - sedan (not available on Canadian 2.0T FrontTrak sedan)	0	0	0	0
- Manual rear side window shades - Avant	0	0	0	0
Illuminated air vent controls in dashboard	х	Х	x	Х
Four tie-down eyelets with luggage net in trunk	X	Х	х	Х
Tool kit located in the spare wheel well	х	x	х	х



Legend	A4	A4	A4	A4
x = Standard o = Optional - = Not available	2.0T FrontTrak [®]	2.0T	3.2 FrontTrak®	3.2
A = Glahidata	sedan	quattro®	sedan	quattro®
Electronics / Infotainment				
380 A Battery (80 AH)	Х	Х	х	Х
Roof antenna: GPS, Satellite Radio pre-wiring, Telephone	Х	Х	х	Х
Concealed rear glass antenna: Multi-channel FM, AM, and remote lock/unlock/panic	Х	Х	х	Х
Bluetooth phone preparation and voice control functions	0	0	0	0
Backlit instrument cluster with auto brightness control including following features:	Х	Х	Х	Х
- sporty, tubular gauge design				
- white numbering with red pointers, digital clock with date				
- tachometer, electronic speedometer				
- fuel gauge, coolant temperature gauge - various additional warning lights				
- various additional warning lights Digital trip odometer with service interval indicator located w/in speedometer oval			v	v
Digital rup duometer with service microval mulcator todated with speedumeter oval Date/time display located within tachometer oval	X X	X X	X X	X
Driver Info Display: Monochrome (red characters/black background)	X	X	X	
Driver Info Display: Monochionne (red characters/black background) Driver Info Display Details:		0	0	X
- 5-function trip computer (timer / miles-to-empty / average MPG /	0	0	U	0
- 3-turicum inpromiputer (inter / miles-to-empty / average wir 3 / average MPH / instant MPG)				
average wirrin instantivir G) - outside temperature display				
- outside temperature dispray - radio / telephone / navigation display				
- Auto / telephoner / lavingation inspiray - Auto Check Stystem which monitors various functions and components				
within the vehicle: battery voltage, brake pad indicator, oil level indicator,				
washer fluid indicator, and more.				
- speed warning device				
- speed warming belay for open door and trunk				
10-speaker sound system:	х	х	х	х
- four speakers in front doors (2 per door)	^	^	^	^
- four speakers in rear doors (2 per door)				
- subwoofer and front centerfill speaker				
Bose premium sound system with AudioPilot noise compensation feature	0	0	0	0
- All 10 speakers, Bose "Nd" Neodymium Iron Boron high efficiency woofers			Ů	
Audi Symphony II+ radio (with and without Bose), featuring:	Х	х	х	Х
- AM / FM / Sat radio; Presets: 18 FM / 18 AM / 21 Satellite				
- digital AM / FM tuner in combination with dual diversity antenna system				
- in-dash six-disc CD changer with MP3 reading capability				
- random mode for individual CD's as well as entire CD changer				
- phase diversity: improved reception for both AM and FM bands				
- RDS (Radio Data System) displays radio station call letters & other info				
- "Autostore" function which automatically selects 6 AM and 6 FM				
strongest stations in the area				
- theft deterrent design which only fits an Audi vehicle				
- GALA (Graduated Audio Level Adjustment) varies volume				
based on vehicle speed (deactivated with Bose AudioPilot system)				
- Satellite radio preparation (installation through factory via dealer orders or dealer installation				
Audi Navigation Plus (not available on Canadian 2.0T FrontTrak sedan; available with or without Bose:	0	0	0	0
- AM/FM/Sat radio bands; 30 combined radio presets				
- 1 disc DVD to cover all of US and Canada				
- 1 disc DVD to cover all of US and Canada - Full color, map-based navigation screen				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume based on vehicle speed (deactivated if equipped with Bose AudioPilot system)				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume based on vehicle speed (deactivated if equipped with Bose AudioPilot system) - theft deterrent design which only fits an Audi vehicle				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume based on vehicle speed (deactivated if equipped with Bose AudioPilot system) - theft deterrent design which only fits an Audi vehicle - Specify glovebox 6-CD changer or glovebox iPod interface - LCD Screen Dimensions: 3 in. vertical; 5.5 in. horizontal; 6.25 in. diagonal				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume based on vehicle speed (deactivated if equipped with Bose AudioPilot system) - theft deterrent design which only fits an Audi vehicle - Specify glovebox 6-CD changer or glovebox iPod interface - LCD Screen Dimensions: 3 in. vertical; 5.5 in. horizontal; 6.25 in. diagonal - 5 industry-leading language settings and voice guidance (English/French/Spanish/Italian/German)				
- Full color, map-based navigation screen - MMI control logic with similar screen design and font - SD card inserts (2) to play MP3 music files from SD cards - GALA (Graduated Audio Level Adjustment) varies volume based on vehicle speed (deactivated if equipped with Bose AudioPilot system) - theft deterrent design which only fits an Audi vehicle - Specify glovebox 6-CD changer or glovebox iPod interface - LCD Screen Dimensions: 3 in. vertical; 5.5 in. horizontal; 6.25 in. diagonal	x	х	x	x



Safaty / Security Let key: cannot open glovebox, lockable folding rear seaks, and rear trunk AVA split folding rear seat with individual locks (sedan); cannot be unlocked with valer key xup-wheel Anti-lock Brake System (ABS) with Electronic rear Brake force Distribution (EBD) xake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall xpoing distance xover adio	T 2.0	A4 2.0T FrontTrak®	A4 2.0T	A4 3.2 FrontTrak®	A4 3.2
late key, cannot open glovebox, lockable folding rear seats, and rear trunk (44) split folding rear seat with individual locks (seaden); cannot be unlocked with valet key 1 x yur-wheel Anti-lock Brake System (ABS) with Electronic rear Brake force Distribution (EBD) 2 x yether Anti-lock Brake System (ABS) with Electronic rear Brake force Distribution (EBD) 3 x yether which automatically senses emergency braking and applies maximum available power boost to reduce overall popping distance 4 x door locking at 6 mph / 8 kmh 5 x verbanced airbags (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light wover radio 5 x verbanced airbags (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light wover and for the passenger seat mounted side airbag supplemental restraints 5 x yet and front passenger seat mounted side airbag supplemental restraints 5 x yet and front passenger seat mounted side airbag supplemental restraints 5 x yet and front passenger seat mounted side airbag supplemental restraints 6 x yet and front passenger seat mounted side airbag supplemental restraints 7 x yet and front passenger seat mounted side airbag supplemental restraints 8 x yet and front passenger seat mounted side airbag supplemental restraints 9 x yet are passenger side airbag supplemental restraint system 1 pront' crash sensors (2), which include integrated system of 5 sensors throughout the vehicle which can best determine severity of a pront' crash sensors (2), which include integrated system of 5 sensors throughout the vehicle which can best determine severity of a pront' crash sensors (2) which include integrated system of 5 sensors throughout the vehicle which can best determine severity of a pront all vehicles are sensors (2), which include integrated system of 5 sensors throughout the vehicle which can best determine severity of a pront sensense sensors (2), which include integrated system of 5 sensors thr	an quatti	sedan	quattro	sedan	quattro
Vid. Spill folding rear seat with individual locks (seadan), cannot be unlocked with valet key un-wheel Anh-lock Brake System (ASB) with Electronic rear Brake force Distribution (EBD) x x x x x x x x x					
burwheel Anti-lock Brake System (ABS) with Electronic rear Brake force Distribution (EBD) x ake Assist, a system which automatically senses emergency braking and applies maximum available power boost to reduce overall popping distance x bopping distance x vanced aribags (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light wover addion x value and the protection of the protection of the very stream from the protection of the very stream from the passenger seat mounted side airbag supplemental restraints x DEGUARD Inflatable Curtain Airbags; extend from A-pillar to C-pillar on each side of the vehicle; protect front and rear passengers spants collision with side glass, accident debris and rollover x para passenger side airbag supplemental restraint system o o p front" crash sensors (2), which include integrated system of 8 ensors throughout the vehicle which can best determine severity of a sah, and can therefore better deploy technology designed to protect the passengers. x 2 rash sensor system is activated, following will happen automatically:				Х	Х
ake Assist a system which automatically senses emergency braking and applies maximum available power boost to reduce overall poping distance of alroady (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light vove radio alroady (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light vove radio popularity and passenger next generation airbag with dual threshold deployment determined by seat belt colds switches with the passenger seat mounted side airbag supplemental restraints x price and front passenger seat mounted side airbag supplemental restraints x price (Sci airbag suplemental restraint system of price of the vehicle; protect front and rear passengers are passengers is de airbag suplemental restraint system po front" crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a pash, and can therefore better deploy technology designed to protect the passengers. x passenger system is activated, following will happen automatically: - central tocking automatically unboks - interior lighting is switched on - tuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched on passenger sate belt indicator chimes at front driver and passengers seat belt indicator chimes at front driver and passengers sate belt indicator chimes x passing the protection on all windows and glass surroof (if equipped) x passenger and rear assist belt indicator chimes x passenger and rear asset belt indicator chimes x passenger and rear asset belt indicator chimes x passenger and rear asset belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x passenger and rear asset ybelts with automatic pretensionin				X	X
poping distance in door locking at 5 mph / 8 km/h	Х	X	X	Х	Х
ize door locking at 5 mph / 8 km/h vanced airbags (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light vove radio x x x x x x x x x x x x x	x	×	×	x	х
Avanced airbags (FMVSS 208), 2-stage including occupant protection; indicated in cabin by "Pass Airbag off" amber indicator light over radio over radio over radio a color patients." It is a color protection and passenger seat mounted side airbag supplemental restraints. It is a color protect front passenger seat mounted side airbag supplemental restraints. It is a color protect front and rear passengers and rear officers and rear passengers and rear passengers and rear seas and reliover are passenger side airbag supplemental restraint system pront of the rear o		1			
wove radio pupplemental restraints: front driver and passenger next generation airbag with dual threshold deployment determined by seat belt cockle switches ver and front passenger seat mounted side airbag supplemental restraints DEGUARD Inflatable Curtain Airbags; extend from A-pillar to C-pillar on each side of the vehicle; protect front and rear passengers airbas collision with side glass, accident debris and rollover x painst collision with side glass, accident debris and rollover x painst sollision with side glass, accident debris and rollover x painst sollision with side glass, accident debris and rollover x painst collision with side glass, accident debris and rollover x painst sollision with side glass, accident debris and rollover x painst collision with side glass, accident debris and rollover x painst collision with side glass, accident debris and rollover x part passengers side airbag supplemental restraint system op pront' crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a ash, and can therefore better deploy technology designed to protect the passengers. x crash sensor system is activated, following will happen automatically: - central locking automatically unlocks - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched on - fuel pump and engine are switched on - such protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passengers seat belt indicator chimes x call front driver and passe	Х	Х	Х	Х	Х
ickle switches X	х	х	х	х	х
DEGUARD Inflatable Curtain Airbags; extend from A-pillar to C-pillar on each side of the vehicle; protect front and rear passengers air passenger side airbag suplemental restraint system op front' crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a sath, and can therefore better deploy technology designed to protect the passengers. *** *** *** *** ** ** ** **	x	x	x	х	х
DEGUARD Inflatable Curtain Airbags; extend from A-pillar to C-pillar on each side of the vehicle; protect front and rear passengers air passenger side airbag suplemental restraint system op front' crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a sath, and can therefore better deploy technology designed to protect the passengers. *** *** *** *** ** ** ** **	х	х	х	х	х
painst collision with side glass, accident debris and rollover as passenger side airbag suplemental restraint system op front" crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a sah, and can therefore better deploy technology designed to protect the passengers. ***Carba sensors yeaker is activated, following will happen automatically: ***Central locking automatically unlocks** - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched off - hazard warning lights are switched on pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x character of the protection on all windows and glass sunroof (if equipped) ***Edit interior including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x character of the protection on all windows and glass sunroof (if equipped) ***Edit interior including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x character and passenger seat belt indicator chimes a care and care the care hondroring System					
par passenger side airbag suplemental restraint system portion for crash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a sah, and can therefore better deploy technology designed to protect the passengers. x crash sensor system is activated, following will happen automatically: - central tocking automatically unlocks - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched off - hazard warning lights are switched on or pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x central took on all windows and glass surroof (if equipped) - x de intrusion beams in side doors which ensure equal distribution of forces in case of side impact - all front driver and passenger seat bett indicator chimes - x tel tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover - x tarcer (Lower Anchorage and upper Tether Child seat) provisions in rear seats - x repressure Monitoring System - x verified high societate in lower front bumper - x rear fog lights located in lower front bumper - x rear fog lights in left rear light - x verified child locks in rear doors - x verified child locks in rear doors - x verified seath yelds with automatic pretensioning, height adjustable upper mounts and belt force limiters - x verified seathly belts with automatic pretensioning, height adjustable upper mounts and belt force limiters - x verified seathly belts with automatic pretensioning on seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose add skiding forward during heavy braking - x verified and yellowing features: - x verified and yellowing heavy braking - x verified and yellowing heavy braking - x verified and yellowing heavy braking - x verified and	х	х	Х	х	х
profine (rash sensors (2), which include integrated system of 6 sensors throughout the vehicle which can best determine severity of a sash, and can therefore better deploy technology designed to protect the passengers. x rash, and can therefore better deploy technology designed to protect the passengers. x central locking automatically unlocks - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched on peat protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x chip protection on all windows and glass sunroof (if equipped) de intrusion beams in side doors which ensure equal distribution of forces in case of side impact all front driver and passenger seat belt indicator chimes let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x tTCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats the rear head restraints x re Pressure Monitoring System x rear head restraints x rear read head restraints x rear read head restraints x rear read flaghts located in lower front bumper x rear fog light in left rear light x rear affectly belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x rear affectly belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont 3-point seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads slicing forward during heavy braking attentional profits of the child locks x regency rear door unlocking mechanism adjacent to the child locks x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x theft determining the automatic prevents engine start when key with automatically chang	0	0	0	0	0
ash, and can mererore better depitor technology designed to protect me passengers. zash sensor system is activated, following will happen automatically: - central locking automatically unlocks - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched on pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell - x concluding reinforced high strength steel reinforced provisions in rear seats - x control folights located in lower front bumper - x control folights located in lower front bumper - x control folights located in lower front bumper - x control folights located in lower front bumper - x control folights located in lower front bumper - x control folights located in lower front bumper - x control folights with automatic pretensioning, height adjustable upper mounts and belt force limiters - x control passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) - x control rear safety belts with automatic pretensioning - x control rear safety belts with automatic pretensioning or conv		×		x	×
- central locking automatically unlocks - interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched on yeact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x nch protection on all windows and glass sunroof (if equipped) x dei intrusion beams in side doors which ensure equal distribution of forces in case of side impact all front driver and passenger seat bett indicator chimes x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x TCCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x re Pressure Monitoring System x rere Pressure Monitoring System x vo front fog lights located in lower front bumper x rear fog light in left rear light x regrated child locks in rear doors x ont 3-point safety betts with automatic pretensioning, height adjustable upper mounts and belt force limiters x x ont passenger and rear safety betts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x x ree 3-point rear safety betts with automatic pretensioning x ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads sliding forward during heavy braking automatically changing alone x deflectors in rear of all doors x thefit deterrent light in driver's door ultrasonic interior monitoring system with following features: - thefit deterrent light in driver's door - ultrasonic interior monitoring system with following features: - thefit deterrent light in driver's door - ultrasonic interior monitoring system with fedeat switch in driver's door - ultrasonic interior monitoring system with fedeat switch in driver's door - ultrasonic interior monitoring system with fedeat switch in driver's door - decrease and website battery is disconnected - Generation IV Immobilizer prevents engine sta					^
- interior lighting is switched on - fuel pump and engine are switched off - hazard warning lights are switched on pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x nch protection on all windows and glass sunroof (if equipped) de intrusion beams in side doors which ensure equal distribution of forces in case of side impact x lal front driver and passenger seat belt indicator chimes let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover xTCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x let ere ressure Monitoring System x re Pressure Monitoring System x vere rear head restraints x volven fort fog lights located in lower front bumper x re rear fog light in left rear light x re rear fog light in left rear light x re rear fog light in left rear light x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x ree 3-point rear safety belts with automatic pretensioning x sates include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads sliding forward during heavy braking antibellative enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x letter of all doors x vertices and one shall be such a such and such and the passenger is restrained x reflectors in rear of all doors x vertices in rear of all doors x ve	х	х	Х	х	Х
- fuel pump and engine are switched off - hazard warning lights are switched off - hazard warning lights are switched on pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x de intrusion beams in side doors which ensure equal distribution of forces in case of side impact x all front driver and passenger seat belt indicator chimes x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x tCCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats re Pressure Monitoring System x ree rear head restraints x or front fog lights located in lower front bumper x re rear fog light in left rear light x ere rear fog light in left rear light x ere rear fog light in left rear light x ere rear fog light with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont 3-point safety belts with automatic pretensioning for safety belts with automatic pretensioning ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose and selding forward during heavy braking x at the strength steel reinforcement construction to protect from side rear impact; additional protection against loose and siding forward during heavy braking x regency rear door unlocking mechanism adjacent to the child locks x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x reflectors in rear of all doors x		4			
- hazard warning lights are switched on pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x not protection on all windows and glass sunroof (if equipped) x and intrusion beams in side doors which ensure equal distribution of forces in case of side impact x lal front driver and passenger seat belt indicator chimes x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x let tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x letters. X to full full full full full full full ful		4			
pact protection, including reinforced high strength steel / aluminum crossmembers, reinforced bumpers, and rigid occupant cell x high protection on all windows and glass sunroof (if equipped) x de intrusion beams in side doors which ensure equal distribution of forces in case of side impact x all front driver and passenger seat belt indicator chimes x leit tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x tTCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x ree Pressure Monitoring System x ree rear head restraints x vo front fog lights located in lower front bumper x reer fog light in left rear light x tegrated child locks in rear doors x to 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont 3-point safety belts with automatic pretensioning net seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose and selding forward during heavy braking x attent buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x regency rear door unlocking mechanism adjacent to the child locks x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) directors in rear of all doors x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) directors in rear of all doors x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) directors in rear of all doors x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) directors in rear of all doors x to-Blink feature enables turn signals to automatically blink		4			
nch protection on all windows and glass sunroof (if equipped) de intrusion beams in side doors which ensure equal distribution of forces in case of side impact x all front driver and passenger seat bett indicator chimes x tel tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x TCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x te Pressure Monitoring System x ree rear Monitoring System x ree rear head restraints x forfont fog lights located in lower front bumper x ree rear fog light in left rear light x tegrated child locks in rear doors ont 2-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x aree 3-point rear safety belts with automatic pretensioning ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose adds sliding forward during heavy braking x atablet buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x atablet buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x atto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x defectors in rear of all doors x defectors in rear of a				1	
de intrusion beams in side doors which ensure equal distribution of forces in case of side impact x all front driver and passenger seat belt indicator chimes x toll front driver and passenger seat belt indicator chimes x toll the within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover x tTCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x ree Pressure Monitoring System x reer ear head restraints x vo front fog lights located in lower front bumper x reer ear head restraints x vo front fog lights located in lower front bumper x reer ear head restraints x vo front fog lights located in lower front bumper x reer are fog light in left rear light x regrated child locks in rear doors ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x reer 3-point rear safety belts with automatic pretensioning x rear 3-point rear safety belts with automatic pretensioning x rear 3-point rear safety belts with automatic pretensioning x reer 3-point rear safety belts with automatic pretensioning x and seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose adds sliding forward during heavy braking anabelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x anabelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x anabelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x anabelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x anabel buckle sensors for front passengers which control airbag deploym				Х	Х
x izel tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover in the protection of the protection				Х	Х
tel tank within protective bodywork structure with special safety valves which prevent gravitational fuel spillage in case of rollover XTCH (Lower Anchorage and upper Tether Child seat) provisions in rear seats x Pressure Monitoring System x ree rear head restraints xor front fog lights located in lower front bumper x ree rear head restraints xor front fog light in left rear light x tegrated child locks in rear doors x ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x ree 3-point rear safety belts with automatic pretensioning achild at) x ree 3-point rear safety belts with automatic pretensioning achild at) x ree 3-point rear safety belts with automatic pretensioning achild at) x ree 3-point rear safety belts with automatic pretensioning achild at at a safety belts with automatic pretensioning achild at at a safety belts with automatic pretensioning achild at at a safety belts with automatic pretensioning achild				Х	Х
x re Pressure Monitoring System x ree rear head restraints x re Pressure Monitoring System x ree rear head restraints x re Pressure Monitoring System x ree rear head restraints x refer the an estraints x refer to glight in left rear light x regrated child locks in rear doors x ront 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters not passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child rait) x ree 3-point rear safety belts with automatic pretensioning x refers a safety belts with automatic pretensioning a value pretension in protect from side rear impact; additional protection against lose x refers a safety belts with automatic pretensioning a safety belts with automatic pretensioning a value pretension in protect from side rear impact; additional protection against lose x refers a safety belts with automatic pretensioning a value pretension in protect from side rear impact; additional protection against lose x refers a safety belts with automatic pretensioning a value pretension				Х	Х
re Pressure Monitoring System x view rear head restraints x vo front fog lights located in lower front bumper x rear fog light in left rear light x tegrated child locks in rear doors x ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x rear 3-point rear safety belts with automatic pretensioning x ont 3-point rear safety belts with automatic pretensioning x ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads sliding forward during heavy braking auto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x blanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				Х	Х
x vo front fog lights located in lower front bumper x erar fog lights located in lower front bumper x erar fog light in left rear light x tegrated child locks in rear doors x eterated child locks with automatic pretensioning, height adjustable upper mounts and belt force limiters x eterated to an tip assenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at x eterated at a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads sliding forward during heavy braking and belt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x energency rear door unlocking mechanism adjacent to the child locks x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x effectors in rear of all doors x eterated anti-theft vehicle alarm system with following features: x eterated anti-theft vehicle alarm system with following features: x eterated anti-theft vehicle alarm system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	х	Х	х	х	Х
vo front fog lights located in lower front bumper he rear fog light in left rear light tegrated child locks in rear doors ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x area 3-point rear safety belts with automatic pretensioning ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose and selding forward during heavy braking satisfied buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x area good unlocking mechanism adjacent to the child locks xto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when langing lane) x area good anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				х	Х
ne rear fog light in left rear light x tegrated child locks in rear doors x ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x ont passenger and rear safety belts with automatic pretensioning x ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose ads sliding forward during heavy braking x at belt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x nergency rear door unlocking mechanism adjacent to the child locks x tot-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x leflectors in rear of all doors x tovanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				х	Х
tegrated child locks in rear doors x ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters x ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose adds sliding forward during heavy braking abstablet buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x and belt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x and belt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x and belt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x and belt force limiters x buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x butch Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x beltectors in rear of all doors x butch Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x beltectors in rear of all doors x butch feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x butch Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x beltectors in rear of all doors x butch Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when a				х	Х
ont 3-point safety belts with automatic pretensioning, height adjustable upper mounts and belt force limiters ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child att) x x x x x x x x x x x x x				Х	Х
ont passenger and rear safety belts with ALR (Automatic Locking Retractor, a ratcheting mechanism for conveniently securing a child at) x are 3-point rear safety belts with automatic pretensioning ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose and soliding forward during heavy braking attable buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x nergency rear door unlocking mechanism adjacent to the child locks xto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when langing lane) x deflectors in rear of all doors x deflectors in rear of all doors x theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				Х	Х
x x x x x x x x x x x x x x x x x x x	Х	Х	Х	Х	Х
ont seats include a high strength steel reinforcement construction to protect from side rear impact; additional protection against loose add sliding forward during heavy braking x state-lit buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x the regency rear door unlocking mechanism adjacent to the child locks xto-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when langing lane) x deflectors in rear of all doors x dvanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	x	х	x	x	х
ads sliding forward during heavy braking attack blocks sensors for front passengers which control airbag deployment based on whether the passenger is restrained x x nergency rear door unlocking mechanism adjacent to the child locks x to-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when langing lane) x x deflectors in rear of all doors x vanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	х	х	х	х	Х
eatbelt buckle sensors for front passengers which control airbag deployment based on whether the passenger is restrained x mergency rear door unlocking mechanism adjacent to the child locks x xtota-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) x x divanced anti-theft vehicle alarm system with following features: x x theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	х	х	х	х	х
nergency rear door unlocking mechanism adjacent to the child locks x tot-Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) X effectors in rear of all doors x divanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	х	Y	Y	х	x
At the Blink feature enables turn signals to automatically blink three times when blinker lever shortly pushed up/down (common when anging lane) X effectors in rear of all doors Avanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				X	X
anging lane) anging lane) selflectors in rear of all doors x divanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				x	X
dvanced anti-theft vehicle alarm system with following features: - theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn					
- theft deterrent light in driver's door - ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn				X	X
- ultrasonic interior monitoring system with defeat switch in driver's door - back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn	Х	Х	X	Х	Х
- back-up battery in case main vehicle battery is disconnected - Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn		1			
- Generation IV Immobilizer prevents engine start when key with automatically changing electronic code feature is not used; B7 new key fob design - back-up horn		1			
automatically changing electronic code feature is not used; B7 new key fob design - back-up horn		1			
- back-up hom		1			
		l			
an some much provente their by terming, randition out be		1			
defeated by switch located in driver's door storage area		1			
- system automatically arms when vehicle locked		l			