

Audi of America Audi S4 3.0 TFSI Technical Specifications 2011 Model Year

Technical Spe	cifications				2011 Audi S					
ENGINE:										
Туре		Supercharged V6 gasoline engine with FSI direct injection dual intercoolers, four valves per cylinder, 2-stage variable intake manifold								
Arrangement		Front mounted, longitudinal								
Bore		3.33 in.								
Stroke		3.33 in. 84.5 mm 3.50 in. 89 mm								
Displacement		182.8 cu. in.								
Compression ra	tio	10.3:1								
Fuel requiremer		Premium unleaded (91 Octane) recommended for maximum performance								
Horsepower (SA		333 hp @ 5500-7000								
Max. Torque	,	325 lbs. ft.								
ENGINE DESIGN:										
Cylinder block		aluminum alloy								
Cylinder head		aluminum alloy								
Valve train / inta	ke	DOHC, 4-valves per cylinder, hydraulic adjustment								
Fuel injection		Electronic engine management, drive-by-wire throttle, FSI direct injection								
Emission system	n		Two close-coupled ceramic converters							
-		jananananananananananananananananananan								
Emissions level		EU5 ULEV2								
ELECTRICAL SYS	STEM:									
Battery		12 volts	80 amp/hr							
Alternator		14 volts	140 amp							
DRIVETRAIN:										
Transmission		Automatic: S tronic 7-speed dual clutch automatic								
		Manual: 6-speed								
Туре			S tronic automatic (quattro AWD)	6-speed Manual (quattro AWD)						
			dual clutch	manual						
Gear ratios:	1st		3.692	3.667						
	2nd		2.238	2.158						
	3rd		1.559	1.520						
	4th		1.175	1.133						
	5th		0.915	0.919						
	6th		0.745	0.778						
	7th									
	reverse		2.944	3.222						
	Final Drive		3.682							
Front Differentia	ıl	electronically locking (EDL)								
Center Different	ial	self-locking center differential								
Rear Differentia	I	electronically lo	electronically locking (EDL)							
STEERING:										
Туре		Servotronic veh	cle speed-sensitive hydraulic power assist							
Ratio		16.5:1								
Turning circle (c	urb-to-curb)	37.7 ft.	11.5 m							
SUSPENSION:										
Front		Five-link front su	spension, upper and lower wishbones, tubular	anti-roll bar						
Rear		Independent trapezoidal link with resiliently mounted subframe, anti-roll bar								
BRAKES:		,	, and the same same same same same same same sam	<u> </u>						
System		Dual-circuit brake system with diagonal split, Anti-lock Brake System (ABS), Electronic Brake pressure Distribution (EBD) and Electronic Stabilization Program (ESP); tandem brake booster								
Front		Ventilated discs								
Rear		discs								
Parking brake		Electromechani	cal, actuated at rear wheels							


Audi of America Audi S4 3.0 TFSI Technical Specifications 2011 Model Year

Technical Specifications (contin	ued)					2011 Audi S		
WHEELS:								
Size	8X18 alloy			standard				
	8.5X19 alloy			optional				
				~~~~~				
TIRES:								
Size	245/40 R18 summer performance			standard				
	255/35 R19 summer performance			optional				
BODY:								
Material	Unitized steel struct							
Corrosion protection	All steel parts are 100% dual-side zinc-galvanized (12 year limited warranty against corrosion perforation)							
WARRANTY/MAINTENANCE:	4-Year/50,000 mile new vehicle limited warranty							
	12-Month/5,000 mile (whichever occurs first)							
CAPACITIES:								
		8.1 liter						
Engine oil	8.5585 qt.							
Fuel tank	16.907 gal.	64 liter						
Cooling system	11.728 qt.	11.1 liter						
EXTERIOR DIMENSIONS:								
	harry and the second	edan						
Wheelbase	110.55 in. 2808 mm							
Track: front / rear	61.6/61.1 1564/1551 mm							
Overall length Overall width mirrors	185.2 in. 4703 mm							
Height (unloaded)	71.89 in. 1826 mm 56.181 in. 1427 mm							
Ground clearance (loaded)	56.181 in. 1427 mm Cw = 0.28 Frontal Area = 2.20 sq. m.							
ereana elearanee (leadea)	quattro S tronic Trans quattro manual Tra							
Curb weight	3714	lbs	363		(european measurements)			
NTERIOR DIMENSIONS:								
EPA Class	Compact class							
Seating Capacity	5							
	S	edan						
Head room front / rear	40.0 in.	1015 mm /	37.5 in.	952 mm				
Shoulder room front / rear	55.5 in.	1410 mm /	54.3 in.	1380 mm				
Internal (EDA)	04 6							
Int. vol. (EPA)	91 cu. ft. 12.0 cu. ft. (34.0 cuft. Rear seats folded)							
Luggage capacity (EPA)	12.0 Cu. II.	(34.0 Cuit. Re	ai seats ioided)					
PERFORMANCE:			;		,			
0.00	*	tronic Trans			quattro manual Trans			
0-60 mph	4.9 Electronically limite	Sec.			<b>4.9</b> sec.			
Top speed	Lieutionically mille	a to 100 mpn						
FUEL ECONOMY:	MV 2014 EBA							
TUEL ECONOMIT:	MY 2011 EPA  quattro S tronic Trans  quattro manua			ro manual Trans				
City	18	mpg	quatt 18	mpg				
Highway	28	mpg	27	mpg				
Combined	21	mpg	21	mpg				
	<del>-</del>							

## Audi S4







^{*} maximum headroom Dimensions in milimeters and inches Dimensions of vehicle unloaded